

82576

REFERENCE DESIGN
(SERDES/FIBER/SFP)

PAGE INDEX

- ```

1 - TITLE PAGE
2 - FUNCTIONAL BLOCK DIAGRAM
3 - 82576 MDI, LEDS, CRYSTAL, SERDES, SFP, NCSI, SMBUS, EEPROM AND FLASH
4 - 82576 VCC3P3, VCC1P8V, VCC1P0V AND VSS
5 - 82576 PCI EXPRESS, JTAG, AUX POWER, LAN DISABLE, MAIN POWER OK AND DEVICE OFF
6 - SERDES FIBER OPTIC OPTION A - SHOWS IMPLEMENTATION FOR BOTH PORT 0 AND 1.
7 - SERDES BACKPLANE OPTION B - SHOWS IMPLEMENTATION FOR BOTH PORT 0 AND 1.
8 - SERDES SFP OPTION C - SHOWS IMPLEMENTATION FOR BOTH PORT 0 AND 1.


```

## REVISION HISTORY

- 0.1 ORIGINAL VERSION  
1.0 UPDATED BASED ON THE LATEST PRODUCT  
REQUIREMENTS.  
2.0 RELEASED VERSION  
2.1 UPDATED NC-SI NOTE

1 - TITLE PAGE

FUNCTIONAL BLOCK DIAGRAM




LEGEND


- SOLID LINE INDICATES THAT THE CONNECTIONS ARE SHOWN IN REFERENCE SCHEMATIC.
- DASHED LINE INDICATES THAT THE CONNECTIONS ARE NOT SHOWN IN REFERENCE SCHEMATIC.
- THESE CONNECTIONS ARE OWNED BY THE SYSTEM DESIGNER.

2 - FUNCTIONAL BLOCK DIAGRAM









SERDES FIBER OPTIC SOLUTION FOR BOTH  
PORT 0 OR PORT 1 SHOWN FOR OPTION A.

