

Intel® Desktop Compatibility Tool

Found 60 Compatible Processor(s) for Board DG31GL

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W SLB8W	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
Spec # SLGAE SLGAE	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWQ SLB8V SLAWQ SLB8V	Min. BIOS 8 8 8 8	AA Rev(s) E33911-200 E33911-200 E33912-200 E33912-200

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGY Y	8	E33911-200
SLGY Y	8	E33912-200

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR	7	E33911-200
SLAWR	7	E33912-200

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9U	8	E33911-200
SLG9U	8	E33912-200

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB6B	6	E33911-200
SLB6B	6	E33912-200

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWE	8	E33911-200
SLAWE	8	E33912-200

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7	8	E33911-200
SLGT7	8	E33912-200

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGT6	8	E33911-200
SLGT6	8	E33912-200

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5W	8	E33911-200
SLGUR	8	E33911-200
SLB5W	8	E33912-200
SLGUR	8	E33912-200

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	8	E33911-200
SLG9T	8	E33912-200

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	8	E33911-200
SLG9S	8	E33911-200
SLB5M	8	E33912-200
SLG9S	8	E33912-200

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	3	E33911-200
SLACQ	3	E33912-200

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR	3	E33911-200
SLACR	3	E33912-200

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9L	Min. BIOS 8	AA Rev(s) E33911-200
SLB9L	8	E33912-200

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPK	Min. BIOS 7	AA Rev(s) E33911-200
SLB9K	6	E33911-200
SLAPK	7	E33912-200
SLB9K	6	E33912-200

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPL	Min. BIOS 7	AA Rev(s) E33911-200
SLB9J	6	E33911-200
SLAPL	7	E33912-200
SLB9J	6	E33912-200

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPN	Min. BIOS 7	AA Rev(s) E33911-200

SLAPN

7

E33912-200

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
65

Spec #
SLAPP
SLAPP

Min. BIOS
7
7

AA Rev(s)
E33911-200
E33912-200

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLGTD
SLGTD

Min. BIOS
8
8

AA Rev(s)
E33911-200
E33912-200

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLB9Z
SLGTE
SLB9Z
SLGTE

Min. BIOS
8
8
8
8

AA Rev(s)
E33911-200
E33911-200
E33912-200
E33912-200

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #	Min. BIOS	AA Rev(s)
SLB9Y	7	E33911-200
SLGW3	8	E33911-200
SLB9Y	7	E33912-200
SLGW3	8	E33912-200

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	7	E33911-200
SLAPB	7	E33912-200

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	7	E33911-200
SLAVN	7	E33911-200
SLAPC	7	E33912-200
SLAVN	7	E33912-200

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9U	3	E33911-200
SLA9U	3	E33912-200

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUE SLGUE	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

More Information

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9V SLA9V	Min. BIOS 3 3	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF SLGUF	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUG SLGUG	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

More Information

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9X SLA9X	Min. BIOS 3 3	AA Rev(s) E33911-200 E33912-200

Intel® Pentium® E6500K | Frequency: 2.93 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGYP SLGYP	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUH SLGUH	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGU9 SLGU9	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG	Min. BIOS	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH	Min. BIOS	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ SLGTJ	Min. BIOS 10 10	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLB9V SLGTK SLB9V SLGTK	Min. BIOS 8 8 8 8	AA Rev(s) E33911-200 E33911-200 E33912-200 E33912-200

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9U	8	E33911-200
SLGTL	8	E33911-200
SLB9U	8	E33912-200
SLGTL	8	E33912-200

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAY7	6	E33911-200
SLB9T	8	E33911-200
SLAY7	6	E33912-200
SLB9T	8	E33912-200

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLALT	3	E33911-200
SLALT	3	E33912-200

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLA94	3	E33911-200
SLA94	3	E33912-200

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA95 SLA95	Min. BIOS 3 3	AA Rev(s) E33911-200 E33912-200

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA98 SLA98	Min. BIOS 3 3	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTY SLGTY	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLGTZ	8	E33911-200
SLGTZ	8	E33912-200

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9D SLB9D	Min. BIOS 8 8	AA Rev(s) E33911-200 E33912-200

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLB9C	8	E33911-200
SLB9C	8	E33912-200

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8W SLA8W	Min. BIOS 3 3	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLB9R SLB9R	Min. BIOS	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8X SLA8X	Min. BIOS 3 3	AA Rev(s) E33911-200 E33912-200

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLA8Y	3	E33911-200
SLA8Y	3	E33912-200

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z	Min. BIOS 3	AA Rev(s) E33911-200
SLA8Z	3	E33912-200

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93	Min. BIOS 3	AA Rev(s) E33911-200
SLA93	3	E33912-200

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQY	Min. BIOS	AA Rev(s) E33911-200
SLAQY		E33912-200

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLAQZ	8	E33911-200
SLAQZ	8	E33912-200

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAR2 SLAR2	Min. BIOS 4 4	AA Rev(s) E33911-200 E33912-200

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQW SLAQW	Min. BIOS 4 4	AA Rev(s) E33911-200 E33912-200