

Intel® Desktop Compatibility Tool

Found 81 Compatible Processor(s) for Board DG33TL

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWZ	Min. BIOS 326	AA Rev(s) D89517-700
SLAWZ	326	D89517-801
SLAWZ	326	D89517-802
SLAWZ	326	D89517-803
SLAWZ	326	D89517-804

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAX2	Min. BIOS 326	AA Rev(s) D89517-700
SLAX2	326	D89517-801
SLAX2	326	D89517-802
SLAX2	326	D89517-803
SLAX2	326	D89517-804

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACS	Min. BIOS 326	AA Rev(s) D89517-700
SLACS	326	D89517-801
SLACS	326	D89517-802
SLACS	326	D89517-803
SLACS	326	D89517-804

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACT	Min. BIOS 326	AA Rev(s) D89517-700
SLACT	326	D89517-801
SLACT	326	D89517-802
SLACT	326	D89517-803
SLACT	326	D89517-804

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACU	Min. BIOS 326	AA Rev(s) D89517-700
SLACU	326	D89517-801
SLACU	326	D89517-802
SLACU	326	D89517-803
SLACU	326	D89517-804

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W	Min. BIOS	AA Rev(s) D89517-700
SLB8W		D89517-801
SLB8W		D89517-802
SLB8W		D89517-803
SLB8W		D89517-804

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

More Information

Cache 12 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGAE	484	D89517-700
SLGAE	484	D89517-801
SLGAE	484	D89517-802
SLGAE	484	D89517-803
SLGAE	484	D89517-804

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

More Information

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWQ	400	D89517-700
SLB8V	484	D89517-700
SLAWQ	400	D89517-801
SLB8V	484	D89517-801
SLAWQ	400	D89517-802
SLB8V	484	D89517-802
SLAWQ	400	D89517-803
SLB8V	484	D89517-803
SLAWQ	400	D89517-804
SLB8V	484	D89517-804

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLGYY	484	D89517-700
SLGYY	484	D89517-801
SLGYY	484	D89517-802
SLGYY	484	D89517-803
SLGYY	484	D89517-804

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR	326	D89517-700
SLAWR	326	D89517-801
SLAWR	326	D89517-802
SLAWR	326	D89517-803
SLAWR	326	D89517-804

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9U	484	D89517-700
SLG9U	484	D89517-801
SLG9U	484	D89517-802
SLG9U	484	D89517-803
SLG9U	484	D89517-804

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB6B		D89517-700
SLB6B		D89517-801
SLB6B		D89517-802
SLB6B		D89517-803
SLB6B		D89517-804

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWE	400	D89517-700
SLAWE	400	D89517-801
SLAWE	400	D89517-802
SLAWE	400	D89517-803
SLAWE	400	D89517-804

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7	484	D89517-700
SLGT7	484	D89517-801
SLGT7	484	D89517-802
SLGT7	484	D89517-803
SLGT7	484	D89517-804

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGT6	484	D89517-700
SLGT6	484	D89517-801
SLGT6	484	D89517-802
SLGT6	484	D89517-803
SLGT6	484	D89517-804

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLB5W	484	D89517-700
SLGUR	484	D89517-700
SLB5W	484	D89517-801
SLGUR	484	D89517-801
SLB5W	484	D89517-802
SLGUR	484	D89517-802
SLB5W	484	D89517-803
SLGUR	484	D89517-803
SLB5W	484	D89517-804
SLGUR	484	D89517-804

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLG9T	484	D89517-700
SLG9T	484	D89517-801
SLG9T	484	D89517-802
SLG9T	484	D89517-803
SLG9T	484	D89517-804

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLB5M	400	D89517-700
SLG9S	484	D89517-700
SLB5M	400	D89517-801
SLG9S	484	D89517-801
SLB5M	400	D89517-802
SLG9S	484	D89517-802
SLB5M	400	D89517-803
SLG9S	484	D89517-803
SLB5M	400	D89517-804
SLG9S	484	D89517-804

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	326	D89517-700
SLACQ	326	D89517-801
SLACQ	326	D89517-802
SLACQ	326	D89517-803
SLACQ	326	D89517-804

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR	326	D89517-700
SLACR	326	D89517-801
SLACR	326	D89517-802
SLACR	326	D89517-803
SLACR	326	D89517-804

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	484	D89517-700
SLB9L	484	D89517-801
SLB9L	484	D89517-802
SLB9L	484	D89517-803
SLB9L	484	D89517-804

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	326	D89517-700
SLB9K	484	D89517-700
SLAPK	326	D89517-801
SLB9K	484	D89517-801
SLAPK	326	D89517-802
SLB9K	484	D89517-802
SLAPK	326	D89517-803
SLB9K	484	D89517-803
SLAPK	326	D89517-804
SLB9K	484	D89517-804

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPL	326	D89517-700
SLB9J	484	D89517-700
SLAPL	326	D89517-801
SLB9J	484	D89517-801
SLAPL	326	D89517-802
SLB9J	484	D89517-802
SLAPL	326	D89517-803
SLB9J	484	D89517-803
SLAPL	326	D89517-804
SLB9J	484	D89517-804

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	326	D89517-700
SLAPN	326	D89517-801

SLAPN	326	D89517-802
SLAPN	326	D89517-803
SLAPN	326	D89517-804

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	326	D89517-700
SLAPP	326	D89517-801
SLAPP	326	D89517-802
SLAPP	326	D89517-803
SLAPP	326	D89517-804

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD		D89517-700
SLGTD		D89517-801
SLGTD		D89517-802
SLGTD		D89517-803
SLGTD		D89517-804

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z		D89517-700
SLGTE	345	D89517-700
SLB9Z		D89517-801
SLGTE	345	D89517-801
SLB9Z		D89517-802

SLGTE	345	D89517-802
SLB9Z		D89517-803
SLGTE	345	D89517-803
SLB9Z		D89517-804
SLGTE	345	D89517-804

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y		D89517-700
SLGW3		D89517-700
SLB9Y		D89517-801
SLGW3		D89517-801
SLB9Y		D89517-802
SLGW3		D89517-802
SLB9Y		D89517-803
SLGW3		D89517-803
SLB9Y		D89517-804
SLGW3		D89517-804

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	326	D89517-700
SLAPB	326	D89517-801
SLAPB	326	D89517-802
SLAPB	326	D89517-803
SLAPB	326	D89517-804

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLAPC	326	D89517-700
SLAVN	326	D89517-700
SLAPC	326	D89517-801
SLAVN	326	D89517-801
SLAPC	326	D89517-802
SLAVN	326	D89517-802
SLAPC	326	D89517-803
SLAVN	326	D89517-803
SLAPC	326	D89517-804
SLAVN	326	D89517-804

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA9U	326	D89517-700
SLA9U	326	D89517-801
SLA9U	326	D89517-802
SLA9U	326	D89517-803
SLA9U	326	D89517-804

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGUE	484	D89517-700
SLGUE	484	D89517-801
SLGUE	484	D89517-802
SLGUE	484	D89517-803
SLGUE	484	D89517-804

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9V	326	D89517-700
SLA9V	326	D89517-801
SLA9V	326	D89517-802
SLA9V	326	D89517-803
SLA9V	326	D89517-804

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF	484	D89517-700
SLGUF	484	D89517-801
SLGUF	484	D89517-802
SLGUF	484	D89517-803
SLGUF	484	D89517-804

Intel® Core™2 Duo Desktop E6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SL9S7	267	D89517-700
SL9ZF	267	D89517-700
SL9S7	267	D89517-801
SL9ZF	267	D89517-801
SL9S7	267	D89517-802
SL9ZF	267	D89517-802
SL9S7	267	D89517-803
SL9ZF	267	D89517-803
SL9S7	267	D89517-804
SL9ZF	267	D89517-804

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG	484	D89517-700
SLGUG	484	D89517-801
SLGUG	484	D89517-802
SLGUG	484	D89517-803
SLGUG	484	D89517-804

Intel® Core™2 Duo Desktop E6600 | Frequency: 2.40 GHz

More Information

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SL9S8	267	D89517-700
SL9TZ	267	D89517-700
SL9ZL	267	D89517-700
SL9S8	267	D89517-801
SL9TZ	267	D89517-801
SL9ZL	267	D89517-801
SL9S8	267	D89517-802
SL9TZ	267	D89517-802
SL9ZL	267	D89517-802
SL9S8	267	D89517-803
SL9TZ	267	D89517-803
SL9ZL	267	D89517-803
SL9S8	267	D89517-804
SL9TZ	267	D89517-804
SL9ZL	267	D89517-804

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

More Information

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	326	D89517-700
SLA9X	326	D89517-801

SLA9X	326	D89517-802
SLA9X	326	D89517-803
SLA9X	326	D89517-804

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGYP	345	D89517-700
SLGYP	345	D89517-801
SLGYP	345	D89517-802
SLGYP	345	D89517-803
SLGYP	345	D89517-804

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH	484	D89517-700
SLGUH		D89517-801
SLGUH		D89517-802
SLGUH		D89517-803
SLGUH		D89517-804

Intel® Core™2 Duo Desktop E6420 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA4T	326	D89517-700
SLA4T	326	D89517-801
SLA4T	326	D89517-802
SLA4T	326	D89517-803
SLA4T	326	D89517-804

Intel® Core™2 Duo Desktop E6400 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SL9S9	267	D89517-700
SL9T9	267	D89517-700
SL9S9	267	D89517-801
SL9T9	267	D89517-801
SL9S9	267	D89517-802
SL9T9	267	D89517-802
SL9S9	267	D89517-803
SL9T9	267	D89517-803
SL9S9	267	D89517-804
SL9T9	267	D89517-804

Intel® Core™2 Duo Desktop E6320 | Frequency: 1.86 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA4U	326	D89517-700
SLA4U	326	D89517-801
SLA4U	326	D89517-802
SLA4U	326	D89517-803
SLA4U	326	D89517-804

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU9		D89517-700
SLGU9		D89517-801
SLGU9		D89517-802
SLGU9		D89517-803

Intel® Core™2 Duo Desktop E6300 | Frequency: 1.86 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SL9SA	267	D89517-700
SL9TA	267	D89517-700
SL9SA	267	D89517-801
SL9TA	267	D89517-801
SL9SA	267	D89517-802
SL9TA	267	D89517-802
SL9SA	267	D89517-803
SL9TA	267	D89517-803
SL9SA	267	D89517-804
SL9TA	267	D89517-804

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGTG	484	D89517-700
SLGTG	484	D89517-801
SLGTG	484	D89517-802
SLGTG	484	D89517-803
SLGTG	484	D89517-804

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGTH	484	D89517-700
SLGTH	484	D89517-801

SLGTH	484	D89517-802
SLGTH	484	D89517-803
SLGTH	484	D89517-804

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTJ	484	D89517-700
SLGTJ		D89517-801
SLGTJ		D89517-802
SLGTJ		D89517-803
SLGTJ		D89517-804

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9V		D89517-700
SLGTK		D89517-700
SLB9V		D89517-801
SLGTK		D89517-801
SLB9V		D89517-802
SLGTK		D89517-802
SLB9V		D89517-803
SLGTK		D89517-803
SLB9V		D89517-804
SLGTK		D89517-804

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)

SLB9U	D89517-700
SLGTL	D89517-700
SLB9U	D89517-801
SLGTL	D89517-801
SLB9U	D89517-802
SLGTL	D89517-802
SLB9U	D89517-803
SLGTL	D89517-803
SLB9U	D89517-804
SLGTL	D89517-804

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAY7	345	D89517-700
SLB9T		D89517-700
SLAY7	345	D89517-801
SLB9T		D89517-801
SLAY7	345	D89517-802
SLB9T		D89517-802
SLAY7	345	D89517-803
SLB9T		D89517-803
SLAY7	345	D89517-804
SLB9T		D89517-804

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLALT	267	D89517-700
SLALT	267	D89517-801
SLALT	267	D89517-802
SLALT	267	D89517-803
SLALT	267	D89517-804

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA94	267	D89517-700
SLA94	267	D89517-801
SLA94	267	D89517-802
SLA94	267	D89517-803
SLA94	267	D89517-804

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA95	267	D89517-700
SLA95	267	D89517-801
SLA95	267	D89517-802
SLA95	267	D89517-803
SLA95	267	D89517-804

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA3F	267	D89517-700
SLA98	267	D89517-700
SLA3F	267	D89517-801
SLA98	267	D89517-801
SLA3F	267	D89517-802
SLA98	267	D89517-802
SLA3F	267	D89517-803
SLA98	267	D89517-803
SLA3F	267	D89517-804
SLA98	267	D89517-804

Intel® Core™2 Duo Desktop E4300 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SL9TB	267	D89517-700
SL9TB	267	D89517-801
SL9TB	267	D89517-802
SL9TB	267	D89517-803
SL9TB	267	D89517-804

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTY		D89517-700
SLGTY		D89517-801
SLGTY		D89517-802
SLGTY		D89517-803
SLGTY		D89517-804

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTZ	484	D89517-700
SLGTZ	484	D89517-801
SLGTZ	484	D89517-802
SLGTZ	484	D89517-803
SLGTZ	484	D89517-804

Intel® Celeron® E3300 | Frequency: 2.50 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4 SLGU4 SLGU4 SLGU4	Min. BIOS	AA Rev(s) D89517-700 D89517-801 D89517-802 D89517-803 D89517-804

Intel® Celeron® E3200 | Frequency: 2.40 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) D89517-700 D89517-801 D89517-802 D89517-803 D89517-804

Intel® Xeon® E3120 | Frequency: 3.16 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9D SLB9D SLB9D SLB9D SLB9D	Min. BIOS 484 484 484 484 484	AA Rev(s) D89517-700 D89517-801 D89517-802 D89517-803 D89517-804

Intel® Xeon® E3110 | Frequency: 3.00 GHz

More Information

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPM	326	D89517-700
SLB9C	484	D89517-700
SLAPM	326	D89517-801
SLB9C	484	D89517-801
SLAPM	326	D89517-802
SLB9C	484	D89517-802
SLAPM	326	D89517-803
SLB9C	484	D89517-803
SLAPM	326	D89517-804
SLB9C	484	D89517-804

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8W	326	D89517-700
SLA8W	326	D89517-801
SLA8W	326	D89517-802
SLA8W	326	D89517-803
SLA8W	326	D89517-804

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9R		D89517-700
SLB9R		D89517-801
SLB9R		D89517-802
SLB9R		D89517-803
SLB9R		D89517-804

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8X	326	D89517-700
SLA8X	326	D89517-801
SLA8X	326	D89517-802
SLA8X	326	D89517-803
SLA8X	326	D89517-804

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Y	326	D89517-700
SLA8Y	326	D89517-801
SLA8Y	326	D89517-802
SLA8Y	326	D89517-803
SLA8Y	326	D89517-804

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA3H	326	D89517-700
SLA8Z	326	D89517-700
SLA3H	326	D89517-801
SLA8Z	326	D89517-801
SLA3H	326	D89517-802
SLA8Z	326	D89517-802
SLA3H	326	D89517-803
SLA8Z	326	D89517-803
SLA3H	326	D89517-804
SLA8Z	326	D89517-804

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA3J	326	D89517-700
SLA93	326	D89517-700
SLA3J	326	D89517-801
SLA93	326	D89517-801
SLA3J	326	D89517-802
SLA93	326	D89517-802
SLA3J	326	D89517-803
SLA93	326	D89517-803
SLA3J	326	D89517-804
SLA93	326	D89517-804

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQY	238	D89517-700
SLAQY	238	D89517-801
SLAQY	238	D89517-802
SLAQY	238	D89517-803
SLAQY	238	D89517-804

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQZ	238	D89517-700
SLAQZ	238	D89517-801
SLAQZ	238	D89517-802
SLAQZ	238	D89517-803
SLAQZ	238	D89517-804

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAR2	238	D89517-700
SLAR2	238	D89517-801
SLAR2	238	D89517-802
SLAR2	238	D89517-803
SLAR2	238	D89517-804

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW	326	D89517-700
SLAQW	326	D89517-801
SLAQW	326	D89517-802
SLAQW	326	D89517-803
SLAQW	326	D89517-804

Legacy Intel® Celeron® 430 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	35
Spec #	Min. BIOS	AA Rev(s)
SL9XN	326	D89517-700
SL9XN	326	D89517-801
SL9XN	326	D89517-802
SL9XN	326	D89517-803
SL9XN	326	D89517-804

Legacy Intel® Celeron® 420 | Frequency: 1.60 GHz

More Information

Cache	Graphics	Max TDP
512 KB	No	35
Spec #	Min. BIOS	AA Rev(s)
SL9XP	326	D89517-700
SL9XP	326	D89517-801
SL9XP	326	D89517-802
SL9XP	326	D89517-803
SL9XP	326	D89517-804

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

More Information

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA2	326	D89517-700
SLAA2	326	D89517-801
SLAA2	326	D89517-802
SLAA2	326	D89517-803
SLAA2	326	D89517-804

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

More Information

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA3	326	D89517-700
SLAA3	326	D89517-801
SLAA3	326	D89517-802
SLAA3	326	D89517-803
SLAA3	326	D89517-804

Dual-Core Intel® Xeon® 3070 | Frequency: 2.66 GHz

More Information

Cache	Graphics	Max TDP
-------	----------	---------

4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SL9ZC	326	D89517-700
SLACC	326	D89517-700
SL9ZC	326	D89517-801
SLACC	326	D89517-801
SL9ZC	326	D89517-802
SLACC	326	D89517-802
SL9ZC	326	D89517-803
SLACC	326	D89517-803
SL9ZC	326	D89517-804
SLACC	326	D89517-804

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA9	326	D89517-700
SLAA9	326	D89517-801
SLAA9	326	D89517-802
SLAA9	326	D89517-803
SLAA9	326	D89517-804

Dual-Core Intel® Xeon® 3060 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SL9ZH	326	D89517-700
SLACD	326	D89517-700
SL9ZH	326	D89517-801
SLACD	326	D89517-801
SL9ZH	326	D89517-802
SLACD	326	D89517-802
SL9ZH	326	D89517-803
SLACD	326	D89517-803
SL9ZH	326	D89517-804
SLACD	326	D89517-804

Dual-Core Intel® Xeon® 3050 | Frequency: 2.13 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SL9TY	326	D89517-700
SLABZ	326	D89517-700
SL9TY	326	D89517-801
SLABZ	326	D89517-801
SL9TY	326	D89517-802
SLABZ	326	D89517-802
SL9TY	326	D89517-803
SLABZ	326	D89517-803
SL9TY	326	D89517-804
SLABZ	326	D89517-804

Dual-Core Intel® Xeon® 3040 | Frequency: 1.86 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SL9TW	267	D89517-700
SLAC2	326	D89517-700
SL9VT	326	D89517-700
SL9TW	267	D89517-801
SLAC2	326	D89517-801
SL9VT	326	D89517-801
SL9TW	267	D89517-802
SLAC2	326	D89517-802
SL9VT	326	D89517-802
SL9TW	267	D89517-803
SLAC2	326	D89517-803
SL9VT	326	D89517-803
SL9TW	267	D89517-804
SLAC2	326	D89517-804
SL9VT	326	D89517-804

