

Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DG41TX

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWZ SLAWZ SLAWZ SLAWZ	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAX2 SLAX2 SLAX2 SLAX2	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACS SLACS SLACS SLACS	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACT SLACT SLACT SLACT	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACU SLACU SLACU SLACU	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W SLB8W SLB8W SLB8W	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
----------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLGAE		E78178-301
SLGAE		E78178-302
SLGAE		E78178-303
SLGAE		E78178-304

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWQ		E78178-301
SLB8V		E78178-301
SLAWQ		E78178-302
SLB8V		E78178-302
SLAWQ		E78178-303
SLB8V		E78178-303
SLAWQ		E78178-304
SLB8V		E78178-304

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGYY		E78178-301
SLGYY		E78178-302
SLGYY		E78178-303
SLGYY		E78178-304

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)

SLAWR	E78178-301
SLAWR	E78178-302
SLAWR	E78178-303
SLAWR	E78178-304

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLG9U SLG9U SLG9U SLG9U	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLB6B SLB6B SLB6B SLB6B	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLAWE SLAWE SLAWE SLAWE	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLGT7 SLGT7 SLGT7 SLGT7	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLGT6 SLGT6 SLGT6 SLGT6	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLB5W SLGUR SLB5W SLGUR SLB5W SLGUR SLB5W SLGUR	Min. BIOS	AA Rev(s) E78178-301 E78178-301 E78178-302 E78178-302 E78178-303 E78178-303 E78178-304 E78178-304

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

More Information

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLG9T SLG9T SLG9T SLG9T	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

More Information

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S	Min. BIOS	AA Rev(s) E78178-301 E78178-301 E78178-302 E78178-302 E78178-303 E78178-303 E78178-304 E78178-304

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

More Information

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACQ SLACQ SLACQ SLACQ	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

More Information

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACR SLACR SLACR SLACR	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9L SLB9L SLB9L SLB9L	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K	Min. BIOS	AA Rev(s) E78178-301 E78178-301 E78178-302 E78178-302 E78178-303 E78178-303 E78178-304 E78178-304

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLAPL		E78178-301
SLB9J		E78178-301
SLAPL		E78178-302
SLB9J		E78178-302
SLAPL		E78178-303
SLB9J		E78178-303
SLAPL		E78178-304
SLB9J		E78178-304

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN		E78178-301
SLAPN		E78178-302
SLAPN		E78178-303
SLAPN		E78178-304

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP		E78178-301
SLAPP		E78178-302
SLAPP		E78178-303
SLAPP		E78178-304

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)

SLGTD	E78178-301
SLGTD	E78178-302
SLGTD	E78178-303
SLGTD	E78178-304

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE	Min. BIOS	AA Rev(s) E78178-301 E78178-301 E78178-302 E78178-302 E78178-303 E78178-303 E78178-304 E78178-304

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLB9Y SLGW3 SLB9Y SLGW3 SLB9Y SLGW3 SLB9Y SLGW3	Min. BIOS	AA Rev(s) E78178-301 E78178-301 E78178-302 E78178-302 E78178-303 E78178-303 E78178-304 E78178-304

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLAPB		E78178-301
SLAPB		E78178-302
SLAPB		E78178-303
SLAPB		E78178-304

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC		E78178-301
SLAVN		E78178-301
SLAPC		E78178-302
SLAVN		E78178-302
SLAPC		E78178-303
SLAVN		E78178-303
SLAPC		E78178-304
SLAVN		E78178-304

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9U		E78178-301
SLA9U		E78178-302
SLA9U		E78178-303
SLA9U		E78178-304

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)

SLGUE	E78178-301
SLGUE	E78178-302
SLGUE	E78178-303
SLGUE	E78178-304

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9V SLA9V SLA9V SLA9V	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF SLGUF SLGUF SLGUF	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUG SLGUG SLGUG SLGUG	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9X SLA9X SLA9X SLA9X	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGYP SLGYP SLGYP SLGYP	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUH SLGUH SLGUH SLGUH	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLGU9		E78178-301
SLGU9		E78178-302
SLGU9		E78178-303
SLGU9		E78178-304

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTG		E78178-301
SLGTG		E78178-302
SLGTG		E78178-303
SLGTG		E78178-304

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTH		E78178-301
SLGTH		E78178-302
SLGTH		E78178-303
SLGTH		E78178-304

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTJ		E78178-301
SLGTJ		E78178-302
SLGTJ		E78178-303
SLGTJ		E78178-304

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK	Min. BIOS	AA Rev(s) E78178-301 E78178-301 E78178-302 E78178-302 E78178-303 E78178-303 E78178-304 E78178-304

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLB9U SLGTL SLB9U SLGTL SLB9U SLGTL SLB9U SLGTL	Min. BIOS	AA Rev(s) E78178-301 E78178-301 E78178-302 E78178-302 E78178-303 E78178-303 E78178-304 E78178-304

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLAY7 SLB9T SLAY7	Min. BIOS	AA Rev(s) E78178-301 E78178-301 E78178-302

SLB9T	E78178-302
SLAY7	E78178-303
SLB9T	E78178-303
SLAY7	E78178-304
SLB9T	E78178-304

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz
[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLALT SLALT SLALT SLALT	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz
[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA94 SLA94 SLA94 SLA94	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz
[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA95 SLA95 SLA95 SLA95	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA98 SLA98 SLA98 SLA98	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTY SLGTY SLGTY SLGTY	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ SLGTZ	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU4		E78178-301
SLGU4		E78178-302
SLGU4		E78178-303
SLGU4		E78178-304

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU5		E78178-301
SLGU5		E78178-302
SLGU5		E78178-303
SLGU5		E78178-304

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9D		E78178-301
SLB9D		E78178-302
SLB9D		E78178-303
SLB9D		E78178-304

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPM		E78178-301
SLB9C		E78178-301
SLAPM		E78178-302

SLB9C	E78178-302
SLAPM	E78178-303
SLB9C	E78178-303
SLAPM	E78178-304
SLB9C	E78178-304

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8W SLA8W SLA8W SLA8W	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLB9R SLB9R SLB9R SLB9R	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8X SLA8X SLA8X SLA8X	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y SLA8Y SLA8Y SLA8Y	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z SLA8Z SLA8Z SLA8Z	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93 SLA93 SLA93 SLA93	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQY		E78178-301
SLAQY		E78178-302
SLAQY		E78178-303
SLAQY		E78178-304

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQZ		E78178-301
SLAQZ		E78178-302
SLAQZ		E78178-303
SLAQZ		E78178-304

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAR2		E78178-301
SLAR2		E78178-302
SLAR2		E78178-303
SLAR2		E78178-304

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW		E78178-301
SLAQW		E78178-302
SLAQW		E78178-303

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLAA2 SLAA2 SLAA2 SLAA2	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLAA3 SLAA3 SLAA3 SLAA3	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLAA9 SLAA9 SLAA9 SLAA9	Min. BIOS	AA Rev(s) E78178-301 E78178-302 E78178-303 E78178-304