

Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DG41TY

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAX2 SLAX2 SLAX2 SLAX2 SLAX2 SLAX2	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACS SLACS SLACS	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204

SLACS	E47335-300
SLACS	E47335-301
SLACS	E47335-302

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACT SLACT SLACT SLACT SLACT SLACT	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACU SLACU SLACU SLACU SLACU SLACU	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W SLB8W SLB8W	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204

SLB8W	E47335-300
SLB8W	E47335-301
SLB8W	E47335-302

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
Spec # SLGAE SLGAE SLGAE SLGAE SLGAE SLGAE	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V	Min. BIOS	AA Rev(s) E47335-202 E47335-202 E47335-203 E47335-203 E47335-204 E47335-204 E47335-300 E47335-300 E47335-301 E47335-301 E47335-302 E47335-302

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGYY		E47335-202
SLGYY		E47335-203
SLGYY		E47335-204
SLGYY		E47335-300
SLGYY		E47335-301
SLGYY		E47335-302

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR		E47335-202
SLAWR		E47335-203
SLAWR		E47335-204
SLAWR		E47335-300
SLAWR		E47335-301
SLAWR		E47335-302

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9U		E47335-202
SLG9U		E47335-203
SLG9U		E47335-204
SLG9U		E47335-300
SLG9U		E47335-301
SLG9U		E47335-302

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB6B		E47335-202
SLB6B		E47335-203
SLB6B		E47335-204
SLB6B		E47335-300
SLB6B		E47335-301
SLB6B		E47335-302

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWE		E47335-202
SLAWE		E47335-203
SLAWE		E47335-204
SLAWE		E47335-300
SLAWE		E47335-301
SLAWE		E47335-302

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7		E47335-202
SLGT7		E47335-203
SLGT7		E47335-204
SLGT7		E47335-300
SLGT7		E47335-301
SLGT7		E47335-302

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGT6		E47335-202
SLGT6		E47335-203
SLGT6		E47335-204
SLGT6		E47335-300
SLGT6		E47335-301
SLGT6		E47335-302

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5W		E47335-202
SLGUR		E47335-202
SLB5W		E47335-203
SLGUR		E47335-203
SLB5W		E47335-204
SLGUR		E47335-204
SLB5W		E47335-300
SLGUR		E47335-300
SLB5W		E47335-301
SLGUR		E47335-301
SLB5W		E47335-302
SLGUR		E47335-302

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T		E47335-202
SLG9T		E47335-203
SLG9T		E47335-204
SLG9T		E47335-300
SLG9T		E47335-301
SLG9T		E47335-302

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M		E47335-202
SLG9S		E47335-202
SLB5M		E47335-203
SLG9S		E47335-203
SLB5M		E47335-204
SLG9S		E47335-204
SLB5M		E47335-300
SLG9S		E47335-300
SLB5M		E47335-301
SLG9S		E47335-301
SLB5M		E47335-302
SLG9S		E47335-302

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ		E47335-202
SLACQ		E47335-203
SLACQ		E47335-204
SLACQ		E47335-300
SLACQ		E47335-301
SLACQ		E47335-302

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR		E47335-202

SLACR	E47335-203
SLACR	E47335-204
SLACR	E47335-300
SLACR	E47335-301
SLACR	E47335-302

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9L SLB9L SLB9L SLB9L SLB9L SLB9L	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K	Min. BIOS	AA Rev(s) E47335-202 E47335-202 E47335-203 E47335-203 E47335-204 E47335-204 E47335-300 E47335-300 E47335-301 E47335-301 E47335-302 E47335-302

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J	Min. BIOS	AA Rev(s) E47335-202 E47335-202 E47335-203 E47335-203 E47335-204 E47335-204 E47335-300 E47335-300 E47335-301 E47335-301 E47335-302 E47335-302

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPN SLAPN SLAPN SLAPN SLAPN SLAPN	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPP SLAPP SLAPP SLAPP SLAPP	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLGTD SLGTD SLGTD SLGTD SLGTD SLGTD	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE	Min. BIOS	AA Rev(s) E47335-202 E47335-202 E47335-203 E47335-203 E47335-204 E47335-204 E47335-300 E47335-300 E47335-301 E47335-301 E47335-302 E47335-302

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLB9Y		E47335-202
SLGW3		E47335-202
SLB9Y		E47335-203
SLGW3		E47335-203
SLB9Y		E47335-204
SLGW3		E47335-204
SLB9Y		E47335-300
SLGW3		E47335-300
SLB9Y		E47335-301
SLGW3		E47335-301
SLB9Y		E47335-302
SLGW3		E47335-302

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB		E47335-202
SLAPB		E47335-203
SLAPB		E47335-204
SLAPB		E47335-300
SLAPB		E47335-301
SLAPB		E47335-302

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC		E47335-202
SLAVN		E47335-202
SLAPC		E47335-203
SLAVN		E47335-203
SLAPC		E47335-204
SLAVN		E47335-204
SLAPC		E47335-300
SLAVN		E47335-300

SLAPC	E47335-301
SLAVN	E47335-301
SLAPC	E47335-302
SLAVN	E47335-302

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9U SLA9U SLA9U SLA9U SLA9U SLA9U	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUE SLGUE SLGUE SLGUE SLGUE SLGUE	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9V SLA9V	Min. BIOS	AA Rev(s) E47335-202 E47335-203

SLA9V	E47335-204
SLA9V	E47335-300
SLA9V	E47335-301
SLA9V	E47335-302

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF SLGUF SLGUF SLGUF SLGUF SLGUF	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUG SLGUG SLGUG SLGUG SLGUG SLGUG	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9X SLA9X	Min. BIOS	AA Rev(s) E47335-202 E47335-203

SLA9X	E47335-204
SLA9X	E47335-300
SLA9X	E47335-301
SLA9X	E47335-302

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGYP SLGYP SLGYP SLGYP SLGYP SLGYP	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUH SLGUH SLGUH SLGUH SLGUH SLGUH	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGU9 SLGU9	Min. BIOS	AA Rev(s) E47335-202 E47335-203

SLGU9	E47335-204
SLGU9	E47335-300
SLGU9	E47335-301
SLGU9	E47335-302

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ SLGTJ	Min. BIOS	AA Rev(s) E47335-202 E47335-203

SLGTJ	E47335-204
SLGTJ	E47335-300
SLGTJ	E47335-301
SLGTJ	E47335-302

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9V		E47335-202
SLGTK		E47335-202
SLB9V		E47335-203
SLGTK		E47335-203
SLB9V		E47335-204
SLGTK		E47335-204
SLB9V		E47335-300
SLGTK		E47335-300
SLB9V		E47335-301
SLGTK		E47335-301
SLB9V		E47335-302
SLGTK		E47335-302

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9U		E47335-202
SLGTL		E47335-202
SLB9U		E47335-203
SLGTL		E47335-203
SLB9U		E47335-204
SLGTL		E47335-204
SLB9U		E47335-300
SLGTL		E47335-300
SLB9U		E47335-301
SLGTL		E47335-301
SLB9U		E47335-302
SLGTL		E47335-302

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLAY7 SLB9T SLAY7 SLB9T SLAY7 SLB9T SLAY7 SLB9T SLAY7 SLB9T SLAY7 SLB9T	Min. BIOS	AA Rev(s) E47335-202 E47335-202 E47335-203 E47335-203 E47335-204 E47335-204 E47335-300 E47335-300 E47335-301 E47335-301 E47335-302 E47335-302

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLALT SLALT SLALT SLALT SLALT SLALT	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA94	Min. BIOS	AA Rev(s) E47335-202

SLA94	E47335-203
SLA94	E47335-204
SLA94	E47335-300
SLA94	E47335-301
SLA94	E47335-302

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA95		E47335-202
SLA95		E47335-203
SLA95		E47335-204
SLA95		E47335-300
SLA95		E47335-301
SLA95		E47335-302

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA98		E47335-202
SLA98		E47335-203
SLA98		E47335-204
SLA98		E47335-300
SLA98		E47335-301
SLA98		E47335-302

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTY		E47335-202

SLGTY	E47335-203
SLGTY	E47335-204
SLGTY	E47335-300
SLGTY	E47335-301
SLGTY	E47335-302

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5	Min. BIOS	AA Rev(s) E47335-202

SLGU5	E47335-203
SLGU5	E47335-204
SLGU5	E47335-300
SLGU5	E47335-301
SLGU5	E47335-302

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9D SLB9D SLB9D SLB9D SLB9D SLB9D	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C	Min. BIOS	AA Rev(s) E47335-202 E47335-202 E47335-203 E47335-203 E47335-204 E47335-204 E47335-300 E47335-300 E47335-301 E47335-301 E47335-302 E47335-302

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8W SLA8W SLA8W SLA8W SLA8W SLA8W	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLB9R SLB9R SLB9R SLB9R SLB9R SLB9R	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8X SLA8X SLA8X SLA8X SLA8X SLA8X	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93 SLA93 SLA93 SLA93 SLA93 SLA93	Min. BIOS	AA Rev(s) E47335-202 E47335-203 E47335-204 E47335-300 E47335-301 E47335-302

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache
512 KB

Graphics
No

Max TDP
65

Spec #
SLAQY
SLAQY
SLAQY
SLAQY
SLAQY
SLAQY

Min. BIOS

AA Rev(s)
E47335-202
E47335-203
E47335-204
E47335-300
E47335-301
E47335-302

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache
512 KB

Graphics
No

Max TDP
65

Spec #
SLAQZ
SLAQZ
SLAQZ
SLAQZ
SLAQZ
SLAQZ

Min. BIOS

AA Rev(s)
E47335-202
E47335-203
E47335-204
E47335-300
E47335-301
E47335-302

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache
512 KB

Graphics
No

Max TDP
65

Spec #
SLAR2
SLAR2
SLAR2
SLAR2
SLAR2
SLAR2

Min. BIOS

AA Rev(s)
E47335-202
E47335-203
E47335-204
E47335-300
E47335-301
E47335-302

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache
512 KB

Graphics
No

Max TDP
65

Spec #
SLAQW
SLAQW
SLAQW
SLAQW
SLAQW
SLAQW

Min. BIOS

AA Rev(s)
E47335-202
E47335-203
E47335-204
E47335-300
E47335-301
E47335-302

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache
4 MB

Graphics
No

Max TDP
65

Spec #
SLAA2
SLAA2
SLAA2
SLAA2
SLAA2
SLAA2

Min. BIOS

AA Rev(s)
E47335-202
E47335-203
E47335-204
E47335-300
E47335-301
E47335-302

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache
4 MB

Graphics
No

Max TDP
65

Spec #
SLAA3
SLAA3
SLAA3
SLAA3
SLAA3
SLAA3

Min. BIOS

AA Rev(s)
E47335-202
E47335-203
E47335-204
E47335-300
E47335-301
E47335-302

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache
4 MB

Graphics
No

Max TDP
65

Spec #
SLAA9
SLAA9
SLAA9
SLAA9
SLAA9
SLAA9

Min. BIOS

AA Rev(s)
E47335-202
E47335-203
E47335-204
E47335-300
E47335-301
E47335-302