

Intel® Desktop Compatibility Tool

Found 57 Compatible Processor(s) for Board DG41WV

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWZ SLAWZ SLAWZ	Min. BIOS	AA Rev(s) E90316-102 E90316-103 E90316-104

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAX2 SLAX2 SLAX2	Min. BIOS	AA Rev(s) E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W SLB8W SLB8W SLB8W SLB8W	Min. BIOS 7 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

More Information

Cache 12 MB	Graphics No	Max TDP 65
Spec # SLGAE SLGAE SLGAE SLGAE SLGAE	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

More Information

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V	Min. BIOS 7 7	AA Rev(s) E90316-100 E90316-100 E90316-101 E90316-101 E90316-102 E90316-102 E90316-103 E90316-103 E90316-104 E90316-104

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLGYY SLGYY SLGYY SLGYY SLGYY	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWR SLAWR SLAWR SLAWR SLAWR	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLG9U SLG9U SLG9U SLG9U SLG9U	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLB6B SLB6B SLB6B SLB6B SLB6B	Min. BIOS 7 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLAWE SLAWE SLAWE SLAWE SLAWE	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLGT7 SLGT7 SLGT7 SLGT7 SLGT7	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLGT6 SLGT6 SLGT6 SLGT6 SLGT6	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLB5W	7	E90316-100
SLGUR	7	E90316-100
SLB5W		E90316-101
SLGUR		E90316-101
SLB5W		E90316-102
SLGUR		E90316-102
SLB5W		E90316-103
SLGUR		E90316-103
SLB5W		E90316-104
SLGUR		E90316-104

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	7	E90316-100
SLG9T		E90316-101
SLG9T		E90316-102
SLG9T		E90316-103
SLG9T		E90316-104

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	7	E90316-100
SLG9S	7	E90316-100
SLB5M		E90316-101
SLG9S		E90316-101
SLB5M		E90316-102
SLG9S		E90316-102
SLB5M		E90316-103
SLG9S		E90316-103
SLB5M		E90316-104
SLG9S		E90316-104

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	7	E90316-100
SLB9L		E90316-101
SLB9L		E90316-102
SLB9L		E90316-103
SLB9L		E90316-104

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	7	E90316-100
SLB9K	7	E90316-100
SLAPK		E90316-101
SLB9K		E90316-101
SLAPK		E90316-102
SLB9K		E90316-102
SLAPK		E90316-103
SLB9K		E90316-103
SLAPK		E90316-104
SLB9K		E90316-104

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPL	7	E90316-100
SLB9J	7	E90316-100
SLAPL		E90316-101
SLB9J		E90316-101

SLAPL	E90316-102
SLB9J	E90316-102
SLAPL	E90316-103
SLB9J	E90316-103
SLAPL	E90316-104
SLB9J	E90316-104

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	7	E90316-100
SLAPN		E90316-101
SLAPN		E90316-102
SLAPN		E90316-103
SLAPN		E90316-104

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	7	E90316-100
SLAPP		E90316-101
SLAPP		E90316-102
SLAPP		E90316-103
SLAPP		E90316-104

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD	7	E90316-100
SLGTD	7	E90316-101

SLGTD
SLGTD
SLGTD

E90316-102
E90316-103
E90316-104

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z	7	E90316-100
SLGTE	7	E90316-100
SLB9Z	7	E90316-101
SLGTE		E90316-101
SLB9Z	7	E90316-102
SLGTE		E90316-102
SLB9Z		E90316-103
SLGTE		E90316-103
SLB9Z		E90316-104
SLGTE		E90316-104

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y	7	E90316-100
SLGW3	7	E90316-100
SLB9Y	7	E90316-101
SLGW3	7	E90316-101
SLB9Y		E90316-102
SLGW3		E90316-102
SLB9Y		E90316-103
SLGW3		E90316-103
SLB9Y		E90316-104
SLGW3		E90316-104

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLAPB
SLAPB
SLAPB
SLAPB
SLAPB

Min. BIOS
7

AA Rev(s)
E90316-100
E90316-101
E90316-102
E90316-103
E90316-104

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLAPC
SLAVN
SLAPC
SLAVN
SLAPC
SLAVN
SLAPC
SLAVN
SLAPC
SLAVN

Min. BIOS
7
7

AA Rev(s)
E90316-100
E90316-100
E90316-101
E90316-101
E90316-102
E90316-102
E90316-103
E90316-103
E90316-104
E90316-104

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLGUE
SLGUE
SLGUE
SLGUE
SLGUE

Min. BIOS
7

AA Rev(s)
E90316-100
E90316-101
E90316-102
E90316-103
E90316-104

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF	Min. BIOS 7	AA Rev(s) E90316-100
SLGUF		E90316-101
SLGUF		E90316-102
SLGUF		E90316-103
SLGUF		E90316-104

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUG	Min. BIOS 7	AA Rev(s) E90316-100
SLGUG		E90316-101
SLGUG		E90316-102
SLGUG		E90316-103
SLGUG		E90316-104

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGYP	Min. BIOS 7	AA Rev(s) E90316-100
SLGYP		E90316-101
SLGYP		E90316-102
SLGYP		E90316-103
SLGYP		E90316-104

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH	7	E90316-100
SLGUH		E90316-101
SLGUH		E90316-102
SLGUH		E90316-103
SLGUH		E90316-104

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU9	7	E90316-100
SLGU9	7	E90316-101
SLGU9		E90316-102
SLGU9		E90316-103
SLGU9		E90316-104

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTG	7	E90316-100
SLGTG		E90316-101
SLGTG		E90316-102
SLGTG		E90316-103
SLGTG		E90316-104

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGTH	7	E90316-100
SLGTH		E90316-101
SLGTH		E90316-102
SLGTH		E90316-103
SLGTH		E90316-104

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGTJ	7	E90316-100
SLGTJ		E90316-101
SLGTJ		E90316-102
SLGTJ		E90316-103
SLGTJ		E90316-104

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLB9V	7	E90316-100
SLGTK	7	E90316-100
SLB9V	7	E90316-101
SLGTK	7	E90316-101
SLB9V		E90316-102
SLGTK		E90316-102
SLB9V		E90316-103
SLGTK		E90316-103
SLB9V		E90316-104
SLGTK		E90316-104

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9U	7	E90316-100
SLGTL	7	E90316-100
SLB9U	7	E90316-101
SLGTL	7	E90316-101
SLB9U		E90316-102
SLGTL		E90316-102
SLB9U		E90316-103
SLGTL		E90316-103
SLB9U		E90316-104
SLGTL		E90316-104

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAY7	7	E90316-100
SLB9T	7	E90316-100
SLAY7		E90316-101
SLB9T	7	E90316-101
SLAY7		E90316-102
SLB9T		E90316-102
SLAY7		E90316-103
SLB9T		E90316-103
SLAY7		E90316-104
SLB9T		E90316-104

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLALT	7	E90316-100
SLALT		E90316-101
SLALT		E90316-102
SLALT		E90316-103

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA94 SLA94 SLA94 SLA94 SLA94	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA95 SLA95 SLA95 SLA95 SLA95	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA98 SLA98 SLA98 SLA98 SLA98	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTY SLGTY SLGTY SLGTY SLGTY	Min. BIOS	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4 SLGU4 SLGU4 SLGU4	Min. BIOS 7 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU5	7	E90316-100
SLGU5	7	E90316-101
SLGU5		E90316-102
SLGU5		E90316-103
SLGU5		E90316-104

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9D		E90316-102
SLB9D		E90316-103
SLB9D		E90316-104

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPM		E90316-102
SLB9C		E90316-102
SLAPM		E90316-103
SLB9C		E90316-103
SLAPM		E90316-104
SLB9C		E90316-104

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA8W	7	E90316-100
SLA8W		E90316-101
SLA8W		E90316-102
SLA8W		E90316-103
SLA8W		E90316-104

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9R		E90316-100
SLB9R		E90316-101
SLB9R		E90316-102
SLB9R		E90316-103
SLB9R		E90316-104

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8X	7	E90316-100
SLA8X		E90316-101
SLA8X		E90316-102
SLA8X		E90316-103
SLA8X		E90316-104

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Y	7	E90316-100

SLA8Y	E90316-101
SLA8Y	E90316-102
SLA8Y	E90316-103
SLA8Y	E90316-104

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z	Min. BIOS 7	AA Rev(s) E90316-100
SLA8Z		E90316-101
SLA8Z		E90316-102
SLA8Z		E90316-103
SLA8Z		E90316-104

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93	Min. BIOS 7	AA Rev(s) E90316-100
SLA93		E90316-101
SLA93		E90316-102
SLA93		E90316-103
SLA93		E90316-104

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQY	Min. BIOS 7	AA Rev(s) E90316-100
SLAQY		E90316-101
SLAQY		E90316-102
SLAQY		E90316-103

Intel® Celeron® E1500 | Frequency: 2.20 GHz[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAR2 SLAR2 SLAR2 SLAR2 SLAR2	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQW SLAQW SLAQW SLAQW SLAQW	Min. BIOS 7	AA Rev(s) E90316-100 E90316-101 E90316-102 E90316-103 E90316-104

