

Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DG43GT

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 12 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAWZ | 28 | E62768-300 |
| SLAWZ | 28 | E62768-301 |
| SLAWZ | 28 | E62768-302 |
| SLAWZ | | E62768-303 |

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 12 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAX2 | 28 | E62768-300 |
| SLAX2 | 28 | E62768-301 |
| SLAX2 | 28 | E62768-302 |
| SLAX2 | | E62768-303 |

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 8 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLACS | 28 | E62768-300 |
| SLACS | 28 | E62768-301 |
| SLACS | 28 | E62768-302 |
| SLACS | | E62768-303 |

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 8 MB | Graphics No | Max TDP 95 |
| Spec # SLACT | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLACT | 28 | E62768-301 |
| SLACT | 28 | E62768-302 |
| SLACT | | E62768-303 |

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 8 MB | Graphics No | Max TDP 95 |
| Spec # SLACU | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLACU | 28 | E62768-301 |
| SLACU | 28 | E62768-302 |
| SLACU | | E62768-303 |

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 12 MB | Graphics No | Max TDP 95 |
| Spec # SLB8W | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLB8W | 28 | E62768-301 |
| SLB8W | 28 | E62768-302 |
| SLB8W | | E62768-303 |

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

| | | |
|----------------|----------------|---------------|
| Cache 12 MB | Graphics No | Max TDP 65 |
|----------------|----------------|---------------|

| | | |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s) |
| SLGAE | 28 | E62768-300 |
| SLGAE | 28 | E62768-301 |
| SLGAE | 28 | E62768-302 |
| SLGAE | | E62768-303 |

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 12 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAWQ | 28 | E62768-300 |
| SLB8V | 28 | E62768-300 |
| SLAWQ | 28 | E62768-301 |
| SLB8V | 28 | E62768-301 |
| SLAWQ | 28 | E62768-302 |
| SLB8V | 28 | E62768-302 |
| SLAWQ | | E62768-303 |
| SLB8V | | E62768-303 |

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 6 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGYY | 28 | E62768-300 |
| SLGYY | 28 | E62768-301 |
| SLGYY | 28 | E62768-302 |
| SLGYY | | E62768-303 |

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|--------|-----------|-----------|
| Cache | Graphics | Max TDP |
| 12 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |

| | | |
|-------|----|------------|
| SLAWR | 28 | E62768-300 |
| SLAWR | 28 | E62768-301 |
| SLAWR | 28 | E62768-302 |
| SLAWR | | E62768-303 |

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 6 MB | Graphics No | Max TDP 65 |
| Spec # SLG9U | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLG9U | 28 | E62768-301 |
| SLG9U | 28 | E62768-302 |
| SLG9U | | E62768-303 |

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 6 MB | Graphics No | Max TDP 95 |
| Spec # SLB6B | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLB6B | 28 | E62768-301 |
| SLB6B | 28 | E62768-302 |
| SLB6B | | E62768-303 |

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 6 MB | Graphics No | Max TDP 95 |
| Spec # SLAWE | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLAWE | 28 | E62768-301 |
| SLAWE | 28 | E62768-302 |
| SLAWE | | E62768-303 |

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGT7 | 28 | E62768-300 |
| SLGT7 | 28 | E62768-301 |
| SLGT7 | 28 | E62768-302 |
| SLGT7 | | E62768-303 |

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGT6 | 28 | E62768-300 |
| SLGT6 | 28 | E62768-301 |
| SLGT6 | 28 | E62768-302 |
| SLGT6 | | E62768-303 |

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB5W | 28 | E62768-300 |
| SLGUR | 28 | E62768-300 |
| SLB5W | 28 | E62768-301 |
| SLGUR | 28 | E62768-301 |
| SLB5W | 28 | E62768-302 |
| SLGUR | 28 | E62768-302 |
| SLB5W | | E62768-303 |
| SLGUR | | E62768-303 |

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

More Information

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLG9T | 28 | E62768-300 |
| SLG9T | 28 | E62768-301 |
| SLG9T | 28 | E62768-302 |
| SLG9T | | E62768-303 |

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

More Information

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB5M | 28 | E62768-300 |
| SLG9S | 28 | E62768-300 |
| SLB5M | 28 | E62768-301 |
| SLG9S | 28 | E62768-301 |
| SLB5M | 28 | E62768-302 |
| SLG9S | 28 | E62768-302 |
| SLB5M | | E62768-303 |
| SLG9S | | E62768-303 |

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

More Information

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 8 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLACQ | 28 | E62768-300 |
| SLACQ | 28 | E62768-301 |
| SLACQ | 28 | E62768-302 |
| SLACQ | | E62768-303 |

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

More Information

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 8 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLACR | 28 | E62768-300 |
| SLACR | 28 | E62768-301 |
| SLACR | 28 | E62768-302 |
| SLACR | | E62768-303 |

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 6 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9L | 28 | E62768-300 |
| SLB9L | 28 | E62768-301 |
| SLB9L | 28 | E62768-302 |
| SLB9L | | E62768-303 |

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 6 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAPK | 28 | E62768-300 |
| SLB9K | 28 | E62768-300 |
| SLAPK | 28 | E62768-301 |
| SLB9K | 28 | E62768-301 |
| SLAPK | 28 | E62768-302 |
| SLB9K | 28 | E62768-302 |
| SLAPK | | E62768-303 |
| SLB9K | | E62768-303 |

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|-------|----------|---------|
| Cache | Graphics | Max TDP |
| 6 MB | No | 65 |

| | | |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s) |
| SLAPL | 28 | E62768-300 |
| SLB9J | 28 | E62768-300 |
| SLAPL | 28 | E62768-301 |
| SLB9J | 28 | E62768-301 |
| SLAPL | 28 | E62768-302 |
| SLB9J | 28 | E62768-302 |
| SLAPL | | E62768-303 |
| SLB9J | | E62768-303 |

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 6 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAPN | | E62768-300 |
| SLAPN | | E62768-301 |
| SLAPN | | E62768-302 |
| SLAPN | | E62768-303 |

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 6 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAPP | 28 | E62768-300 |
| SLAPP | 28 | E62768-301 |
| SLAPP | 28 | E62768-302 |
| SLAPP | | E62768-303 |

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

| | | |
|--------|-----------|-----------|
| Cache | Graphics | Max TDP |
| 3 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |

| | | |
|-------|----|------------|
| SLGTD | 28 | E62768-300 |
| SLGTD | 28 | E62768-301 |
| SLGTD | 28 | E62768-302 |
| SLGTD | | E62768-303 |

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz
[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 3 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9Z | 28 | E62768-300 |
| SLGTE | 28 | E62768-300 |
| SLB9Z | 28 | E62768-301 |
| SLGTE | 28 | E62768-301 |
| SLB9Z | 28 | E62768-302 |
| SLGTE | 28 | E62768-302 |
| SLB9Z | | E62768-303 |
| SLGTE | | E62768-303 |

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz
[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 3 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9Y | 28 | E62768-300 |
| SLGW3 | 28 | E62768-300 |
| SLB9Y | 28 | E62768-301 |
| SLGW3 | 28 | E62768-301 |
| SLB9Y | 28 | E62768-302 |
| SLGW3 | 28 | E62768-302 |
| SLB9Y | | E62768-303 |
| SLGW3 | | E62768-303 |

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz
[More Information](#)

| | | |
|-------|----------|---------|
| Cache | Graphics | Max TDP |
| 3 MB | No | 65 |

| | | |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s) |
| SLAPB | 28 | E62768-300 |
| SLAPB | 28 | E62768-301 |
| SLAPB | 28 | E62768-302 |
| SLAPB | | E62768-303 |

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 3 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAPC | 28 | E62768-300 |
| SLAVN | 28 | E62768-300 |
| SLAPC | 28 | E62768-301 |
| SLAVN | 28 | E62768-301 |
| SLAPC | 28 | E62768-302 |
| SLAVN | 28 | E62768-302 |
| SLAPC | | E62768-303 |
| SLAVN | | E62768-303 |

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLA9U | 28 | E62768-300 |
| SLA9U | 28 | E62768-301 |
| SLA9U | 28 | E62768-302 |
| SLA9U | | E62768-303 |

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

| | | |
|--------|-----------|-----------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |

| | |
|-------|------------|
| SLGUE | E62768-300 |
| SLGUE | E62768-301 |
| SLGUE | E62768-302 |
| SLGUE | E62768-303 |

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 4 MB | Graphics No | Max TDP 65 |
| Spec # SLA9V | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLA9V | 28 | E62768-301 |
| SLA9V | 28 | E62768-302 |
| SLA9V | | E62768-303 |

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLGUF | Min. BIOS 31 | AA Rev(s) E62768-300 |
| SLGUF | 31 | E62768-301 |
| SLGUF | 31 | E62768-302 |
| SLGUF | | E62768-303 |

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLGUG | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLGUG | 28 | E62768-301 |
| SLGUG | 28 | E62768-302 |
| SLGUG | | E62768-303 |

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 4 MB | Graphics No | Max TDP 65 |
| Spec # SLA9X | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLA9X | 28 | E62768-301 |
| SLA9X | 28 | E62768-302 |
| SLA9X | | E62768-303 |

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLGYP | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLGYP | 28 | E62768-301 |
| SLGYP | 28 | E62768-302 |
| SLGYP | | E62768-303 |

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLGUH | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLGUH | 28 | E62768-301 |
| SLGUH | 28 | E62768-302 |
| SLGUH | | E62768-303 |

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
|---------------|----------------|---------------|

| | | |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s) |
| SLGU9 | 28 | E62768-300 |
| SLGU9 | 28 | E62768-301 |
| SLGU9 | 28 | E62768-302 |
| SLGU9 | | E62768-303 |

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGTG | | E62768-300 |
| SLGTG | | E62768-301 |
| SLGTG | | E62768-302 |
| SLGTG | | E62768-303 |

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGTH | | E62768-300 |
| SLGTH | | E62768-301 |
| SLGTH | | E62768-302 |
| SLGTH | | E62768-303 |

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGTJ | 31 | E62768-300 |
| SLGTJ | 31 | E62768-301 |
| SLGTJ | 31 | E62768-302 |
| SLGTJ | | E62768-303 |

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9V | 28 | E62768-300 |
| SLGTK | 28 | E62768-300 |
| SLB9V | 28 | E62768-301 |
| SLGTK | 28 | E62768-301 |
| SLB9V | 28 | E62768-302 |
| SLGTK | 28 | E62768-302 |
| SLB9V | | E62768-303 |
| SLGTK | | E62768-303 |

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9U | 28 | E62768-300 |
| SLGTL | 28 | E62768-300 |
| SLB9U | 28 | E62768-301 |
| SLGTL | 28 | E62768-301 |
| SLB9U | 28 | E62768-302 |
| SLGTL | 28 | E62768-302 |
| SLB9U | | E62768-303 |
| SLGTL | | E62768-303 |

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAY7 | 28 | E62768-300 |
| SLB9T | 28 | E62768-300 |
| SLAY7 | 28 | E62768-301 |

| | | |
|-------|----|------------|
| SLB9T | 28 | E62768-301 |
| SLAY7 | 28 | E62768-302 |
| SLB9T | 28 | E62768-302 |
| SLAY7 | | E62768-303 |
| SLB9T | | E62768-303 |

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz
[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLALT | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLALT | 28 | E62768-301 |
| SLALT | 28 | E62768-302 |
| SLALT | | E62768-303 |

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz
[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLA94 | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLA94 | 28 | E62768-301 |
| SLA94 | 28 | E62768-302 |
| SLA94 | | E62768-303 |

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz
[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLA95 | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLA95 | 28 | E62768-301 |
| SLA95 | 28 | E62768-302 |
| SLA95 | | E62768-303 |

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLA98 | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLA98 | 28 | E62768-301 |
| SLA98 | 28 | E62768-302 |
| SLA98 | | E62768-303 |

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

| | | |
|-----------------|----------------|-------------------------|
| Cache 1 MB | Graphics No | Max TDP 65 |
| Spec # SLGTY | Min. BIOS | AA Rev(s) E62768-300 |
| SLGTY | | E62768-301 |
| SLGTY | | E62768-302 |
| SLGTY | | E62768-303 |

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 1 MB | Graphics No | Max TDP 65 |
| Spec # SLGTZ | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLGTZ | 28 | E62768-301 |
| SLGTZ | 28 | E62768-302 |
| SLGTZ | | E62768-303 |

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

| | | |
|-------|----------|---------|
| Cache | Graphics | Max TDP |
|-------|----------|---------|

| | | |
|--------|-----------|------------|
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGU4 | 28 | E62768-300 |
| SLGU4 | 28 | E62768-301 |
| SLGU4 | 28 | E62768-302 |
| SLGU4 | | E62768-303 |

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGU5 | 28 | E62768-300 |
| SLGU5 | 28 | E62768-301 |
| SLGU5 | 28 | E62768-302 |
| SLGU5 | | E62768-303 |

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 6 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9D | 28 | E62768-300 |
| SLB9D | 28 | E62768-301 |
| SLB9D | 28 | E62768-302 |
| SLB9D | | E62768-303 |

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 6 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAPM | 28 | E62768-300 |
| SLB9C | 28 | E62768-300 |
| SLAPM | 28 | E62768-301 |

| | | |
|-------|----|------------|
| SLB9C | 28 | E62768-301 |
| SLAPM | 28 | E62768-302 |
| SLB9C | 28 | E62768-302 |
| SLAPM | | E62768-303 |
| SLB9C | | E62768-303 |

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLA8W | 28 | E62768-300 |
| SLA8W | 28 | E62768-301 |
| SLA8W | 28 | E62768-302 |
| SLA8W | | E62768-303 |

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9R | | E62768-300 |
| SLB9R | | E62768-301 |
| SLB9R | | E62768-302 |
| SLB9R | | E62768-303 |

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLA8X | 28 | E62768-300 |
| SLA8X | 28 | E62768-301 |
| SLA8X | 28 | E62768-302 |
| SLA8X | | E62768-303 |

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 1 MB | Graphics No | Max TDP 65 |
| Spec # SLA8Y | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLA8Y | 28 | E62768-301 |
| SLA8Y | 28 | E62768-302 |
| SLA8Y | | E62768-303 |

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 1 MB | Graphics No | Max TDP 65 |
| Spec # SLA8Z | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLA8Z | 28 | E62768-301 |
| SLA8Z | 28 | E62768-302 |
| SLA8Z | | E62768-303 |

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

| | | |
|-----------------|-----------------|-------------------------|
| Cache 1 MB | Graphics No | Max TDP 65 |
| Spec # SLA93 | Min. BIOS 28 | AA Rev(s) E62768-300 |
| SLA93 | 28 | E62768-301 |
| SLA93 | 28 | E62768-302 |
| SLA93 | | E62768-303 |

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

| | | |
|-------|----------|---------|
| Cache | Graphics | Max TDP |
|-------|----------|---------|

| | | |
|--------|-----------|------------|
| 512 KB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAQY | | E62768-300 |
| SLAQY | | E62768-301 |
| SLAQY | | E62768-302 |
| SLAQY | | E62768-303 |

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 512 KB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAQZ | 28 | E62768-300 |
| SLAQZ | 28 | E62768-301 |
| SLAQZ | 28 | E62768-302 |
| SLAQZ | | E62768-303 |

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 512 KB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAR2 | 28 | E62768-300 |
| SLAR2 | 28 | E62768-301 |
| SLAR2 | 28 | E62768-302 |
| SLAR2 | | E62768-303 |

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 512 KB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAQW | 28 | E62768-300 |
| SLAQW | 28 | E62768-301 |
| SLAQW | 28 | E62768-302 |

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 4 MB | Graphics No | Max TDP 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAA2 | 28 | E62768-300 |
| SLAA2 | 28 | E62768-301 |
| SLAA2 | 28 | E62768-302 |
| SLAA2 | | E62768-303 |

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 4 MB | Graphics No | Max TDP 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAA3 | 28 | E62768-300 |
| SLAA3 | 28 | E62768-301 |
| SLAA3 | 28 | E62768-302 |
| SLAA3 | | E62768-303 |

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 4 MB | Graphics No | Max TDP 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAA9 | 28 | E62768-300 |
| SLAA9 | 28 | E62768-301 |
| SLAA9 | 28 | E62768-302 |
| SLAA9 | | E62768-303 |