

# Intel® Desktop Compatibility Tool

Found 52 Compatible Processor(s) for Board DG45FC

## Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGAE	77	E27730-100
SLGAE	77	E27730-200
SLGAE	77	E27730-300
SLGAE	77	E27730-302
SLGAE	77	E27730-303
SLGAE	77	E27730-305
SLGAE	77	E27730-306
SLGAE	77	E27730-307
SLGAE	77	E27730-308
SLGAE	77	E27730-309
SLGAE	77	E27730-310

## Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9U	101	E27730-100
SLG9U	101	E27730-200
SLG9U	101	E27730-300
SLG9U	101	E27730-302
SLG9U	101	E27730-303
SLG9U	101	E27730-305
SLG9U	101	E27730-306
SLG9U	101	E27730-307
SLG9U	101	E27730-308
SLG9U	101	E27730-309
SLG9U	101	E27730-310

## Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7	101	E27730-100
SLGT7	101	E27730-200
SLGT7	101	E27730-300
SLGT7	101	E27730-302
SLGT7	101	E27730-303
SLGT7	101	E27730-305
SLGT7	101	E27730-306
SLGT7	101	E27730-307
SLGT7	101	E27730-308
SLGT7	101	E27730-309
SLGT7	101	E27730-310

## Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	101	E27730-100
SLG9T	101	E27730-200
SLG9T	101	E27730-300
SLG9T	101	E27730-302
SLG9T	101	E27730-303
SLG9T	101	E27730-305
SLG9T	101	E27730-306
SLG9T	101	E27730-307
SLG9T	101	E27730-308
SLG9T	101	E27730-309
SLG9T	101	E27730-310

## Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLB9L	77	E27730-100
SLB9L	77	E27730-200
SLB9L	77	E27730-300
SLB9L	77	E27730-302
SLB9L	77	E27730-303
SLB9L	77	E27730-305
SLB9L	77	E27730-306
SLB9L	77	E27730-307
SLB9L	77	E27730-308
SLB9L	77	E27730-309
SLB9L	77	E27730-310

## Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAPK	77	E27730-100
SLB9K	77	E27730-100
SLAPK	77	E27730-200
SLB9K	77	E27730-200
SLAPK	77	E27730-300
SLB9K	77	E27730-300
SLAPK	77	E27730-302
SLB9K	77	E27730-302
SLAPK	77	E27730-303
SLB9K	77	E27730-303
SLAPK	77	E27730-305
SLB9K	77	E27730-305
SLAPK	77	E27730-306
SLB9K	77	E27730-306
SLAPK	77	E27730-307
SLB9K	77	E27730-307
SLAPK	77	E27730-308
SLB9K	77	E27730-308
SLAPK	77	E27730-309
SLB9K	77	E27730-309
SLAPK	77	E27730-310
SLB9K	77	E27730-310

# Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPL	77	E27730-100
SLB9J	77	E27730-100
SLAPL	77	E27730-200
SLB9J	77	E27730-200
SLAPL	77	E27730-300
SLB9J	77	E27730-300
SLAPL	77	E27730-302
SLB9J	77	E27730-302
SLAPL	77	E27730-303
SLB9J	77	E27730-303
SLAPL	77	E27730-305
SLB9J	77	E27730-305
SLAPL	77	E27730-306
SLB9J	77	E27730-306
SLAPL	77	E27730-307
SLB9J	77	E27730-307
SLAPL	77	E27730-308
SLB9J	77	E27730-308
SLAPL	77	E27730-309
SLB9J	77	E27730-309
SLAPL	77	E27730-310
SLB9J	77	E27730-310

# Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	75	E27730-100
SLAPN		E27730-200
SLAPN		E27730-300
SLAPN		E27730-302
SLAPN		E27730-303
SLAPN		E27730-305
SLAPN		E27730-306
SLAPN		E27730-307
SLAPN		E27730-308

SLAPN  
SLAPN

E27730-309  
E27730-310

## Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	77	E27730-100
SLAPP	77	E27730-200
SLAPP	77	E27730-300
SLAPP	77	E27730-302
SLAPP	77	E27730-303
SLAPP	77	E27730-305
SLAPP	77	E27730-306
SLAPP	77	E27730-307
SLAPP	77	E27730-308
SLAPP	77	E27730-309
SLAPP	77	E27730-310

## Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGTD	101	E27730-100
SLGTD	101	E27730-200
SLGTD	101	E27730-300
SLGTD	101	E27730-302
SLGTD	101	E27730-303
SLGTD	101	E27730-305
SLGTD	101	E27730-306
SLGTD	101	E27730-307
SLGTD	101	E27730-308
SLGTD	101	E27730-309
SLGTD	101	E27730-310

## Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

## More Information

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z	101	E27730-100
SLGTE	101	E27730-100
SLB9Z	101	E27730-200
SLGTE	101	E27730-200
SLB9Z	101	E27730-300
SLGTE	101	E27730-300
SLB9Z	101	E27730-302
SLGTE	101	E27730-302
SLB9Z	101	E27730-303
SLGTE	101	E27730-303
SLB9Z	101	E27730-305
SLGTE	101	E27730-305
SLB9Z	101	E27730-306
SLGTE	101	E27730-306
SLB9Z	101	E27730-307
SLGTE	101	E27730-307
SLB9Z	101	E27730-308
SLGTE	101	E27730-308
SLB9Z	101	E27730-309
SLGTE	101	E27730-309
SLB9Z	101	E27730-310
SLGTE	101	E27730-310

## Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

### More Information

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y	101	E27730-100
SLGW3	101	E27730-100
SLB9Y	101	E27730-200
SLGW3	101	E27730-200
SLB9Y	101	E27730-300
SLGW3	101	E27730-300
SLB9Y	101	E27730-302
SLGW3	101	E27730-302
SLB9Y	101	E27730-303
SLGW3	101	E27730-303

SLB9Y	101	E27730-305
SLGW3	101	E27730-305
SLB9Y	101	E27730-306
SLGW3	101	E27730-306
SLB9Y	101	E27730-307
SLGW3	101	E27730-307
SLB9Y	101	E27730-308
SLGW3	101	E27730-308
SLB9Y	101	E27730-309
SLGW3	101	E27730-309
SLB9Y	101	E27730-310
SLGW3	101	E27730-310

## Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	77	E27730-100
SLAPB	77	E27730-200
SLAPB	77	E27730-300
SLAPB	77	E27730-302
SLAPB	77	E27730-303
SLAPB	77	E27730-305
SLAPB	77	E27730-306
SLAPB	77	E27730-307
SLAPB	77	E27730-308
SLAPB	77	E27730-309
SLAPB	77	E27730-310

## Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	77	E27730-100
SLAVN	77	E27730-100
SLAPC	77	E27730-200
SLAVN	77	E27730-200
SLAPC	77	E27730-300

SLAVN	77	E27730-300
SLAPC	77	E27730-302
SLAVN	77	E27730-302
SLAPC	77	E27730-303
SLAVN	77	E27730-303
SLAPC	77	E27730-305
SLAVN	77	E27730-305
SLAPC	77	E27730-306
SLAVN	77	E27730-306
SLAPC	77	E27730-307
SLAVN	77	E27730-307
SLAPC	77	E27730-308
SLAVN	77	E27730-308
SLAPC	77	E27730-309
SLAVN	77	E27730-309
SLAPC	77	E27730-310
SLAVN	77	E27730-310

## Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9U	77	E27730-100
SLA9U	77	E27730-200
SLA9U	77	E27730-300
SLA9U	77	E27730-302
SLA9U	77	E27730-303
SLA9U	77	E27730-305
SLA9U	77	E27730-306
SLA9U	77	E27730-307
SLA9U	77	E27730-308
SLA9U	77	E27730-309
SLA9U	77	E27730-310

## Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)



SLGUE	101	E27730-100
SLGUE	101	E27730-200
SLGUE	101	E27730-300
SLGUE	101	E27730-302
SLGUE	101	E27730-303
SLGUE	101	E27730-305
SLGUE	101	E27730-306
SLGUE	101	E27730-307
SLGUE	101	E27730-308
SLGUE	101	E27730-309
SLGUE	101	E27730-310

## Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9V	77	E27730-100
SLA9V	77	E27730-200
SLA9V	77	E27730-300
SLA9V	77	E27730-302
SLA9V	77	E27730-303
SLA9V	77	E27730-305
SLA9V	77	E27730-306
SLA9V	77	E27730-307
SLA9V	77	E27730-308
SLA9V	77	E27730-309
SLA9V	77	E27730-310

## Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF	101	E27730-100
SLGUF	101	E27730-200
SLGUF	101	E27730-300
SLGUF	101	E27730-302
SLGUF	101	E27730-303
SLGUF	101	E27730-305

SLGUF	101	E27730-306
SLGUF	101	E27730-307
SLGUF	101	E27730-308
SLGUF	101	E27730-309
SLGUF	101	E27730-310

## Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG	101	E27730-100
SLGUG	101	E27730-200
SLGUG	101	E27730-300
SLGUG	101	E27730-302
SLGUG	101	E27730-303
SLGUG	101	E27730-305
SLGUG	101	E27730-306
SLGUG	101	E27730-307
SLGUG	101	E27730-308
SLGUG	101	E27730-309
SLGUG	101	E27730-310

## Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	77	E27730-100
SLA9X	77	E27730-200
SLA9X	77	E27730-300
SLA9X	77	E27730-302
SLA9X	77	E27730-303
SLA9X	77	E27730-305
SLA9X	77	E27730-306
SLA9X	77	E27730-307
SLA9X	77	E27730-308
SLA9X	77	E27730-309
SLA9X	77	E27730-310

## Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGYP	101	E27730-100
SLGYP	101	E27730-200
SLGYP	101	E27730-300
SLGYP	101	E27730-302
SLGYP	101	E27730-303
SLGYP	101	E27730-305
SLGYP	101	E27730-306
SLGYP	101	E27730-307
SLGYP	101	E27730-308
SLGYP	101	E27730-309
SLGYP	101	E27730-310

## Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH	101	E27730-100
SLGUH	101	E27730-200
SLGUH	101	E27730-300
SLGUH	101	E27730-302
SLGUH	101	E27730-303
SLGUH	101	E27730-305
SLGUH	101	E27730-306
SLGUH	101	E27730-307
SLGUH	101	E27730-308
SLGUH	101	E27730-309
SLGUH	101	E27730-310

## Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU9	101	E27730-100
SLGU9	101	E27730-200
SLGU9	101	E27730-300
SLGU9	101	E27730-302
SLGU9	101	E27730-303
SLGU9	101	E27730-305
SLGU9	101	E27730-306
SLGU9	101	E27730-307
SLGU9	101	E27730-308
SLGU9	101	E27730-309
SLGU9	101	E27730-310

## Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTG	101	E27730-100
SLGTG	101	E27730-200
SLGTG	101	E27730-300
SLGTG	101	E27730-302
SLGTG	101	E27730-303
SLGTG	101	E27730-305
SLGTG	101	E27730-306
SLGTG	101	E27730-307
SLGTG	101	E27730-308
SLGTG	101	E27730-309
SLGTG	101	E27730-310

## Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTH	101	E27730-100
SLGTH	101	E27730-200
SLGTH	101	E27730-300

SLGTH	101	E27730-302
SLGTH	101	E27730-303
SLGTH	101	E27730-305
SLGTH	101	E27730-306
SLGTH	101	E27730-307
SLGTH	101	E27730-308
SLGTH	101	E27730-309
SLGTH	101	E27730-310

## Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTJ	101	E27730-100
SLGTJ	101	E27730-200
SLGTJ	101	E27730-300
SLGTJ	101	E27730-302
SLGTJ	101	E27730-303
SLGTJ	101	E27730-305
SLGTJ	101	E27730-306
SLGTJ	101	E27730-307
SLGTJ	101	E27730-308
SLGTJ	101	E27730-309
SLGTJ	101	E27730-310

## Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9V	101	E27730-100
SLGTK	101	E27730-100
SLB9V	101	E27730-200
SLGTK	101	E27730-200
SLB9V	101	E27730-300
SLGTK	101	E27730-300
SLB9V	101	E27730-302
SLGTK	101	E27730-302
SLB9V	101	E27730-303

SLGTK	101	E27730-303
SLB9V	101	E27730-305
SLGTK	101	E27730-305
SLB9V	101	E27730-306
SLGTK	101	E27730-306
SLB9V	101	E27730-307
SLGTK	101	E27730-307
SLB9V	101	E27730-308
SLGTK	101	E27730-308
SLB9V	101	E27730-309
SLGTK	101	E27730-309
SLB9V	101	E27730-310
SLGTK	101	E27730-310

## Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9U	101	E27730-100
SLGTL	101	E27730-100
SLB9U	101	E27730-200
SLGTL	101	E27730-200
SLB9U	101	E27730-300
SLGTL	101	E27730-300
SLB9U	101	E27730-302
SLGTL	101	E27730-302
SLB9U	101	E27730-303
SLGTL	101	E27730-303
SLB9U	101	E27730-305
SLGTL	101	E27730-305
SLB9U	101	E27730-306
SLGTL	101	E27730-306
SLB9U	101	E27730-307
SLGTL	101	E27730-307
SLB9U	101	E27730-308
SLGTL	101	E27730-308
SLB9U	101	E27730-309
SLGTL	101	E27730-309
SLB9U	101	E27730-310
SLGTL	101	E27730-310

## Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAY7	77	E27730-100
SLB9T	101	E27730-100
SLAY7	77	E27730-200
SLB9T	101	E27730-200
SLAY7	77	E27730-300
SLB9T	101	E27730-300
SLAY7	77	E27730-302
SLB9T	101	E27730-302
SLAY7	77	E27730-303
SLB9T	101	E27730-303
SLAY7	77	E27730-305
SLB9T	101	E27730-305
SLAY7	77	E27730-306
SLB9T	101	E27730-306
SLAY7	77	E27730-307
SLB9T	101	E27730-307
SLAY7	77	E27730-308
SLB9T	101	E27730-308
SLAY7	77	E27730-309
SLB9T	101	E27730-309
SLAY7	77	E27730-310
SLB9T	101	E27730-310

## Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLALT	77	E27730-100
SLALT	77	E27730-200
SLALT	77	E27730-300
SLALT	77	E27730-302
SLALT	77	E27730-303
SLALT	77	E27730-305
SLALT	77	E27730-306
SLALT	77	E27730-307
SLALT	77	E27730-308

SLALT	77	E27730-309
SLALT	77	E27730-310

## Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA94	77	E27730-100
SLA94	77	E27730-200
SLA94	77	E27730-300
SLA94	77	E27730-302
SLA94	77	E27730-303
SLA94	77	E27730-305
SLA94	77	E27730-306
SLA94	77	E27730-307
SLA94	77	E27730-308
SLA94	77	E27730-309
SLA94	77	E27730-310

## Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA95	77	E27730-100
SLA95	77	E27730-200
SLA95	77	E27730-300
SLA95	77	E27730-302
SLA95	77	E27730-303
SLA95	77	E27730-305
SLA95	77	E27730-306
SLA95	77	E27730-307
SLA95	77	E27730-308
SLA95	77	E27730-309
SLA95	77	E27730-310

## Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz



## More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA98	77	E27730-100
SLA98	77	E27730-200
SLA98	77	E27730-300
SLA98	77	E27730-302
SLA98	77	E27730-303
SLA98	77	E27730-305
SLA98	77	E27730-306
SLA98	77	E27730-307
SLA98	77	E27730-308
SLA98	77	E27730-309
SLA98	77	E27730-310

## Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

### More Information

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTY		E27730-100
SLGTY		E27730-200
SLGTY		E27730-300
SLGTY		E27730-302
SLGTY		E27730-303
SLGTY	101	E27730-305
SLGTY	101	E27730-306
SLGTY	101	E27730-307
SLGTY	101	E27730-308
SLGTY		E27730-309
SLGTY		E27730-310

## Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

### More Information

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)

SLGTZ	101	E27730-100
SLGTZ	101	E27730-200
SLGTZ	101	E27730-300
SLGTZ	101	E27730-302
SLGTZ	101	E27730-303
SLGTZ	101	E27730-305
SLGTZ	101	E27730-306
SLGTZ	101	E27730-307
SLGTZ	101	E27730-308
SLGTZ	101	E27730-309
SLGTZ	101	E27730-310

## Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU4	101	E27730-100
SLGU4	101	E27730-200
SLGU4	101	E27730-300
SLGU4	101	E27730-302
SLGU4	101	E27730-303
SLGU4	101	E27730-305
SLGU4	101	E27730-306
SLGU4	101	E27730-307
SLGU4	101	E27730-308
SLGU4	101	E27730-309
SLGU4	101	E27730-310

## Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU5	101	E27730-100
SLGU5	101	E27730-200
SLGU5	101	E27730-300
SLGU5	101	E27730-302
SLGU5	101	E27730-303
SLGU5	101	E27730-305

SLGU5	101	E27730-306
SLGU5	101	E27730-307
SLGU5	101	E27730-308
SLGU5	101	E27730-309
SLGU5	101	E27730-310

## Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9D	77	E27730-100
SLB9D	77	E27730-200
SLB9D	77	E27730-300
SLB9D	77	E27730-302
SLB9D	77	E27730-303
SLB9D	77	E27730-305
SLB9D	77	E27730-306
SLB9D	77	E27730-307
SLB9D	77	E27730-308
SLB9D	77	E27730-309
SLB9D	77	E27730-310

## Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPM	77	E27730-100
SLB9C	77	E27730-100
SLAPM	77	E27730-200
SLB9C	77	E27730-200
SLAPM	77	E27730-300
SLB9C	77	E27730-300
SLAPM	77	E27730-302
SLB9C	77	E27730-302
SLAPM	77	E27730-303
SLB9C	77	E27730-303
SLAPM	77	E27730-305
SLB9C	77	E27730-305

SLAPM	77	E27730-306
SLB9C	77	E27730-306
SLAPM	77	E27730-307
SLB9C	77	E27730-307
SLAPM	77	E27730-308
SLB9C	77	E27730-308
SLAPM	77	E27730-309
SLB9C	77	E27730-309
SLAPM	77	E27730-310
SLB9C	77	E27730-310

## Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8W	77	E27730-100
SLA8W	77	E27730-200
SLA8W	77	E27730-300
SLA8W	77	E27730-302
SLA8W	77	E27730-303
SLA8W	77	E27730-305
SLA8W	77	E27730-306
SLA8W	77	E27730-307
SLA8W	77	E27730-308
SLA8W	77	E27730-309
SLA8W	77	E27730-310

## Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9R		E27730-100
SLB9R		E27730-200
SLB9R		E27730-300
SLB9R		E27730-302
SLB9R		E27730-303
SLB9R		E27730-305
SLB9R		E27730-306

SLB9R	E27730-307
SLB9R	E27730-308
SLB9R	E27730-309
SLB9R	E27730-310

## Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8X	77	E27730-100
SLA8X	77	E27730-200
SLA8X	77	E27730-300
SLA8X	77	E27730-302
SLA8X	77	E27730-303
SLA8X	77	E27730-305
SLA8X	77	E27730-306
SLA8X	77	E27730-307
SLA8X	77	E27730-308
SLA8X	77	E27730-309
SLA8X	77	E27730-310

## Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Y	77	E27730-100
SLA8Y	77	E27730-200
SLA8Y	77	E27730-300
SLA8Y	77	E27730-302
SLA8Y	77	E27730-303
SLA8Y	77	E27730-305
SLA8Y	77	E27730-306
SLA8Y	77	E27730-307
SLA8Y	77	E27730-308
SLA8Y	77	E27730-309
SLA8Y	77	E27730-310

## Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Z	77	E27730-100
SLA8Z	77	E27730-200
SLA8Z	77	E27730-300
SLA8Z	77	E27730-302
SLA8Z	77	E27730-303
SLA8Z	77	E27730-305
SLA8Z	77	E27730-306
SLA8Z	77	E27730-307
SLA8Z	77	E27730-308
SLA8Z	77	E27730-309
SLA8Z	77	E27730-310

## Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA93	77	E27730-100
SLA93	77	E27730-200
SLA93	77	E27730-300
SLA93	77	E27730-302
SLA93	77	E27730-303
SLA93	77	E27730-305
SLA93	77	E27730-306
SLA93	77	E27730-307
SLA93	77	E27730-308
SLA93	77	E27730-309
SLA93	77	E27730-310

## Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAQY	77	E27730-100
SLAQY	77	E27730-200
SLAQY	77	E27730-300
SLAQY	77	E27730-302
SLAQY	77	E27730-303
SLAQY	77	E27730-305
SLAQY	77	E27730-306
SLAQY	77	E27730-307
SLAQY	77	E27730-308
SLAQY	77	E27730-309
SLAQY	77	E27730-310

## Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAQZ	77	E27730-100
SLAQZ	77	E27730-200
SLAQZ	77	E27730-300
SLAQZ	77	E27730-302
SLAQZ	77	E27730-303
SLAQZ	77	E27730-305
SLAQZ	77	E27730-306
SLAQZ	77	E27730-307
SLAQZ	77	E27730-308
SLAQZ	77	E27730-309
SLAQZ	77	E27730-310

## Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAR2	77	E27730-100
SLAR2	77	E27730-200
SLAR2	77	E27730-300
SLAR2	77	E27730-302

SLAR2	77	E27730-303
SLAR2	77	E27730-305
SLAR2	77	E27730-306
SLAR2	77	E27730-307
SLAR2	77	E27730-308
SLAR2	77	E27730-309
SLAR2	77	E27730-310

**Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW	77	E27730-100
SLAQW	77	E27730-200
SLAQW	77	E27730-300
SLAQW	77	E27730-302
SLAQW	77	E27730-303
SLAQW	77	E27730-305
SLAQW	77	E27730-306
SLAQW	77	E27730-307
SLAQW	77	E27730-308
SLAQW	77	E27730-309
SLAQW	77	E27730-310

**Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA2	77	E27730-100
SLAA2	77	E27730-200
SLAA2	77	E27730-300
SLAA2	77	E27730-302
SLAA2	77	E27730-303
SLAA2	77	E27730-305
SLAA2	77	E27730-306
SLAA2	77	E27730-307
SLAA2	77	E27730-308
SLAA2	77	E27730-309



SLAA2

77

E27730-310

## Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA3	77	E27730-100
SLAA3	77	E27730-200
SLAA3	77	E27730-300
SLAA3	77	E27730-302
SLAA3	77	E27730-303
SLAA3	77	E27730-305
SLAA3	77	E27730-306
SLAA3	77	E27730-307
SLAA3	77	E27730-308
SLAA3	77	E27730-309
SLAA3	77	E27730-310

## Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA9	77	E27730-100
SLAA9	77	E27730-200
SLAA9	77	E27730-300
SLAA9	77	E27730-302
SLAA9	77	E27730-303
SLAA9	77	E27730-305
SLAA9	77	E27730-306
SLAA9	77	E27730-307
SLAA9	77	E27730-308
SLAA9	77	E27730-309
SLAA9	77	E27730-310