

# Intel® Desktop Compatibility Tool

Found 22 Compatible Processor(s) for Board DG965MS

## Intel® Core™2 Duo Desktop E6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SL9S7	1698	D35508-402
SL9ZF	1698	D35508-402
SL9S7	1698	D35508-403
SL9ZF	1698	D35508-403
SL9S7	1698	D35508-404
SL9ZF	1698	D35508-404
SL9S7	1698	D35508-405
SL9ZF	1698	D35508-405
SL9S7	1698	D35508-406
SL9ZF	1698	D35508-406

## Intel® Core™2 Duo Desktop E6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SL9S8	1698	D35508-402
SL9TZ	759	D35508-402
SL9ZL	1698	D35508-402
SL9S8	1698	D35508-403
SL9TZ	759	D35508-403
SL9ZL	1698	D35508-403
SL9S8	1698	D35508-404
SL9TZ	759	D35508-404
SL9ZL	1698	D35508-404
SL9S8	1698	D35508-405
SL9TZ	759	D35508-405
SL9ZL	1698	D35508-405
SL9S8	1698	D35508-406
SL9TZ	759	D35508-406
SL9ZL	1698	D35508-406

## Intel® Core™2 Duo Desktop E6420 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA4T	1698	D35508-402
SLA4T	1698	D35508-403
SLA4T	1698	D35508-404
SLA4T	1698	D35508-405
SLA4T	1698	D35508-406

## Intel® Core™2 Duo Desktop E6400 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SL9S9	1698	D35508-402
SL9T9	1698	D35508-402
SL9S9	1698	D35508-403
SL9T9	1698	D35508-403
SL9S9	1698	D35508-404
SL9T9	1698	D35508-404
SL9S9	1698	D35508-405
SL9T9	1698	D35508-405
SL9S9	1698	D35508-406
SL9T9	1698	D35508-406

## Intel® Core™2 Duo Desktop E6320 | Frequency: 1.86 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA4U	1698	D35508-402
SLA4U	1698	D35508-403
SLA4U	1698	D35508-404
SLA4U	1698	D35508-405

SLA4U

1698

D35508-406

## Intel® Core™2 Duo Desktop E6300 | Frequency: 1.86 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SL9SA  
SL9TA  
SL9SA  
SL9TA  
SL9SA  
SL9TA  
SL9SA  
SL9TA  
SL9SA  
SL9TA

Min. BIOS  
1698  
1698  
1698  
1698  
1698  
1698  
1698  
1698  
1698  
1698

AA Rev(s)  
D35508-402  
D35508-402  
D35508-403  
D35508-403  
D35508-404  
D35508-404  
D35508-405  
D35508-405  
D35508-406  
D35508-406

## Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLALT  
SLALT  
SLALT  
SLALT  
SLALT

Min. BIOS  
1698  
1698  
1698  
1698  
1698

AA Rev(s)  
D35508-402  
D35508-403  
D35508-404  
D35508-405  
D35508-406

## Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLA94  
SLA94

Min. BIOS  
1698  
1698

AA Rev(s)  
D35508-402  
D35508-403

SLA94	1698	D35508-404
SLA94	1698	D35508-405
SLA94	1698	D35508-406

## Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA95	1698	D35508-402
SLA95	1698	D35508-403
SLA95	1698	D35508-404
SLA95	1698	D35508-405
SLA95	1698	D35508-406

## Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA3F	1698	D35508-402
SLA98	1698	D35508-402
SLA3F	1698	D35508-403
SLA98	1698	D35508-403
SLA3F	1698	D35508-404
SLA98	1698	D35508-404
SLA3F	1698	D35508-405
SLA98	1698	D35508-405
SLA3F	1698	D35508-406
SLA98	1698	D35508-406

## Intel® Core™2 Duo Desktop E4300 | Frequency: 1.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SL9TB	1698	D35508-402
SL9TB	1698	D35508-403
SL9TB	1698	D35508-404
SL9TB	1698	D35508-405
SL9TB	1698	D35508-406

## Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8W	1698	D35508-402
SLA8W		D35508-403
SLA8W		D35508-404
SLA8W		D35508-405
SLA8W		D35508-406

## Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8X	1698	D35508-402
SLA8X	1698	D35508-403
SLA8X	1698	D35508-404
SLA8X	1698	D35508-405
SLA8X	1698	D35508-406

## Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Y	1698	D35508-402
SLA8Y	1698	D35508-403
SLA8Y	1698	D35508-404

SLA8Y	1698	D35508-405
SLA8Y	1698	D35508-406

## Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA3H	1698	D35508-402
SLA8Z	1698	D35508-402
SLA3H	1698	D35508-403
SLA8Z	1698	D35508-403
SLA3H	1698	D35508-404
SLA8Z	1698	D35508-404
SLA3H	1698	D35508-405
SLA8Z	1698	D35508-405
SLA3H	1698	D35508-406
SLA8Z	1698	D35508-406

## Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA3J	1698	D35508-402
SLA93	1698	D35508-402
SLA3J	1698	D35508-403
SLA93	1698	D35508-403
SLA3J	1698	D35508-404
SLA93	1698	D35508-404
SLA3J	1698	D35508-405
SLA93	1698	D35508-405
SLA3J	1698	D35508-406
SLA93	1698	D35508-406

## Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQY	1698	D35508-402
SLAQY	1698	D35508-403
SLAQY	1698	D35508-404
SLAQY	1698	D35508-405
SLAQY	1698	D35508-406

## Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQZ	1698	D35508-402
SLAQZ	1698	D35508-403
SLAQZ	1698	D35508-404
SLAQZ	1698	D35508-405
SLAQZ	1698	D35508-406

## Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAR2	1698	D35508-402
SLAR2	1698	D35508-403
SLAR2	1698	D35508-404
SLAR2	1698	D35508-405
SLAR2	1698	D35508-406

## Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAQW	1719	D35508-402
SLAQW	1719	D35508-403
SLAQW	1719	D35508-404
SLAQW	1719	D35508-405
SLAQW	1719	D35508-406

## Legacy Intel® Celeron® 430 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	35

Spec #	Min. BIOS	AA Rev(s)
SL9XN	1698	D35508-402
SL9XN	1698	D35508-403
SL9XN	1698	D35508-404
SL9XN	1698	D35508-405
SL9XN	1698	D35508-406

## Legacy Intel® Celeron® 420 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	35

Spec #	Min. BIOS	AA Rev(s)
SL9XP	1698	D35508-402
SL9XP	1698	D35508-403
SL9XP	1698	D35508-404
SL9XP	1698	D35508-405
SL9XP	1698	D35508-406