

# Intel® Desktop Compatibility Tool

Found 56 Compatible Processor(s) for Board DH61AGL

## 3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4000	Max TDP 65
Spec # SR0PN SR0PN	Min. BIOS 10 10	AA Rev(s) G71256-202 G71256-203

## 2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 65
Spec # SR00E SR00E	Min. BIOS 10 10	AA Rev(s) G71256-202 G71256-203

## 3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec # SR0T9 SR0T9	Min. BIOS 10 10	AA Rev(s) G71256-202 G71256-203

## 3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 35
---------------	---------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0RJ	10	G71256-202
SR0RJ	10	G71256-203

**3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0TA	10	G71256-202
SR0TA	10	G71256-203

**3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	10	G71256-202
SR0P2	10	G71256-203

**3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0YH		G71256-202
SR0YH		G71256-203

**2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR009	10	G71256-202
SR009	10	G71256-203

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	10	G71256-202
SR0BB	10	G71256-203

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	10	G71256-202
SR00S	10	G71256-203

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YX	10	G71256-202
SR0YX	10	G71256-203

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55

Spec #	Min. BIOS	AA Rev(s)
SR0YL	10	G71256-202
SR0YL	10	G71256-203

**3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	10	G71256-202
SR0RH	10	G71256-203

**3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	10	G71256-202
SR0RF	10	G71256-203

**3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	10	G71256-202
SR0RE	10	G71256-203

**3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55

Spec #	Min. BIOS	AA Rev(s)
SR0RG	10	G71256-202
SR0RG	10	G71256-203

**3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	10	G71256-202
SR0YY	10	G71256-203

**2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	10	G71256-202
SR05W	10	G71256-203

**2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	10	G71256-202
SR0AY	10	G71256-203

**2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35

Spec #	Min. BIOS	AA Rev(s)
SR060	10	G71256-202
SR060	10	G71256-203

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	10	G71256-202
SR05Y	10	G71256-203

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	10	G71256-202
SR0BA	10	G71256-203

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	10	G71256-202
SR05Z	10	G71256-203

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR05C	10	G71256-202
SR05C	10	G71256-203

## Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057		G71256-202
SR057		G71256-203

## Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0MF		G71256-202
SR0MF		G71256-203

## Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR058	10	G71256-202
SR058	10	G71256-203

## Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05Q	10	G71256-202
SR05Q	10	G71256-203

## Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05P	10	G71256-202
SR05P	10	G71256-203

## Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RS		G71256-202
SR0RS		G71256-203

## Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR066		G71256-202
SR066		G71256-203

## Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65



Spec #	Min. BIOS	AA Rev(s)
SR059		G71256-202
SR059		G71256-203

## Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	10	G71256-202
SR05U	10	G71256-203

## Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	10	G71256-202
SR05S	10	G71256-203

## Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	10	G71256-202
SR05T	10	G71256-203

## Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05R	10	G71256-202
SR05R	10	G71256-203

## Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RZ		G71256-202
SR0RZ		G71256-203

## Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR061		G71256-202
SR061		G71256-203

## Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05J	10	G71256-202
SR05J	10	G71256-203

## Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR05K	10	G71256-202
SR05K	10	G71256-203

## Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05H	10	G71256-202
SR05H	10	G71256-203

## Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0S8		G71256-202
SR0S8		G71256-203

## Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0GR	10	G71256-202
SR0GR	10	G71256-203

## Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR0BY	10	G71256-202
SR0BY	10	G71256-203

## Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YT	10	G71256-202
SR0YT	10	G71256-203

## Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YU	10	G71256-202
SR0YU	10	G71256-203

## Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0UF	10	G71256-202
SR0UF	10	G71256-203

## Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR163	10	G71256-202
SR163	10	G71256-203

## Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10H	10	G71256-202
SR10H	10	G71256-203

## Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	10	G71256-202
SR10J	10	G71256-203

## Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	10	G71256-202
SR16A	10	G71256-203

## Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR10L	10	G71256-202
SR10L	10	G71256-203

## Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10K	10	G71256-202
SR10K	10	G71256-203

## Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2500	45
Spec #	Min. BIOS	AA Rev(s)
SR0PB	10	G71256-202
SR0PB	10	G71256-203

## Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45
Spec #	Min. BIOS	AA Rev(s)
SR00M	10	G71256-202
SR00M	10	G71256-203

## Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20

Spec #

SR070

SR070

Min. BIOS

10

10

AA Rev(s)

G71256-202

G71256-203

Add-in graphics card required