

# Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DH61BE

## 3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	42	G14062-206
SR0PN	42	G14062-207
SR0PN	42	G14062-208
SR0PN	42	G14062-209
SR0PN	42	G14062-210
SR0PN	42	G14062-211
SR0PN	42	G14062-212

## 3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	42	G14062-206
SR0PL	42	G14062-207
SR0PL	42	G14062-208
SR0PL	42	G14062-209
SR0PL	42	G14062-210
SR0PL	42	G14062-211
SR0PL	42	G14062-212

## 3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	42	G14062-206

SR0PK	42	G14062-207
SR0PK	42	G14062-208
SR0PK	42	G14062-209
SR0PK	42	G14062-210
SR0PK	42	G14062-211
SR0PK	42	G14062-212

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz  
[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	16	G14062-100
SR0DG	16	G14062-200
SR0DG	16	G14062-201
SR0DG	16	G14062-202
SR0DG	16	G14062-203
SR0DG	16	G14062-204
SR0DG	16	G14062-205
SR0DG	16	G14062-206
SR0DG	16	G14062-207
SR0DG	16	G14062-208
SR0DG	16	G14062-209
SR0DG	16	G14062-210
SR0DG	16	G14062-211
SR0DG	16	G14062-212
SR0DG	16	G14063-100
SR0DG	16	G14063-200

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz  
[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00E	16	G14062-100
SR00E	16	G14062-200
SR00E	16	G14062-201
SR00E	16	G14062-202
SR00E	16	G14062-203
SR00E	16	G14062-204

SR00E	16	G14062-205
SR00E	16	G14062-206
SR00E	16	G14062-207
SR00E	16	G14062-208
SR00E	16	G14062-209
SR00E	16	G14062-210
SR00E	16	G14062-211
SR00E	16	G14062-212
SR00E	16	G14063-100
SR00E	16	G14063-200

## 2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR00C	16	G14062-100
SR00C	16	G14062-200
SR00C	16	G14062-201
SR00C	16	G14062-202
SR00C	16	G14062-203
SR00C	16	G14062-204
SR00C	16	G14062-205
SR00C	16	G14062-206
SR00C	16	G14062-207
SR00C	16	G14062-208
SR00C	16	G14062-209
SR00C	16	G14062-210
SR00C	16	G14062-211
SR00C	16	G14062-212
SR00C	16	G14063-100
SR00C	16	G14063-200

## 2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00B	16	G14062-100
SR00B	16	G14062-200

SR00B	16	G14062-201
SR00B	16	G14062-202
SR00B	16	G14062-203
SR00B	16	G14062-204
SR00B	16	G14062-205
SR00B	16	G14062-206
SR00B	16	G14062-207
SR00B	16	G14062-208
SR00B	16	G14062-209
SR00B	16	G14062-210
SR00B	16	G14062-211
SR00B	16	G14062-212
SR00B	16	G14063-100
SR00B	16	G14063-200

### 3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	42	G14062-206
SR0T9	42	G14062-207
SR0T9	42	G14062-208
SR0T9	42	G14062-209
SR0T9	42	G14062-210
SR0T9	42	G14062-211
SR0T9	42	G14062-212

### 3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	42	G14062-206
SR0PM	42	G14062-207
SR0PM	42	G14062-208
SR0PM	42	G14062-209
SR0PM	42	G14062-210
SR0PM	42	G14062-211
SR0PM	42	G14062-212

## 3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	42	G14062-206
SR0T7	42	G14062-207
SR0T7	42	G14062-208
SR0T7	42	G14062-209
SR0T7	42	G14062-210
SR0T7	42	G14062-211
SR0T7	42	G14062-212

## 3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	42	G14062-206
SR0P0	42	G14062-207
SR0P0	42	G14062-208
SR0P0	42	G14062-209
SR0P0	42	G14062-210
SR0P0	42	G14062-211
SR0P0	42	G14062-212

## 3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	42	G14062-206
SR0RJ	42	G14062-207
SR0RJ	42	G14062-208
SR0RJ	42	G14062-209
SR0RJ	42	G14062-210

SR0RJ	42	G14062-211
SR0RJ	42	G14062-212

### 3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR0TA	42	G14062-206
SR0TA	42	G14062-207
SR0TA	42	G14062-208
SR0TA	42	G14062-209
SR0TA	42	G14062-210
SR0TA	42	G14062-211
SR0TA	42	G14062-212

### 3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec #	Min. BIOS	AA Rev(s)
SR0T8	42	G14062-206
SR0T8	42	G14062-207
SR0T8	42	G14062-208
SR0T8	42	G14062-209
SR0T8	42	G14062-210
SR0T8	42	G14062-211
SR0T8	42	G14062-212

### 3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	42	G14062-206
SR0P2	42	G14062-207

SR0P2	42	G14062-208
SR0P2	42	G14062-209
SR0P2	42	G14062-210
SR0P2	42	G14062-211
SR0P2	42	G14062-212

**3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz**  
[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec #	Min. BIOS	AA Rev(s)
SR0PF	42	G14062-206
SR0PF	42	G14062-207
SR0PF	42	G14062-208
SR0PF	42	G14062-209
SR0PF	42	G14062-210
SR0PF	42	G14062-211
SR0PF	42	G14062-212

**3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz**  
[More Information](#)

Cache 6 MB	Graphics No	Max TDP 77
Spec #	Min. BIOS	AA Rev(s)
SR0WS	42	G14062-206
SR0WS	42	G14062-207
SR0WS	42	G14062-208
SR0WS	42	G14062-209
SR0WS	42	G14062-210
SR0WS	42	G14062-211
SR0WS	42	G14062-212

Add-in graphics card required

**3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz**  
[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
---------------	---------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0YH		G14062-206
SR0YH		G14062-207
SR0YH		G14062-208
SR0YH		G14062-209
SR0YH		G14062-210
SR0YH		G14062-211
SR0YH		G14062-212

### 3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0YZ		G14062-206
SR0YZ		G14062-207
SR0YZ		G14062-208
SR0YZ		G14062-209
SR0YZ		G14062-210
SR0YZ		G14062-211
SR0YZ		G14062-212

### 3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0RQ	42	G14062-206
SR0RQ	42	G14062-207
SR0RQ	42	G14062-208
SR0RQ	42	G14062-209
SR0RQ	42	G14062-210
SR0RQ	42	G14062-211
SR0RQ	42	G14062-212

### 2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)



Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0QH	16	G14062-100
SR0QH	16	G14062-200
SR0QH	16	G14062-201
SR0QH	16	G14062-202
SR0QH	16	G14062-203
SR0QH	16	G14062-204
SR0QH	16	G14062-205
SR0QH	16	G14062-206
SR0QH	16	G14062-207
SR0QH	16	G14062-208
SR0QH	16	G14062-209
SR0QH	16	G14062-210
SR0QH	16	G14062-211
SR0QH	16	G14062-212
SR0QH	16	G14063-100
SR0QH	16	G14063-200

Add-in graphics card required

## 2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR009	16	G14062-100
SR009	16	G14062-200
SR009	16	G14062-201
SR009	16	G14062-202
SR009	16	G14062-203
SR009	16	G14062-204
SR009	16	G14062-205
SR009	16	G14062-206
SR009	16	G14062-207
SR009	16	G14062-208
SR009	16	G14062-209
SR009	16	G14062-210
SR009	16	G14062-211
SR009	16	G14062-212
SR009	16	G14063-100
SR009	16	G14063-200

## 2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR008	16	G14062-100
SR008	16	G14062-200
SR008	16	G14062-201
SR008	16	G14062-202
SR008	16	G14062-203
SR008	16	G14062-204
SR008	16	G14062-205
SR008	16	G14062-206
SR008	16	G14062-207
SR008	16	G14062-208
SR008	16	G14062-209
SR008	16	G14062-210
SR008	16	G14062-211
SR008	16	G14062-212
SR008	16	G14063-100
SR008	16	G14063-200

## 2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00T	16	G14062-100
SR00T	16	G14062-200
SR00T	16	G14062-201
SR00T	16	G14062-202
SR00T	16	G14062-203
SR00T	16	G14062-204
SR00T	16	G14062-205
SR00T	16	G14062-206
SR00T	16	G14062-207
SR00T	16	G14062-208
SR00T	16	G14062-209
SR00T	16	G14062-210
SR00T	16	G14062-211

SR00T	16	G14062-212
SR00T	16	G14063-100
SR00T	16	G14063-200

## 2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	16	G14062-100
SR0G1	16	G14062-200
SR0G1	16	G14062-201
SR0G1	16	G14062-202
SR0G1	16	G14062-203
SR0G1	16	G14062-204
SR0G1	16	G14062-205
SR0G1	16	G14062-206
SR0G1	16	G14062-207
SR0G1	16	G14062-208
SR0G1	16	G14062-209
SR0G1	16	G14062-210
SR0G1	16	G14062-211
SR0G1	16	G14062-212
SR0G1	16	G14063-100
SR0G1	16	G14063-200

Add-in graphics card required

## 2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	16	G14062-100
SR0BB	16	G14062-200
SR0BB	16	G14062-201
SR0BB	16	G14062-202
SR0BB	16	G14062-203
SR0BB	16	G14062-204
SR0BB	16	G14062-205
SR0BB	16	G14062-206

SR0BB	16	G14062-207
SR0BB	16	G14062-208
SR0BB	16	G14062-209
SR0BB	16	G14062-210
SR0BB	16	G14062-211
SR0BB	16	G14062-212
SR0BB	16	G14063-100
SR0BB	16	G14063-200

## 2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	16	G14062-100
SR00S	16	G14062-200
SR00S	16	G14062-201
SR00S	16	G14062-202
SR00S	16	G14062-203
SR00S	16	G14062-204
SR00S	16	G14062-205
SR00S	16	G14062-206
SR00S	16	G14062-207
SR00S	16	G14062-208
SR00S	16	G14062-209
SR00S	16	G14062-210
SR00S	16	G14062-211
SR00S	16	G14062-212
SR00S	16	G14063-100
SR00S	16	G14063-200

## 2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	16	G14062-100
SR00Q	16	G14062-200
SR00Q	16	G14062-201
SR00Q	16	G14062-202

SR00Q	16	G14062-203
SR00Q	16	G14062-204
SR00Q	16	G14062-205
SR00Q	16	G14062-206
SR00Q	16	G14062-207
SR00Q	16	G14062-208
SR00Q	16	G14062-209
SR00Q	16	G14062-210
SR00Q	16	G14062-211
SR00Q	16	G14062-212
SR00Q	16	G14063-100
SR00Q	16	G14063-200

## 2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G2	16	G14062-100
SR0G2	16	G14062-200
SR0G2	16	G14062-201
SR0G2	16	G14062-202
SR0G2	16	G14062-203
SR0G2	16	G14062-204
SR0G2	16	G14062-205
SR0G2	16	G14062-206
SR0G2	16	G14062-207
SR0G2	16	G14062-208
SR0G2	16	G14062-209
SR0G2	16	G14062-210
SR0G2	16	G14062-211
SR0G2	16	G14062-212
SR0G2	16	G14063-100
SR0G2	16	G14063-200

Add-in graphics card required

## 2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR02L	16	G14062-100
SR02L	16	G14062-200
SR02L	16	G14062-201
SR02L	16	G14062-202
SR02L	16	G14062-203
SR02L	16	G14062-204
SR02L	16	G14062-205
SR02L	16	G14062-206
SR02L	16	G14062-207
SR02L	16	G14062-208
SR02L	16	G14062-209
SR02L	16	G14062-210
SR02L	16	G14062-211
SR02L	16	G14062-212
SR02L	16	G14063-100
SR02L	16	G14063-200

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02K	16	G14062-100
SR02K	16	G14062-200
SR02K	16	G14062-201
SR02K	16	G14062-202
SR02K	16	G14062-203
SR02K	16	G14062-204
SR02K	16	G14062-205
SR02K	16	G14062-206
SR02K	16	G14062-207
SR02K	16	G14062-208
SR02K	16	G14062-209
SR02K	16	G14062-210
SR02K	16	G14062-211
SR02K	16	G14062-212
SR02K	16	G14063-100
SR02K	16	G14063-200

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

## More Information

Cache 6 MB	Graphics HD 2000	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SR00D	16	G14062-100
SR00D	16	G14062-200
SR00D	16	G14062-201
SR00D	16	G14062-202
SR00D	16	G14062-203
SR00D	16	G14062-204
SR00D	16	G14062-205
SR00D	16	G14062-206
SR00D	16	G14062-207
SR00D	16	G14062-208
SR00D	16	G14062-209
SR00D	16	G14062-210
SR00D	16	G14062-211
SR00D	16	G14062-212
SR00D	16	G14063-100
SR00D	16	G14063-200

## 3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz

### More Information

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0YX	42	G14062-206
SR0YX	42	G14062-207
SR0YX	42	G14062-208
SR0YX	42	G14062-209
SR0YX	42	G14062-210
SR0YX	42	G14062-211
SR0YX	42	G14062-212

## 3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

### More Information

Cache 3 MB	Graphics HD 4000	Max TDP 55
---------------	---------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0YL	42	G14062-206
SR0YL	42	G14062-207
SR0YL	42	G14062-208
SR0YL	42	G14062-209
SR0YL	42	G14062-210
SR0YL	42	G14062-211
SR0YL	42	G14062-212

### 3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	42	G14062-206
SR0RH	42	G14062-207
SR0RH	42	G14062-208
SR0RH	42	G14062-209
SR0RH	42	G14062-210
SR0RH	42	G14062-211
SR0RH	42	G14062-212

### 3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	42	G14062-206
SR0RF	42	G14062-207
SR0RF	42	G14062-208
SR0RF	42	G14062-209
SR0RF	42	G14062-210
SR0RF	42	G14062-211
SR0RF	42	G14062-212

### 3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz

[More Information](#)



Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	42	G14062-206
SR0RE	42	G14062-207
SR0RE	42	G14062-208
SR0RE	42	G14062-209
SR0RE	42	G14062-210
SR0RE	42	G14062-211
SR0RE	42	G14062-212

### 3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RG	42	G14062-206
SR0RG	42	G14062-207
SR0RG	42	G14062-208
SR0RG	42	G14062-209
SR0RG	42	G14062-210
SR0RG	42	G14062-211
SR0RG	42	G14062-212

### 3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	42	G14062-206
SR0YY	42	G14062-207
SR0YY	42	G14062-208
SR0YY	42	G14062-209
SR0YY	42	G14062-210
SR0YY	42	G14062-211
SR0YY	42	G14062-212

## 2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	16	G14062-100
SR05W	16	G14062-200
SR05W	16	G14062-201
SR05W	16	G14062-202
SR05W	16	G14062-203
SR05W	16	G14062-204
SR05W	16	G14062-205
SR05W	16	G14062-206
SR05W	16	G14062-207
SR05W	16	G14062-208
SR05W	16	G14062-209
SR05W	16	G14062-210
SR05W	16	G14062-211
SR05W	16	G14062-212
SR05W	16	G14063-100
SR05W	16	G14063-200

## 2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	16	G14062-100
SR0AY	16	G14062-200
SR0AY	16	G14062-201
SR0AY	16	G14062-202
SR0AY	16	G14062-203
SR0AY	16	G14062-204
SR0AY	16	G14062-205
SR0AY	16	G14062-206
SR0AY	16	G14062-207
SR0AY	16	G14062-208
SR0AY	16	G14062-209
SR0AY	16	G14062-210
SR0AY	16	G14062-211
SR0AY	16	G14062-212

SR0AY	16	G14063-100
SR0AY	16	G14063-200

## 2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	16	G14062-100
SR060	16	G14062-200
SR060	16	G14062-201
SR060	16	G14062-202
SR060	16	G14062-203
SR060	16	G14062-204
SR060	16	G14062-205
SR060	16	G14062-206
SR060	16	G14062-207
SR060	16	G14062-208
SR060	16	G14062-209
SR060	16	G14062-210
SR060	16	G14062-211
SR060	16	G14062-212
SR060	16	G14063-100
SR060	16	G14063-200

## 2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	16	G14062-100
SR05Y	16	G14062-200
SR05Y	16	G14062-201
SR05Y	16	G14062-202
SR05Y	16	G14062-203
SR05Y	16	G14062-204
SR05Y	16	G14062-205
SR05Y	16	G14062-206
SR05Y	16	G14062-207
SR05Y	16	G14062-208

SR05Y	16	G14062-209
SR05Y	16	G14062-210
SR05Y	16	G14062-211
SR05Y	16	G14062-212
SR05Y	16	G14063-100
SR05Y	16	G14063-200

## 2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	16	G14062-100
SR0BA	16	G14062-200
SR0BA	16	G14062-201
SR0BA	16	G14062-202
SR0BA	16	G14062-203
SR0BA	16	G14062-204
SR0BA	16	G14062-205
SR0BA	16	G14062-206
SR0BA	16	G14062-207
SR0BA	16	G14062-208
SR0BA	16	G14062-209
SR0BA	16	G14062-210
SR0BA	16	G14062-211
SR0BA	16	G14062-212
SR0BA	16	G14063-100
SR0BA	16	G14063-200

## 2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	16	G14062-100
SR05Z	16	G14062-200
SR05Z	16	G14062-201
SR05Z	16	G14062-202
SR05Z	16	G14062-203
SR05Z	16	G14062-204

SR05Z	16	G14062-205
SR05Z	16	G14062-206
SR05Z	16	G14062-207
SR05Z	16	G14062-208
SR05Z	16	G14062-209
SR05Z	16	G14062-210
SR05Z	16	G14062-211
SR05Z	16	G14062-212
SR05Z	16	G14063-100
SR05Z	16	G14063-200

## 2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	16	G14062-100
SR05C	16	G14062-200
SR05C	16	G14062-201
SR05C	16	G14062-202
SR05C	16	G14062-203
SR05C	16	G14062-204
SR05C	16	G14062-205
SR05C	16	G14062-206
SR05C	16	G14062-207
SR05C	16	G14062-208
SR05C	16	G14062-209
SR05C	16	G14062-210
SR05C	16	G14062-211
SR05C	16	G14062-212
SR05C	16	G14063-100
SR05C	16	G14063-200

## Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057		G14062-100
SR057		G14062-200

SR057	G14062-201
SR057	G14062-202
SR057	G14062-203
SR057	G14062-204
SR057	G14062-205
SR057	G14062-206
SR057	G14062-207
SR057	G14062-208
SR057	G14062-209
SR057	G14062-210
SR057	G14062-211
SR057	G14062-212
SR057	G14063-100
SR057	G14063-200

## Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF SR0MF	Min. BIOS	AA Rev(s) G14062-100 G14062-200 G14062-201 G14062-202 G14062-203 G14062-204 G14062-205 G14062-206 G14062-207 G14062-208 G14062-209 G14062-210 G14062-211 G14062-212 G14063-100 G14063-200

## Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
---------------	-------------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR058	16	G14062-100
SR058	16	G14062-200
SR058	16	G14062-201
SR058	16	G14062-202
SR058	16	G14062-203
SR058	16	G14062-204
SR058	16	G14062-205
SR058	16	G14062-206
SR058	16	G14062-207
SR058	16	G14062-208
SR058	16	G14062-209
SR058	16	G14062-210
SR058	16	G14062-211
SR058	16	G14062-212
SR058	16	G14063-100
SR058	16	G14063-200

## Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

  

Spec #	Min. BIOS	AA Rev(s)
SR05Q	16	G14062-100
SR05Q	16	G14062-200
SR05Q	16	G14062-201
SR05Q	16	G14062-202
SR05Q	16	G14062-203
SR05Q	16	G14062-204
SR05Q	16	G14062-205
SR05Q	16	G14062-206
SR05Q	16	G14062-207
SR05Q	16	G14062-208
SR05Q	16	G14062-209
SR05Q	16	G14062-210
SR05Q	16	G14062-211
SR05Q	16	G14062-212
SR05Q	16	G14063-100
SR05Q	16	G14063-200

## Intel® Pentium® G840 | Frequency: 2.80 GHz

## More Information

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05P	16	G14062-100
SR05P	16	G14062-200
SR05P	16	G14062-201
SR05P	16	G14062-202
SR05P	16	G14062-203
SR05P	16	G14062-204
SR05P	16	G14062-205
SR05P	16	G14062-206
SR05P	16	G14062-207
SR05P	16	G14062-208
SR05P	16	G14062-209
SR05P	16	G14062-210
SR05P	16	G14062-211
SR05P	16	G14062-212
SR05P	16	G14063-100
SR05P	16	G14063-200

## Intel® Pentium® G645 | Frequency: 2.90 GHz

### More Information

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR0RS		G14062-100
SR0RS		G14062-200
SR0RS		G14062-201
SR0RS		G14062-202
SR0RS		G14062-203
SR0RS		G14062-204
SR0RS		G14062-205
SR0RS		G14062-206
SR0RS		G14062-207
SR0RS		G14062-208
SR0RS		G14062-209
SR0RS		G14062-210
SR0RS		G14062-211
SR0RS		G14062-212
SR0RS		G14063-100
SR0RS		G14063-200



## Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR066		G14062-100
SR066		G14062-200
SR066		G14062-201
SR066		G14062-202
SR066		G14062-203
SR066		G14062-204
SR066		G14062-205
SR066		G14062-206
SR066		G14062-207
SR066		G14062-208
SR066		G14062-209
SR066		G14062-210
SR066		G14062-211
SR066		G14062-212
SR066		G14063-100
SR066		G14063-200

## Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR059		G14062-100
SR059		G14062-200
SR059		G14062-201
SR059		G14062-202
SR059		G14062-203
SR059		G14062-204
SR059		G14062-205
SR059		G14062-206
SR059		G14062-207
SR059		G14062-208
SR059		G14062-209
SR059		G14062-210
SR059		G14062-211

SR059  
SR059  
SR059

G14062-212  
G14063-100  
G14063-200

## Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	16	G14062-100
SR05U	16	G14062-200
SR05U	16	G14062-201
SR05U	16	G14062-202
SR05U	16	G14062-203
SR05U	16	G14062-204
SR05U	16	G14062-205
SR05U	16	G14062-206
SR05U	16	G14062-207
SR05U	16	G14062-208
SR05U	16	G14062-209
SR05U	16	G14062-210
SR05U	16	G14062-211
SR05U	16	G14062-212
SR05U	16	G14063-100
SR05U	16	G14063-200

## Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	16	G14062-100
SR05S	16	G14062-200
SR05S	16	G14062-201
SR05S	16	G14062-202
SR05S	16	G14062-203
SR05S	16	G14062-204
SR05S	16	G14062-205
SR05S	16	G14062-206
SR05S	16	G14062-207

SR05S	16	G14062-208
SR05S	16	G14062-209
SR05S	16	G14062-210
SR05S	16	G14062-211
SR05S	16	G14062-212
SR05S	16	G14063-100
SR05S	16	G14063-200

## Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	16	G14062-100
SR05T	16	G14062-200
SR05T	16	G14062-201
SR05T	16	G14062-202
SR05T	16	G14062-203
SR05T	16	G14062-204
SR05T	16	G14062-205
SR05T	16	G14062-206
SR05T	16	G14062-207
SR05T	16	G14062-208
SR05T	16	G14062-209
SR05T	16	G14062-210
SR05T	16	G14062-211
SR05T	16	G14062-212
SR05T	16	G14063-100
SR05T	16	G14063-200

## Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05R	16	G14062-100
SR05R	16	G14062-200
SR05R	16	G14062-201
SR05R	16	G14062-202
SR05R	16	G14062-203

SR05R	16	G14062-204
SR05R	16	G14062-205
SR05R	16	G14062-206
SR05R	16	G14062-207
SR05R	16	G14062-208
SR05R	16	G14062-209
SR05R	16	G14062-210
SR05R	16	G14062-211
SR05R	16	G14062-212
SR05R	16	G14063-100
SR05R	16	G14063-200

## Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RZ	Min. BIOS	AA Rev(s) G14062-100
SR0RZ		G14062-200
SR0RZ		G14062-201
SR0RZ		G14062-202
SR0RZ		G14062-203
SR0RZ		G14062-204
SR0RZ		G14062-205
SR0RZ		G14062-206
SR0RZ		G14062-207
SR0RZ		G14062-208
SR0RZ		G14062-209
SR0RZ		G14062-210
SR0RZ		G14062-211
SR0RZ		G14062-212
SR0RZ		G14063-100
SR0RZ		G14063-200

## Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR061	Min. BIOS	AA Rev(s) G14062-100

SR061	G14062-200
SR061	G14062-201
SR061	G14062-202
SR061	G14062-203
SR061	G14062-204
SR061	G14062-205
SR061	G14062-206
SR061	G14062-207
SR061	G14062-208
SR061	G14062-209
SR061	G14062-210
SR061	G14062-211
SR061	G14062-212
SR061	G14063-100
SR061	G14063-200

## Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05J	16	G14062-100
SR05J	16	G14062-200
SR05J	16	G14062-201
SR05J	16	G14062-202
SR05J	16	G14062-203
SR05J	16	G14062-204
SR05J	16	G14062-205
SR05J	16	G14062-206
SR05J	16	G14062-207
SR05J	16	G14062-208
SR05J	16	G14062-209
SR05J	16	G14062-210
SR05J	16	G14062-211
SR05J	16	G14062-212
SR05J	16	G14063-100
SR05J	16	G14063-200

## Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

2 MB

HD Graphics 35

Spec #	Min. BIOS	AA Rev(s)
SR05K	16	G14062-100
SR05K	16	G14062-200
SR05K	16	G14062-201
SR05K	16	G14062-202
SR05K	16	G14062-203
SR05K	16	G14062-204
SR05K	16	G14062-205
SR05K	16	G14062-206
SR05K	16	G14062-207
SR05K	16	G14062-208
SR05K	16	G14062-209
SR05K	16	G14062-210
SR05K	16	G14062-211
SR05K	16	G14062-212
SR05K	16	G14063-100
SR05K	16	G14063-200

## Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache  
2 MB

Graphics  
HD Graphics 65

Spec #	Min. BIOS	AA Rev(s)
SR05H	16	G14062-100
SR05H	16	G14062-200
SR05H	16	G14062-201
SR05H	16	G14062-202
SR05H	16	G14062-203
SR05H	16	G14062-204
SR05H	16	G14062-205
SR05H	16	G14062-206
SR05H	16	G14062-207
SR05H	16	G14062-208
SR05H	16	G14062-209
SR05H	16	G14062-210
SR05H	16	G14062-211
SR05H	16	G14062-212
SR05H	16	G14063-100
SR05H	16	G14063-200

## Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0S7	16	G14062-100
SR0S7	16	G14062-200
SR0S7	16	G14062-201
SR0S7	16	G14062-202
SR0S7	16	G14062-203
SR0S7	16	G14062-204
SR0S7	16	G14062-205
SR0S7	16	G14062-206
SR0S7	16	G14062-207
SR0S7	16	G14062-208
SR0S7	16	G14062-209
SR0S7	16	G14062-210
SR0S7	16	G14062-211
SR0S7	16	G14062-212
SR0S7	16	G14063-100
SR0S7	16	G14063-200

## Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0S8		G14062-100
SR0S8		G14062-200
SR0S8		G14062-201
SR0S8		G14062-202
SR0S8		G14062-203
SR0S8		G14062-204
SR0S8		G14062-205
SR0S8		G14062-206
SR0S8		G14062-207
SR0S8		G14062-208
SR0S8		G14062-209
SR0S8		G14062-210
SR0S8		G14062-211
SR0S8		G14062-212
SR0S8		G14063-100

SR0S8

G14063-200

## Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0GR	16	G14062-100
SR0GR	16	G14062-200
SR0GR	16	G14062-201
SR0GR	16	G14062-202
SR0GR	16	G14062-203
SR0GR	16	G14062-204
SR0GR	16	G14062-205
SR0GR	16	G14062-206
SR0GR	16	G14062-207
SR0GR	16	G14062-208
SR0GR	16	G14062-209
SR0GR	16	G14062-210
SR0GR	16	G14062-211
SR0GR	16	G14062-212
SR0GR	16	G14063-100
SR0GR	16	G14063-200

## Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0BY	16	G14062-100
SR0BY	16	G14062-200
SR0BY	16	G14062-201
SR0BY	16	G14062-202
SR0BY	16	G14062-203
SR0BY	16	G14062-204
SR0BY	16	G14062-205
SR0BY	16	G14062-206
SR0BY	16	G14062-207
SR0BY	16	G14062-208
SR0BY	16	G14062-209



SR0BY	16	G14062-210
SR0BY	16	G14062-211
SR0BY	16	G14062-212
SR0BY	16	G14063-100
SR0BY	16	G14063-200

## Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0YT	42	G14062-206
SR0YT	42	G14062-207
SR0YT	42	G14062-208
SR0YT	42	G14062-209
SR0YT	42	G14062-210
SR0YT	42	G14062-211
SR0YT	42	G14062-212

## Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0YU	42	G14062-206
SR0YU	42	G14062-207
SR0YU	42	G14062-208
SR0YU	42	G14062-209
SR0YU	42	G14062-210
SR0YU	42	G14062-211
SR0YU	42	G14062-212

## Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
---------------	-------------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0UF	42	G14062-206
SR0UF	42	G14062-207
SR0UF	42	G14062-208
SR0UF	42	G14062-209
SR0UF	42	G14062-210
SR0UF	42	G14062-211
SR0UF	42	G14062-212

## Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR163	42	G14062-206
SR163	42	G14062-207
SR163	42	G14062-208
SR163	42	G14062-209
SR163	42	G14062-210
SR163	42	G14062-211
SR163	42	G14062-212

## Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10H	42	G14062-206
SR10H	42	G14062-207
SR10H	42	G14062-208
SR10H	42	G14062-209
SR10H	42	G14062-210
SR10H	42	G14062-211
SR10H	42	G14062-212

## Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	42	G14062-206
SR10J	42	G14062-207
SR10J	42	G14062-208
SR10J	42	G14062-209
SR10J	42	G14062-210
SR10J	42	G14062-211
SR10J	42	G14062-212

## Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	42	G14062-206
SR16A	42	G14062-207
SR16A	42	G14062-208
SR16A	42	G14062-209
SR16A	42	G14062-210
SR16A	42	G14062-211
SR16A	42	G14062-212

## Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10L	42	G14062-206
SR10L	42	G14062-207
SR10L	42	G14062-208
SR10L	42	G14062-209
SR10L	42	G14062-210
SR10L	42	G14062-211
SR10L	42	G14062-212

## Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10K	42	G14062-206
SR10K	42	G14062-207
SR10K	42	G14062-208
SR10K	42	G14062-209
SR10K	42	G14062-210
SR10K	42	G14062-211
SR10K	42	G14062-212

## Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	87
Spec #	Min. BIOS	AA Rev(s)
SR0PC	42	G14062-206
SR0PC	42	G14062-207
SR0PC	42	G14062-208
SR0PC	42	G14062-209
SR0PC	42	G14062-210
SR0PC	42	G14062-211
SR0PC	42	G14062-212

Add-in graphics card required

## Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PA	42	G14062-206
SR0PA	42	G14062-207
SR0PA	42	G14062-208
SR0PA	42	G14062-209
SR0PA	42	G14062-210

SR0PA	42	G14062-211
SR0PA	42	G14062-212

## Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2500	45
Spec #	Min. BIOS	AA Rev(s)
SR0PB	42	G14062-206
SR0PB	42	G14062-207
SR0PB	42	G14062-208
SR0PB	42	G14062-209
SR0PB	42	G14062-210
SR0PB	42	G14062-211
SR0PB	42	G14062-212

## Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45
Spec #	Min. BIOS	AA Rev(s)
SR00M	16	G14062-100
SR00M	16	G14062-200
SR00M	16	G14062-201
SR00M	16	G14062-202
SR00M	16	G14062-203
SR00M	16	G14062-204
SR00M	16	G14062-205
SR00M	16	G14062-206
SR00M	16	G14062-207
SR00M	16	G14062-208
SR00M	16	G14062-209
SR00M	16	G14062-210
SR00M	16	G14062-211
SR00M	16	G14062-212
SR00M	16	G14063-100
SR00M	16	G14063-200

## Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0P9	42	G14062-206
SR0P9	42	G14062-207
SR0P9	42	G14062-208
SR0P9	42	G14062-209
SR0P9	42	G14062-210
SR0P9	42	G14062-211
SR0P9	42	G14062-212

## Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0P4	42	G14062-206
SR0P4	42	G14062-207
SR0P4	42	G14062-208
SR0P4	42	G14062-209
SR0P4	42	G14062-210
SR0P4	42	G14062-211
SR0P4	42	G14062-212

Add-in graphics card required

## Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PJ	42	G14062-206
SR0PJ	42	G14062-207
SR0PJ	42	G14062-208
SR0PJ	42	G14062-209
SR0PJ	42	G14062-210
SR0PJ	42	G14062-211

SR0PJ

42

G14062-212

## Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	42	G14062-206
SR0PH	42	G14062-207
SR0PH	42	G14062-208
SR0PH	42	G14062-209
SR0PH	42	G14062-210
SR0PH	42	G14062-211
SR0PH	42	G14062-212

Add-in graphics card required

## Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	16	G14062-100
SR070	16	G14062-200
SR070	16	G14062-201
SR070	16	G14062-202
SR070	16	G14062-203
SR070	16	G14062-204
SR070	16	G14062-205
SR070	16	G14062-206
SR070	16	G14062-207
SR070	16	G14062-208
SR070	16	G14062-209
SR070	16	G14062-210
SR070	16	G14062-211
SR070	16	G14062-212
SR070	16	G14063-100
SR070	16	G14063-200

Add-in graphics card required

