

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DH61BF

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4000	Max TDP 65
Spec # SR0PN	Min. BIOS 7	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4000	Max TDP 77
Spec # SR0PL	Min. BIOS 7	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4000	Max TDP 77
Spec # SR0PK	Min. BIOS 7	AA Rev(s) G81311-101

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 3000	Max TDP 95
Spec # SR0DG	Min. BIOS 7	AA Rev(s) G81311-101

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 65
Spec # SR00E	Min. BIOS 7	AA Rev(s) G81311-101

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 3000	Max TDP 95
Spec # SR00C	Min. BIOS 7	AA Rev(s) G81311-101

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 95
Spec # SR00B	Min. BIOS 7	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec # SR0T9	Min. BIOS 7	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4000

Max TDP
77

Spec #
SR0PM

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0T7

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0P0

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2500

Max TDP
35

Spec #
SR0RJ

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
65

Spec #
SR0TA

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0T8

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
65

Spec #
SR0P2

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0PF

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
77

Spec #
SR0WS

Min. BIOS
7

AA Rev(s)
G81311-101

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz
[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec # SR0YH	Min. BIOS	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz
[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0YZ	Min. BIOS	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz
[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0RQ	Min. BIOS 7	AA Rev(s) G81311-101

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz
[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SR0QH	Min. BIOS 7	AA Rev(s) G81311-101

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR009

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 3000

Max TDP
95

Spec #
SR008

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR00T

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
95

Spec #
SR0G1

Min. BIOS
7

AA Rev(s)
G81311-101

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 3000

Max TDP
65

Spec #
SR0BB

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz
[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR00S

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz
[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR00Q

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz
[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
95

Spec #
SR0G2

Min. BIOS
7

AA Rev(s)
G81311-101

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz
[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR02L

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR02K

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR00D

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2500

Max TDP
55

Spec #
SR0YX

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 4000

Max TDP
55

Spec #
SR0YL

Min. BIOS
7

AA Rev(s)
G81311-101

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec # SR0RH	Min. BIOS 7	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz
[More Information](#)

Cache 3 MB	Graphics HD 4000	Max TDP 55
Spec # SR0RF	Min. BIOS 7	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 35
Spec # SR0RE	Min. BIOS 7	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec # SR0RG	Min. BIOS 7	AA Rev(s) G81311-101

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz
[More Information](#)

Cache
3 MB

Graphics
HD 2500

Max TDP
55

Spec #
SR0YY

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR05W

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 3000

Max TDP
65

Spec #
SR0AY

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
35

Spec #
SR060

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR05Y

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 3000

Max TDP
65

Spec #
SR0BA

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
35

Spec #
SR05Z

Min. BIOS
7

AA Rev(s)
G81311-101

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR05C

Min. BIOS
7

AA Rev(s)
G81311-101

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR057

Min. BIOS

AA Rev(s)
G81311-101

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0MF	Min. BIOS	AA Rev(s) G81311-101

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR058	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05Q	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05P	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR0RS

Min. BIOS

AA Rev(s)
G81311-101

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR066

Min. BIOS

AA Rev(s)
G81311-101

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR059

Min. BIOS

AA Rev(s)
G81311-101

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR05U

Min. BIOS
7

AA Rev(s)
G81311-101

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #	Min. BIOS	AA Rev(s)
SR05S	7	G81311-101

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	7	G81311-101

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05R	7	G81311-101

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RZ		G81311-101

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR061		G81311-101

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05J	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 35
Spec # SR05K	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05H	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0S7	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0S8

Min. BIOS

AA Rev(s)
G81311-101

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0GR

Min. BIOS
7

AA Rev(s)
G81311-101

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache
1 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0BY

Min. BIOS
7

AA Rev(s)
G81311-101

Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
55

Spec #
SR0YT

Min. BIOS
7

AA Rev(s)
G81311-101

Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
55

Spec #	Min. BIOS	AA Rev(s)
SR0YU	7	G81311-101

Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0UF	7	G81311-101

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR163	7	G81311-101

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10H	7	G81311-101

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	7	G81311-101

Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 55
Spec # SR16A	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 55
Spec # SR10L	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 55
Spec # SR10K	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 87
Spec # SR0PC	Min. BIOS 7	AA Rev(s) G81311-101

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

More Information

Cache 8 MB	Graphics HD P4000	Max TDP 77
Spec # SR0PA	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

More Information

Cache 8 MB	Graphics HD 2500	Max TDP 45
Spec # SR0PB	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

More Information

Cache 8 MB	Graphics HD 2000	Max TDP 45
Spec # SR00M	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

More Information

Cache 8 MB	Graphics HD P4000	Max TDP 77
Spec # SR0P9	Min. BIOS 7	AA Rev(s) G81311-101

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

More Information

Cache 8 MB	Graphics No	Max TDP 69
---------------	----------------	---------------

Spec #
SR0P4

Min. BIOS
7

AA Rev(s)
G81311-101

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache
8 MB

Graphics
HD P4000

Max TDP
77

Spec #
SR0PJ

Min. BIOS
7

AA Rev(s)
G81311-101

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache
8 MB

Graphics
No

Max TDP
69

Spec #
SR0PH

Min. BIOS
7

AA Rev(s)
G81311-101

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
20

Spec #
SR070

Min. BIOS
7

AA Rev(s)
G81311-101

Add-in graphics card required