

# Intel® Desktop Compatibility Tool

Found 56 Compatible Processor(s) for Board DH61DL

## 3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	42	G14066-100
SR0PN	42	G14066-201
SR0PN	42	G14066-202
SR0PN	42	G14066-203
SR0PN	42	G14066-204
SR0PN	42	G14066-205
SR0PN	42	G14066-206
SR0PN	42	G14067-100

## 2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00E	16	G14066-100
SR00E	16	G14066-201
SR00E	16	G14066-202
SR00E	16	G14066-203
SR00E	16	G14066-204
SR00E	16	G14066-205
SR00E	16	G14066-206
SR00E	16	G14067-100

## 3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65

Spec #	Min. BIOS	AA Rev(s)
SR0T9	42	G14066-100
SR0T9	42	G14066-201
SR0T9	42	G14066-202
SR0T9	42	G14066-203
SR0T9	42	G14066-204
SR0T9	42	G14066-205
SR0T9	42	G14066-206
SR0T9	42	G14067-100

### 3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35

Spec #	Min. BIOS	AA Rev(s)
SR0RJ	42	G14066-100
SR0RJ	42	G14066-201
SR0RJ	42	G14066-202
SR0RJ	42	G14066-203
SR0RJ	42	G14066-204
SR0RJ	42	G14066-205
SR0RJ	42	G14066-206
SR0RJ	42	G14067-100

### 3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65

Spec #	Min. BIOS	AA Rev(s)
SR0TA	42	G14066-100
SR0TA	42	G14066-201
SR0TA	42	G14066-202
SR0TA	42	G14066-203
SR0TA	42	G14066-204
SR0TA	42	G14066-205
SR0TA	42	G14066-206
SR0TA	42	G14067-100

## 3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	42	G14066-100
SR0P2	42	G14066-201
SR0P2	42	G14066-202
SR0P2	42	G14066-203
SR0P2	42	G14066-204
SR0P2	42	G14066-205
SR0P2	42	G14066-206
SR0P2	42	G14067-100

## 3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR0YH		G14066-100
SR0YH		G14066-201
SR0YH		G14066-202
SR0YH		G14066-203
SR0YH		G14066-204
SR0YH		G14066-205
SR0YH		G14066-206
SR0YH		G14067-100

## 2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2000	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR009	16	G14066-100
SR009	16	G14066-201
SR009	16	G14066-202
SR009	16	G14066-203

SR009	16	G14066-204
SR009	16	G14066-205
SR009	16	G14066-206
SR009	16	G14067-100

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	16	G14066-100
SR0BB	16	G14066-201
SR0BB	16	G14066-202
SR0BB	16	G14066-203
SR0BB	16	G14066-204
SR0BB	16	G14066-205
SR0BB	16	G14066-206
SR0BB	16	G14067-100

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	16	G14066-100
SR00S	16	G14066-201
SR00S	16	G14066-202
SR00S	16	G14066-203
SR00S	16	G14066-204
SR00S	16	G14066-205
SR00S	16	G14066-206
SR00S	16	G14067-100

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55

Spec #	Min. BIOS	AA Rev(s)
SR0YX	42	G14066-100
SR0YX	42	G14066-201
SR0YX	42	G14066-202
SR0YX	42	G14066-203
SR0YX	42	G14066-204
SR0YX	42	G14066-205
SR0YX	42	G14066-206
SR0YX	42	G14067-100

### 3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55

Spec #	Min. BIOS	AA Rev(s)
SR0YL	42	G14066-100
SR0YL	42	G14066-201
SR0YL	42	G14066-202
SR0YL	42	G14066-203
SR0YL	42	G14066-204
SR0YL	42	G14066-205
SR0YL	42	G14066-206
SR0YL	42	G14067-100

### 3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55

Spec #	Min. BIOS	AA Rev(s)
SR0RH	42	G14066-100
SR0RH	42	G14066-201
SR0RH	42	G14066-202
SR0RH	42	G14066-203
SR0RH	42	G14066-204
SR0RH	42	G14066-205
SR0RH	42	G14066-206
SR0RH	42	G14067-100

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	42	G14066-100
SR0RF	42	G14066-201
SR0RF	42	G14066-202
SR0RF	42	G14066-203
SR0RF	42	G14066-204
SR0RF	42	G14066-205
SR0RF	42	G14066-206
SR0RF	42	G14067-100

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	42	G14066-100
SR0RE	42	G14066-201
SR0RE	42	G14066-202
SR0RE	42	G14066-203
SR0RE	42	G14066-204
SR0RE	42	G14066-205
SR0RE	42	G14066-206
SR0RE	42	G14067-100

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RG	42	G14066-100
SR0RG	42	G14066-201
SR0RG	42	G14066-202
SR0RG	42	G14066-203

SR0RG	42	G14066-204
SR0RG	42	G14066-205
SR0RG	42	G14066-206
SR0RG	42	G14067-100

**3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz**  
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	42	G14066-100
SR0YY	42	G14066-201
SR0YY	42	G14066-202
SR0YY	42	G14066-203
SR0YY	42	G14066-204
SR0YY	42	G14066-205
SR0YY	42	G14066-206
SR0YY	42	G14067-100

**2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz**  
[More Information](#)

Cache 3 MB	Graphics HD 2000	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05W	16	G14066-100
SR05W	16	G14066-201
SR05W	16	G14066-202
SR05W	16	G14066-203
SR05W	16	G14066-204
SR05W	16	G14066-205
SR05W	16	G14066-206
SR05W	16	G14067-100

**2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz**  
[More Information](#)

Cache 3 MB	Graphics HD 3000	Max TDP 65
---------------	---------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0AY	16	G14066-100
SR0AY	16	G14066-201
SR0AY	16	G14066-202
SR0AY	16	G14066-203
SR0AY	16	G14066-204
SR0AY	16	G14066-205
SR0AY	16	G14066-206
SR0AY	16	G14067-100

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35

Spec #	Min. BIOS	AA Rev(s)
SR060	16	G14066-100
SR060	16	G14066-201
SR060	16	G14066-202
SR060	16	G14066-203
SR060	16	G14066-204
SR060	16	G14066-205
SR060	16	G14066-206
SR060	16	G14067-100

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR05Y	16	G14066-100
SR05Y	16	G14066-201
SR05Y	16	G14066-202
SR05Y	16	G14066-203
SR05Y	16	G14066-204
SR05Y	16	G14066-205
SR05Y	16	G14066-206
SR05Y	16	G14067-100



## 2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	16	G14066-100
SR0BA	16	G14066-201
SR0BA	16	G14066-202
SR0BA	16	G14066-203
SR0BA	16	G14066-204
SR0BA	16	G14066-205
SR0BA	16	G14066-206
SR0BA	16	G14067-100

## 2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	16	G14066-100
SR05Z	16	G14066-201
SR05Z	16	G14066-202
SR05Z	16	G14066-203
SR05Z	16	G14066-204
SR05Z	16	G14066-205
SR05Z	16	G14066-206
SR05Z	16	G14067-100

## 2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	16	G14066-100
SR05C	16	G14066-201
SR05C	16	G14066-202
SR05C	16	G14066-203

SR05C	16	G14066-204
SR05C	16	G14066-205
SR05C	16	G14066-206
SR05C	16	G14067-100

## Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR057	Min. BIOS	AA Rev(s) G14066-100
SR057		G14066-201
SR057		G14066-202
SR057		G14066-203
SR057		G14066-204
SR057		G14066-205
SR057		G14066-206
SR057		G14067-100

## Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0MF	Min. BIOS	AA Rev(s) G14066-100
SR0MF		G14066-201
SR0MF		G14066-202
SR0MF		G14066-203
SR0MF		G14066-204
SR0MF		G14066-205
SR0MF		G14066-206
SR0MF		G14067-100

## Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
---------------	-------------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR058	16	G14066-100
SR058	16	G14066-201
SR058	16	G14066-202
SR058	16	G14066-203
SR058	16	G14066-204
SR058	16	G14066-205
SR058	16	G14066-206
SR058	16	G14067-100

## Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05Q	16	G14066-100
SR05Q	16	G14066-201
SR05Q	16	G14066-202
SR05Q	16	G14066-203
SR05Q	16	G14066-204
SR05Q	16	G14066-205
SR05Q	16	G14066-206
SR05Q	16	G14067-100

## Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05P	16	G14066-100
SR05P	16	G14066-201
SR05P	16	G14066-202
SR05P	16	G14066-203
SR05P	16	G14066-204
SR05P	16	G14066-205
SR05P	16	G14066-206
SR05P	16	G14067-100

## Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RS SR0RS SR0RS SR0RS SR0RS SR0RS SR0RS SR0RS	Min. BIOS	AA Rev(s) G14066-100 G14066-201 G14066-202 G14066-203 G14066-204 G14066-205 G14066-206 G14067-100

## Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR066 SR066 SR066 SR066 SR066 SR066 SR066 SR066	Min. BIOS	AA Rev(s) G14066-100 G14066-201 G14066-202 G14066-203 G14066-204 G14066-205 G14066-206 G14067-100

## Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR059 SR059 SR059 SR059	Min. BIOS	AA Rev(s) G14066-100 G14066-201 G14066-202 G14066-203

SR059  
SR059  
SR059  
SR059

G14066-204  
G14066-205  
G14066-206  
G14067-100

## Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache  
3 MB

Graphics  
HD Graphics

Max TDP  
35

Spec #  
SR05U  
SR05U  
SR05U  
SR05U  
SR05U  
SR05U  
SR05U  
SR05U

Min. BIOS  
16  
16  
16  
16  
16  
16  
16  
16

AA Rev(s)  
G14066-100  
G14066-201  
G14066-202  
G14066-203  
G14066-204  
G14066-205  
G14066-206  
G14067-100

## Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache  
3 MB

Graphics  
HD Graphics

Max TDP  
65

Spec #  
SR05S  
SR05S  
SR05S  
SR05S  
SR05S  
SR05S  
SR05S  
SR05S

Min. BIOS  
16  
16  
16  
16  
16  
16  
16  
16

AA Rev(s)  
G14066-100  
G14066-201  
G14066-202  
G14066-203  
G14066-204  
G14066-205  
G14066-206  
G14067-100

## Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache  
3 MB

Graphics  
HD Graphics

Max TDP  
35

Spec #	Min. BIOS	AA Rev(s)
SR05T	16	G14066-100
SR05T	16	G14066-201
SR05T	16	G14066-202
SR05T	16	G14066-203
SR05T	16	G14066-204
SR05T	16	G14066-205
SR05T	16	G14066-206
SR05T	16	G14067-100

## Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05R	16	G14066-100
SR05R	16	G14066-201
SR05R	16	G14066-202
SR05R	16	G14066-203
SR05R	16	G14066-204
SR05R	16	G14066-205
SR05R	16	G14066-206
SR05R	16	G14067-100

## Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR0RZ		G14066-100
SR0RZ		G14066-201
SR0RZ		G14066-202
SR0RZ		G14066-203
SR0RZ		G14066-204
SR0RZ		G14066-205
SR0RZ		G14066-206
SR0RZ		G14067-100

## Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR061 SR061 SR061 SR061 SR061 SR061 SR061 SR061	Min. BIOS	AA Rev(s) G14066-100 G14066-201 G14066-202 G14066-203 G14066-204 G14066-205 G14066-206 G14067-100

## Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05J SR05J SR05J SR05J SR05J SR05J SR05J SR05J	Min. BIOS 16 16 16 16 16 16 16 16	AA Rev(s) G14066-100 G14066-201 G14066-202 G14066-203 G14066-204 G14066-205 G14066-206 G14067-100

## Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 35
Spec # SR05K SR05K SR05K SR05K	Min. BIOS 16 16 16 16	AA Rev(s) G14066-100 G14066-201 G14066-202 G14066-203

SR05K	16	G14066-204
SR05K	16	G14066-205
SR05K	16	G14066-206
SR05K	16	G14067-100

## Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05H	16	G14066-100
SR05H	16	G14066-201
SR05H	16	G14066-202
SR05H	16	G14066-203
SR05H	16	G14066-204
SR05H	16	G14066-205
SR05H	16	G14066-206
SR05H	16	G14067-100

## Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0S8		G14066-100
SR0S8		G14066-201
SR0S8		G14066-202
SR0S8		G14066-203
SR0S8		G14066-204
SR0S8		G14066-205
SR0S8		G14066-206
SR0S8		G14067-100

## Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
-----------------	-------------------------	---------------



Spec #	Min. BIOS	AA Rev(s)
SR0GR	16	G14066-100
SR0GR	16	G14066-201
SR0GR	16	G14066-202
SR0GR	16	G14066-203
SR0GR	16	G14066-204
SR0GR	16	G14066-205
SR0GR	16	G14066-206
SR0GR	16	G14067-100

## Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR0BY	16	G14066-100
SR0BY	16	G14066-201
SR0BY	16	G14066-202
SR0BY	16	G14066-203
SR0BY	16	G14066-204
SR0BY	16	G14066-205
SR0BY	16	G14066-206
SR0BY	16	G14067-100

## Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR0YT	42	G14066-100
SR0YT	42	G14066-201
SR0YT	42	G14066-202
SR0YT	42	G14066-203
SR0YT	42	G14066-204
SR0YT	42	G14066-205
SR0YT	42	G14066-206
SR0YT	42	G14067-100

## Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YU	42	G14066-100
SR0YU	42	G14066-201
SR0YU	42	G14066-202
SR0YU	42	G14066-203
SR0YU	42	G14066-204
SR0YU	42	G14066-205
SR0YU	42	G14066-206
SR0YU	42	G14067-100

## Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0UF	42	G14066-100
SR0UF	42	G14066-201
SR0UF	42	G14066-202
SR0UF	42	G14066-203
SR0UF	42	G14066-204
SR0UF	42	G14066-205
SR0UF	42	G14066-206
SR0UF	42	G14067-100

## Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR163	42	G14066-100
SR163	42	G14066-201
SR163	42	G14066-202
SR163	42	G14066-203

SR163	42	G14066-204
SR163	42	G14066-205
SR163	42	G14066-206
SR163	42	G14067-100

## Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR10H	42	G14066-100
SR10H	42	G14066-201
SR10H	42	G14066-202
SR10H	42	G14066-203
SR10H	42	G14066-204
SR10H	42	G14066-205
SR10H	42	G14066-206
SR10H	42	G14067-100

## Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR10J	42	G14066-100
SR10J	42	G14066-201
SR10J	42	G14066-202
SR10J	42	G14066-203
SR10J	42	G14066-204
SR10J	42	G14066-205
SR10J	42	G14066-206
SR10J	42	G14067-100

## Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 55
---------------	-------------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR16A	42	G14066-100
SR16A	42	G14066-201
SR16A	42	G14066-202
SR16A	42	G14066-203
SR16A	42	G14066-204
SR16A	42	G14066-205
SR16A	42	G14066-206
SR16A	42	G14067-100

## Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR10L	42	G14066-100
SR10L	42	G14066-201
SR10L	42	G14066-202
SR10L	42	G14066-203
SR10L	42	G14066-204
SR10L	42	G14066-205
SR10L	42	G14066-206
SR10L	42	G14067-100

## Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR10K	42	G14066-100
SR10K	42	G14066-201
SR10K	42	G14066-202
SR10K	42	G14066-203
SR10K	42	G14066-204
SR10K	42	G14066-205
SR10K	42	G14066-206
SR10K	42	G14067-100

## Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2500	45
Spec #	Min. BIOS	AA Rev(s)
SR0PB	42	G14066-100
SR0PB	42	G14066-201
SR0PB	42	G14066-202
SR0PB	42	G14066-203
SR0PB	42	G14066-204
SR0PB	42	G14066-205
SR0PB	42	G14066-206
SR0PB	42	G14067-100

## Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45
Spec #	Min. BIOS	AA Rev(s)
SR00M	16	G14066-100
SR00M	16	G14066-201
SR00M	16	G14066-202
SR00M	16	G14066-203
SR00M	16	G14066-204
SR00M	16	G14066-205
SR00M	16	G14066-206
SR00M	16	G14067-100

## Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	16	G14066-100
SR070	16	G14066-201
SR070	16	G14066-202
SR070	16	G14066-203

SR070

16

G14066-204

SR070

16

G14066-205

SR070

16

G14066-206

SR070

16

G14067-100

Add-in graphics card required