

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DH61WW

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	42	G23116-204
SR0PN	42	G23116-205
SR0PN	42	G23116-206
SR0PN	42	G23116-207
SR0PN	42	G23116-300
SR0PN	42	G23116-301
SR0PN	42	G23116-302
SR0PN	42	G23116-303
SR0PN	42	G45686-200
SR0PN	42	G45686-300

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	42	G23116-204
SR0PL	42	G23116-205
SR0PL	42	G23116-206
SR0PL	42	G23116-207
SR0PL	42	G23116-300
SR0PL	42	G23116-301
SR0PL	42	G23116-302
SR0PL	42	G23116-303
SR0PL	42	G45686-200
SR0PL	42	G45686-300

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	42	G23116-204
SR0PK	42	G23116-205
SR0PK	42	G23116-206
SR0PK	42	G23116-207
SR0PK	42	G23116-300
SR0PK	42	G23116-301
SR0PK	42	G23116-302
SR0PK	42	G23116-303
SR0PK	42	G45686-200
SR0PK	42	G45686-300

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	16	G23116-200
SR0DG	16	G23116-201
SR0DG	16	G23116-202
SR0DG	16	G23116-203
SR0DG	16	G23116-204
SR0DG	16	G23116-205
SR0DG	16	G23116-206
SR0DG	16	G23116-207
SR0DG	16	G23116-300
SR0DG	16	G23116-301
SR0DG	16	G23116-302
SR0DG	16	G23116-303
SR0DG	16	G45686-200
SR0DG	16	G45686-300

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz
[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR00E	16	G23116-200
SR00E	16	G23116-201
SR00E	16	G23116-202
SR00E	16	G23116-203
SR00E	16	G23116-204
SR00E	16	G23116-205
SR00E	16	G23116-206
SR00E	16	G23116-207
SR00E	16	G23116-300
SR00E	16	G23116-301
SR00E	16	G23116-302
SR00E	16	G23116-303
SR00E	16	G45686-200
SR00E	16	G45686-300

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95

Spec #	Min. BIOS	AA Rev(s)
SR00C	16	G23116-200
SR00C	16	G23116-201
SR00C	16	G23116-202
SR00C	16	G23116-203
SR00C	16	G23116-204
SR00C	16	G23116-205
SR00C	16	G23116-206
SR00C	16	G23116-207
SR00C	16	G23116-300
SR00C	16	G23116-301
SR00C	16	G23116-302
SR00C	16	G23116-303
SR00C	16	G45686-200
SR00C	16	G45686-300

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR00B	16	G23116-200
SR00B	16	G23116-201
SR00B	16	G23116-202
SR00B	16	G23116-203
SR00B	16	G23116-204
SR00B	16	G23116-205
SR00B	16	G23116-206
SR00B	16	G23116-207
SR00B	16	G23116-300
SR00B	16	G23116-301
SR00B	16	G23116-302
SR00B	16	G23116-303
SR00B	16	G45686-200
SR00B	16	G45686-300

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	42	G23116-204
SR0T9	42	G23116-205
SR0T9	42	G23116-206
SR0T9	42	G23116-207
SR0T9	42	G23116-300
SR0T9	42	G23116-301
SR0T9	42	G23116-302
SR0T9	42	G23116-303
SR0T9	42	G45686-200
SR0T9	42	G45686-300

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	42	G23116-204
SR0PM	42	G23116-205

SR0PM	42	G23116-206
SR0PM	42	G23116-207
SR0PM	42	G23116-300
SR0PM	42	G23116-301
SR0PM	42	G23116-302
SR0PM	42	G23116-303
SR0PM	42	G45686-200
SR0PM	42	G45686-300

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	42	G23116-204
SR0T7	42	G23116-205
SR0T7	42	G23116-206
SR0T7	42	G23116-207
SR0T7	42	G23116-300
SR0T7	42	G23116-301
SR0T7	42	G23116-302
SR0T7	42	G23116-303
SR0T7	42	G45686-200
SR0T7	42	G45686-300

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	42	G23116-204
SR0P0	42	G23116-205
SR0P0	42	G23116-206
SR0P0	42	G23116-207
SR0P0	42	G23116-300
SR0P0	42	G23116-301
SR0P0	42	G23116-302
SR0P0	42	G23116-303
SR0P0	42	G45686-200
SR0P0	42	G45686-300

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	42	G23116-204
SR0RJ	42	G23116-205
SR0RJ	42	G23116-206
SR0RJ	42	G23116-207
SR0RJ	42	G23116-300
SR0RJ	42	G23116-301
SR0RJ	42	G23116-302
SR0RJ	42	G23116-303
SR0RJ	42	G45686-200
SR0RJ	42	G45686-300

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0TA	42	G23116-204
SR0TA	42	G23116-205
SR0TA	42	G23116-206
SR0TA	42	G23116-207
SR0TA	42	G23116-300
SR0TA	42	G23116-301
SR0TA	42	G23116-302
SR0TA	42	G23116-303
SR0TA	42	G45686-200
SR0TA	42	G45686-300

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77

Spec #	Min. BIOS	AA Rev(s)
SR0T8	42	G23116-204
SR0T8	42	G23116-205
SR0T8	42	G23116-206
SR0T8	42	G23116-207
SR0T8	42	G23116-300
SR0T8	42	G23116-301
SR0T8	42	G23116-302
SR0T8	42	G23116-303
SR0T8	42	G45686-200
SR0T8	42	G45686-300

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65

Spec #	Min. BIOS	AA Rev(s)
SR0P2	42	G23116-204
SR0P2	42	G23116-205
SR0P2	42	G23116-206
SR0P2	42	G23116-207
SR0P2	42	G23116-300
SR0P2	42	G23116-301
SR0P2	42	G23116-302
SR0P2	42	G23116-303
SR0P2	42	G45686-200
SR0P2	42	G45686-300

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77

Spec #	Min. BIOS	AA Rev(s)
SR0PF	42	G23116-204
SR0PF	42	G23116-205
SR0PF	42	G23116-206
SR0PF	42	G23116-207
SR0PF	42	G23116-300
SR0PF	42	G23116-301

SR0PF	42	G23116-302
SR0PF	42	G23116-303
SR0PF	42	G45686-200
SR0PF	42	G45686-300

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	77
Spec #	Min. BIOS	AA Rev(s)
SR0WS	42	G23116-204
SR0WS	42	G23116-205
SR0WS	42	G23116-206
SR0WS	42	G23116-207
SR0WS	42	G23116-300
SR0WS	42	G23116-301
SR0WS	42	G23116-302
SR0WS	42	G23116-303
SR0WS	42	G45686-200
SR0WS	42	G45686-300

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0YH		G23116-204
SR0YH		G23116-205
SR0YH		G23116-206
SR0YH		G23116-207
SR0YH		G23116-300
SR0YH		G23116-301
SR0YH		G23116-302
SR0YH		G23116-303
SR0YH		G45686-200
SR0YH		G45686-300

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0YZ SR0YZ SR0YZ SR0YZ SR0YZ SR0YZ SR0YZ SR0YZ SR0YZ SR0YZ SR0YZ	Min. BIOS	AA Rev(s) G23116-204 G23116-205 G23116-206 G23116-207 G23116-300 G23116-301 G23116-302 G23116-303 G45686-200 G45686-300

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0RQ SR0RQ SR0RQ SR0RQ SR0RQ SR0RQ SR0RQ SR0RQ SR0RQ SR0RQ SR0RQ	Min. BIOS 42	AA Rev(s) G23116-204 G23116-205 G23116-206 G23116-207 G23116-300 G23116-301 G23116-302 G23116-303 G45686-200 G45686-300

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SR0QH	Min. BIOS 16	AA Rev(s) G23116-200

SR0QH	16	G23116-201
SR0QH	16	G23116-202
SR0QH	16	G23116-203
SR0QH	16	G23116-204
SR0QH	16	G23116-205
SR0QH	16	G23116-206
SR0QH	16	G23116-207
SR0QH	16	G23116-300
SR0QH	16	G23116-301
SR0QH	16	G23116-302
SR0QH	16	G23116-303
SR0QH	16	G45686-200
SR0QH	16	G45686-300

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR009	16	G23116-200
SR009	16	G23116-201
SR009	16	G23116-202
SR009	16	G23116-203
SR009	16	G23116-204
SR009	16	G23116-205
SR009	16	G23116-206
SR009	16	G23116-207
SR009	16	G23116-300
SR009	16	G23116-301
SR009	16	G23116-302
SR009	16	G23116-303
SR009	16	G45686-200
SR009	16	G45686-300

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)

SR008	16	G23116-200
SR008	16	G23116-201
SR008	16	G23116-202
SR008	16	G23116-203
SR008	16	G23116-204
SR008	16	G23116-205
SR008	16	G23116-206
SR008	16	G23116-207
SR008	16	G23116-300
SR008	16	G23116-301
SR008	16	G23116-302
SR008	16	G23116-303
SR008	16	G45686-200
SR008	16	G45686-300

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00T	16	G23116-200
SR00T	16	G23116-201
SR00T	16	G23116-202
SR00T	16	G23116-203
SR00T	16	G23116-204
SR00T	16	G23116-205
SR00T	16	G23116-206
SR00T	16	G23116-207
SR00T	16	G23116-300
SR00T	16	G23116-301
SR00T	16	G23116-302
SR00T	16	G23116-303
SR00T	16	G45686-200
SR00T	16	G45686-300

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)

SR0G1	16	G23116-200
SR0G1	16	G23116-201
SR0G1	16	G23116-202
SR0G1	16	G23116-203
SR0G1	16	G23116-204
SR0G1	16	G23116-205
SR0G1	16	G23116-206
SR0G1	16	G23116-207
SR0G1	16	G23116-300
SR0G1	16	G23116-301
SR0G1	16	G23116-302
SR0G1	16	G23116-303
SR0G1	16	G45686-200
SR0G1	16	G45686-300

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	16	G23116-200
SR0BB	16	G23116-201
SR0BB	16	G23116-202
SR0BB	16	G23116-203
SR0BB	16	G23116-204
SR0BB	16	G23116-205
SR0BB	16	G23116-206
SR0BB	16	G23116-207
SR0BB	16	G23116-300
SR0BB	16	G23116-301
SR0BB	16	G23116-302
SR0BB	16	G23116-303
SR0BB	16	G45686-200
SR0BB	16	G45686-300

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR00S	16	G23116-200
SR00S	16	G23116-201
SR00S	16	G23116-202
SR00S	16	G23116-203
SR00S	16	G23116-204
SR00S	16	G23116-205
SR00S	16	G23116-206
SR00S	16	G23116-207
SR00S	16	G23116-300
SR00S	16	G23116-301
SR00S	16	G23116-302
SR00S	16	G23116-303
SR00S	16	G45686-200
SR00S	16	G45686-300

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR00Q	16	G23116-200
SR00Q	16	G23116-201
SR00Q	16	G23116-202
SR00Q	16	G23116-203
SR00Q	16	G23116-204
SR00Q	16	G23116-205
SR00Q	16	G23116-206
SR00Q	16	G23116-207
SR00Q	16	G23116-300
SR00Q	16	G23116-301
SR00Q	16	G23116-302
SR00Q	16	G23116-303
SR00Q	16	G45686-200
SR00Q	16	G45686-300

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SR0G2	16	G23116-200
SR0G2	16	G23116-201
SR0G2	16	G23116-202
SR0G2	16	G23116-203
SR0G2	16	G23116-204
SR0G2	16	G23116-205
SR0G2	16	G23116-206
SR0G2	16	G23116-207
SR0G2	16	G23116-300
SR0G2	16	G23116-301
SR0G2	16	G23116-302
SR0G2	16	G23116-303
SR0G2	16	G45686-200
SR0G2	16	G45686-300

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR02L	16	G23116-200
SR02L	16	G23116-201
SR02L	16	G23116-202
SR02L	16	G23116-203
SR02L	16	G23116-204
SR02L	16	G23116-205
SR02L	16	G23116-206
SR02L	16	G23116-207
SR02L	16	G23116-300
SR02L	16	G23116-301
SR02L	16	G23116-302
SR02L	16	G23116-303
SR02L	16	G45686-200
SR02L	16	G45686-300

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02K	16	G23116-200
SR02K	16	G23116-201
SR02K	16	G23116-202
SR02K	16	G23116-203
SR02K	16	G23116-204
SR02K	16	G23116-205
SR02K	16	G23116-206
SR02K	16	G23116-207
SR02K	16	G23116-300
SR02K	16	G23116-301
SR02K	16	G23116-302
SR02K	16	G23116-303
SR02K	16	G45686-200
SR02K	16	G45686-300

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00D	16	G23116-200
SR00D	16	G23116-201
SR00D	16	G23116-202
SR00D	16	G23116-203
SR00D	16	G23116-204
SR00D	16	G23116-205
SR00D	16	G23116-206
SR00D	16	G23116-207
SR00D	16	G23116-300
SR00D	16	G23116-301
SR00D	16	G23116-302
SR00D	16	G23116-303
SR00D	16	G45686-200
SR00D	16	G45686-300

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YX	42	G23116-204
SR0YX	42	G23116-205
SR0YX	42	G23116-206
SR0YX	42	G23116-207
SR0YX	42	G23116-300
SR0YX	42	G23116-301
SR0YX	42	G23116-302
SR0YX	42	G23116-303
SR0YX	42	G45686-200
SR0YX	42	G45686-300

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0YL	42	G23116-204
SR0YL	42	G23116-205
SR0YL	42	G23116-206
SR0YL	42	G23116-207
SR0YL	42	G23116-300
SR0YL	42	G23116-301
SR0YL	42	G23116-302
SR0YL	42	G23116-303
SR0YL	42	G45686-200
SR0YL	42	G45686-300

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	42	G23116-204
SR0RH	42	G23116-205
SR0RH	42	G23116-206
SR0RH	42	G23116-207
SR0RH	42	G23116-300

SR0RH	42	G23116-301
SR0RH	42	G23116-302
SR0RH	42	G23116-303
SR0RH	42	G45686-200
SR0RH	42	G45686-300

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	42	G23116-204
SR0RF	42	G23116-205
SR0RF	42	G23116-206
SR0RF	42	G23116-207
SR0RF	42	G23116-300
SR0RF	42	G23116-301
SR0RF	42	G23116-302
SR0RF	42	G23116-303
SR0RF	42	G45686-200
SR0RF	42	G45686-300

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	42	G23116-204
SR0RE	42	G23116-205
SR0RE	42	G23116-206
SR0RE	42	G23116-207
SR0RE	42	G23116-300
SR0RE	42	G23116-301
SR0RE	42	G23116-302
SR0RE	42	G23116-303
SR0RE	42	G45686-200
SR0RE	42	G45686-300

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0RG	42	G23116-204
SR0RG	42	G23116-205
SR0RG	42	G23116-206
SR0RG	42	G23116-207
SR0RG	42	G23116-300
SR0RG	42	G23116-301
SR0RG	42	G23116-302
SR0RG	42	G23116-303
SR0RG	42	G45686-200
SR0RG	42	G45686-300

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	42	G23116-204
SR0YY	42	G23116-205
SR0YY	42	G23116-206
SR0YY	42	G23116-207
SR0YY	42	G23116-300
SR0YY	42	G23116-301
SR0YY	42	G23116-302
SR0YY	42	G23116-303
SR0YY	42	G45686-200
SR0YY	42	G45686-300

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2000	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05W	16	G23116-200

SR05W	16	G23116-201
SR05W	16	G23116-202
SR05W	16	G23116-203
SR05W	16	G23116-204
SR05W	16	G23116-205
SR05W	16	G23116-206
SR05W	16	G23116-207
SR05W	16	G23116-300
SR05W	16	G23116-301
SR05W	16	G23116-302
SR05W	16	G23116-303
SR05W	16	G45686-200
SR05W	16	G45686-300

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	16	G23116-200
SR0AY	16	G23116-201
SR0AY	16	G23116-202
SR0AY	16	G23116-203
SR0AY	16	G23116-204
SR0AY	16	G23116-205
SR0AY	16	G23116-206
SR0AY	16	G23116-207
SR0AY	16	G23116-300
SR0AY	16	G23116-301
SR0AY	16	G23116-302
SR0AY	16	G23116-303
SR0AY	16	G45686-200
SR0AY	16	G45686-300

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	16	G23116-200

SR060	16	G23116-201
SR060	16	G23116-202
SR060	16	G23116-203
SR060	16	G23116-204
SR060	16	G23116-205
SR060	16	G23116-206
SR060	16	G23116-207
SR060	16	G23116-300
SR060	16	G23116-301
SR060	16	G23116-302
SR060	16	G23116-303
SR060	16	G45686-200
SR060	16	G45686-300

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	16	G23116-200
SR05Y	16	G23116-201
SR05Y	16	G23116-202
SR05Y	16	G23116-203
SR05Y	16	G23116-204
SR05Y	16	G23116-205
SR05Y	16	G23116-206
SR05Y	16	G23116-207
SR05Y	16	G23116-300
SR05Y	16	G23116-301
SR05Y	16	G23116-302
SR05Y	16	G23116-303
SR05Y	16	G45686-200
SR05Y	16	G45686-300

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	16	G23116-200

SR0BA	16	G23116-201
SR0BA	16	G23116-202
SR0BA	16	G23116-203
SR0BA	16	G23116-204
SR0BA	16	G23116-205
SR0BA	16	G23116-206
SR0BA	16	G23116-207
SR0BA	16	G23116-300
SR0BA	16	G23116-301
SR0BA	16	G23116-302
SR0BA	16	G23116-303
SR0BA	16	G45686-200
SR0BA	16	G45686-300

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	16	G23116-200
SR05Z	16	G23116-201
SR05Z	16	G23116-202
SR05Z	16	G23116-203
SR05Z	16	G23116-204
SR05Z	16	G23116-205
SR05Z	16	G23116-206
SR05Z	16	G23116-207
SR05Z	16	G23116-300
SR05Z	16	G23116-301
SR05Z	16	G23116-302
SR05Z	16	G23116-303
SR05Z	16	G45686-200
SR05Z	16	G45686-300

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	16	G23116-200

SR05C	16	G23116-201
SR05C	16	G23116-202
SR05C	16	G23116-203
SR05C	16	G23116-204
SR05C	16	G23116-205
SR05C	16	G23116-206
SR05C	16	G23116-207
SR05C	16	G23116-300
SR05C	16	G23116-301
SR05C	16	G23116-302
SR05C	16	G23116-303
SR05C	16	G45686-200
SR05C	16	G45686-300

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR057	Min. BIOS	AA Rev(s) G23116-200
SR057		G23116-201
SR057		G23116-202
SR057		G23116-203
SR057		G23116-204
SR057		G23116-205
SR057		G23116-206
SR057		G23116-207
SR057		G23116-300
SR057		G23116-301
SR057		G23116-302
SR057		G23116-303
SR057		G45686-200
SR057		G45686-300

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0MF	Min. BIOS	AA Rev(s) G23116-200

SR0MF	G23116-201
SR0MF	G23116-202
SR0MF	G23116-203
SR0MF	G23116-204
SR0MF	G23116-205
SR0MF	G23116-206
SR0MF	G23116-207
SR0MF	G23116-300
SR0MF	G23116-301
SR0MF	G23116-302
SR0MF	G23116-303
SR0MF	G45686-200
SR0MF	G45686-300

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR058	16	G23116-200
SR058	16	G23116-201
SR058	16	G23116-202
SR058	16	G23116-203
SR058	16	G23116-204
SR058	16	G23116-205
SR058	16	G23116-206
SR058	16	G23116-207
SR058	16	G23116-300
SR058	16	G23116-301
SR058	16	G23116-302
SR058	16	G23116-303
SR058	16	G45686-200
SR058	16	G45686-300

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05Q	16	G23116-200

SR05Q	16	G23116-201
SR05Q	16	G23116-202
SR05Q	16	G23116-203
SR05Q	16	G23116-204
SR05Q	16	G23116-205
SR05Q	16	G23116-206
SR05Q	16	G23116-207
SR05Q	16	G23116-300
SR05Q	16	G23116-301
SR05Q	16	G23116-302
SR05Q	16	G23116-303
SR05Q	16	G45686-200
SR05Q	16	G45686-300

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05P	16	G23116-200
SR05P	16	G23116-201
SR05P	16	G23116-202
SR05P	16	G23116-203
SR05P	16	G23116-204
SR05P	16	G23116-205
SR05P	16	G23116-206
SR05P	16	G23116-207
SR05P	16	G23116-300
SR05P	16	G23116-301
SR05P	16	G23116-302
SR05P	16	G23116-303
SR05P	16	G45686-200
SR05P	16	G45686-300

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR0RS		G23116-200

SR0RS	G23116-201
SR0RS	G23116-202
SR0RS	G23116-203
SR0RS	G23116-204
SR0RS	G23116-205
SR0RS	G23116-206
SR0RS	G23116-207
SR0RS	G23116-300
SR0RS	G23116-301
SR0RS	G23116-302
SR0RS	G23116-303
SR0RS	G45686-200
SR0RS	G45686-300

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR066		G23116-200
SR066		G23116-201
SR066		G23116-202
SR066		G23116-203
SR066		G23116-204
SR066		G23116-205
SR066		G23116-206
SR066		G23116-207
SR066		G23116-300
SR066		G23116-301
SR066		G23116-302
SR066		G23116-303
SR066		G45686-200
SR066		G45686-300

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR059		G23116-200

SR059	G23116-201
SR059	G23116-202
SR059	G23116-203
SR059	G23116-204
SR059	G23116-205
SR059	G23116-206
SR059	G23116-207
SR059	G23116-300
SR059	G23116-301
SR059	G23116-302
SR059	G23116-303
SR059	G45686-200
SR059	G45686-300

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR05U	16	G23116-200
SR05U	16	G23116-201
SR05U	16	G23116-202
SR05U	16	G23116-203
SR05U	16	G23116-204
SR05U	16	G23116-205
SR05U	16	G23116-206
SR05U	16	G23116-207
SR05U	16	G23116-300
SR05U	16	G23116-301
SR05U	16	G23116-302
SR05U	16	G23116-303
SR05U	16	G45686-200
SR05U	16	G45686-300

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05S	16	G23116-200

SR05S	16	G23116-201
SR05S	16	G23116-202
SR05S	16	G23116-203
SR05S	16	G23116-204
SR05S	16	G23116-205
SR05S	16	G23116-206
SR05S	16	G23116-207
SR05S	16	G23116-300
SR05S	16	G23116-301
SR05S	16	G23116-302
SR05S	16	G23116-303
SR05S	16	G45686-200
SR05S	16	G45686-300

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR05T	16	G23116-200
SR05T	16	G23116-201
SR05T	16	G23116-202
SR05T	16	G23116-203
SR05T	16	G23116-204
SR05T	16	G23116-205
SR05T	16	G23116-206
SR05T	16	G23116-207
SR05T	16	G23116-300
SR05T	16	G23116-301
SR05T	16	G23116-302
SR05T	16	G23116-303
SR05T	16	G45686-200
SR05T	16	G45686-300

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05R	16	G23116-200

SR05R	16	G23116-201
SR05R	16	G23116-202
SR05R	16	G23116-203
SR05R	16	G23116-204
SR05R	16	G23116-205
SR05R	16	G23116-206
SR05R	16	G23116-207
SR05R	16	G23116-300
SR05R	16	G23116-301
SR05R	16	G23116-302
SR05R	16	G23116-303
SR05R	16	G45686-200
SR05R	16	G45686-300

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RZ	Min. BIOS	AA Rev(s) G23116-200
SR0RZ		G23116-201
SR0RZ		G23116-202
SR0RZ		G23116-203
SR0RZ		G23116-204
SR0RZ		G23116-205
SR0RZ		G23116-206
SR0RZ		G23116-207
SR0RZ		G23116-300
SR0RZ		G23116-301
SR0RZ		G23116-302
SR0RZ		G23116-303
SR0RZ		G45686-200
SR0RZ		G45686-300

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR061	Min. BIOS	AA Rev(s) G23116-200

SR061	G23116-201
SR061	G23116-202
SR061	G23116-203
SR061	G23116-204
SR061	G23116-205
SR061	G23116-206
SR061	G23116-207
SR061	G23116-300
SR061	G23116-301
SR061	G23116-302
SR061	G23116-303
SR061	G45686-200
SR061	G45686-300

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05J	16	G23116-200
SR05J	16	G23116-201
SR05J	16	G23116-202
SR05J	16	G23116-203
SR05J	16	G23116-204
SR05J	16	G23116-205
SR05J	16	G23116-206
SR05J	16	G23116-207
SR05J	16	G23116-300
SR05J	16	G23116-301
SR05J	16	G23116-302
SR05J	16	G23116-303
SR05J	16	G45686-200
SR05J	16	G45686-300

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR05K	16	G23116-200

SR05K	16	G23116-201
SR05K	16	G23116-202
SR05K	16	G23116-203
SR05K	16	G23116-204
SR05K	16	G23116-205
SR05K	16	G23116-206
SR05K	16	G23116-207
SR05K	16	G23116-300
SR05K	16	G23116-301
SR05K	16	G23116-302
SR05K	16	G23116-303
SR05K	16	G45686-200
SR05K	16	G45686-300

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05H	16	G23116-200
SR05H	16	G23116-201
SR05H	16	G23116-202
SR05H	16	G23116-203
SR05H	16	G23116-204
SR05H	16	G23116-205
SR05H	16	G23116-206
SR05H	16	G23116-207
SR05H	16	G23116-300
SR05H	16	G23116-301
SR05H	16	G23116-302
SR05H	16	G23116-303
SR05H	16	G45686-200
SR05H	16	G45686-300

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0S7	16	G23116-200

SR0S7	16	G23116-201
SR0S7	16	G23116-202
SR0S7	16	G23116-203
SR0S7	16	G23116-204
SR0S7	16	G23116-205
SR0S7	16	G23116-206
SR0S7	16	G23116-207
SR0S7	16	G23116-300
SR0S7	16	G23116-301
SR0S7	16	G23116-302
SR0S7	16	G23116-303
SR0S7	16	G45686-200
SR0S7	16	G45686-300

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0S8	Min. BIOS	AA Rev(s) G23116-200
SR0S8		G23116-201
SR0S8		G23116-202
SR0S8		G23116-203
SR0S8		G23116-204
SR0S8		G23116-205
SR0S8		G23116-206
SR0S8		G23116-207
SR0S8		G23116-300
SR0S8		G23116-301
SR0S8		G23116-302
SR0S8		G23116-303
SR0S8		G45686-200
SR0S8		G45686-300

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0GR	Min. BIOS 16	AA Rev(s) G23116-200

SR0GR	16	G23116-201
SR0GR	16	G23116-202
SR0GR	16	G23116-203
SR0GR	16	G23116-204
SR0GR	16	G23116-205
SR0GR	16	G23116-206
SR0GR	16	G23116-207
SR0GR	16	G23116-300
SR0GR	16	G23116-301
SR0GR	16	G23116-302
SR0GR	16	G23116-303
SR0GR	16	G45686-200
SR0GR	16	G45686-300

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0BY	16	G23116-200
SR0BY	16	G23116-201
SR0BY	16	G23116-202
SR0BY	16	G23116-203
SR0BY	16	G23116-204
SR0BY	16	G23116-205
SR0BY	16	G23116-206
SR0BY	16	G23116-207
SR0BY	16	G23116-300
SR0BY	16	G23116-301
SR0BY	16	G23116-302
SR0BY	16	G23116-303
SR0BY	16	G45686-200
SR0BY	16	G45686-300

Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0YT	42	G23116-204

SR0YT	42	G23116-205
SR0YT	42	G23116-206
SR0YT	42	G23116-207
SR0YT	42	G23116-300
SR0YT	42	G23116-301
SR0YT	42	G23116-302
SR0YT	42	G23116-303
SR0YT	42	G45686-200
SR0YT	42	G45686-300

Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YU	42	G23116-204
SR0YU	42	G23116-205
SR0YU	42	G23116-206
SR0YU	42	G23116-207
SR0YU	42	G23116-300
SR0YU	42	G23116-301
SR0YU	42	G23116-302
SR0YU	42	G23116-303
SR0YU	42	G45686-200
SR0YU	42	G45686-300

Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0UF	42	G23116-204
SR0UF	42	G23116-205
SR0UF	42	G23116-206
SR0UF	42	G23116-207
SR0UF	42	G23116-300
SR0UF	42	G23116-301
SR0UF	42	G23116-302
SR0UF	42	G23116-303
SR0UF	42	G45686-200

SR0UF

42

G45686-300

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
55

Spec #
SR163
SR163
SR163
SR163
SR163
SR163
SR163
SR163
SR163
SR163

Min. BIOS
42
42
42
42
42
42
42
42
42
42

AA Rev(s)
G23116-204
G23116-205
G23116-206
G23116-207
G23116-300
G23116-301
G23116-302
G23116-303
G45686-200
G45686-300

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
55

Spec #
SR10H
SR10H
SR10H
SR10H
SR10H
SR10H
SR10H
SR10H
SR10H
SR10H

Min. BIOS
42
42
42
42
42
42
42
42
42
42

AA Rev(s)
G23116-204
G23116-205
G23116-206
G23116-207
G23116-300
G23116-301
G23116-302
G23116-303
G45686-200
G45686-300

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache

Graphics

Max TDP

3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	42	G23116-204
SR10J	42	G23116-205
SR10J	42	G23116-206
SR10J	42	G23116-207
SR10J	42	G23116-300
SR10J	42	G23116-301
SR10J	42	G23116-302
SR10J	42	G23116-303
SR10J	42	G45686-200
SR10J	42	G45686-300

Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	42	G23116-204
SR16A	42	G23116-205
SR16A	42	G23116-206
SR16A	42	G23116-207
SR16A	42	G23116-300
SR16A	42	G23116-301
SR16A	42	G23116-302
SR16A	42	G23116-303
SR16A	42	G45686-200
SR16A	42	G45686-300

Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10L	42	G23116-204
SR10L	42	G23116-205
SR10L	42	G23116-206
SR10L	42	G23116-207
SR10L	42	G23116-300

SR10L	42	G23116-301
SR10L	42	G23116-302
SR10L	42	G23116-303
SR10L	42	G45686-200
SR10L	42	G45686-300

Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10K	42	G23116-204
SR10K	42	G23116-205
SR10K	42	G23116-206
SR10K	42	G23116-207
SR10K	42	G23116-300
SR10K	42	G23116-301
SR10K	42	G23116-302
SR10K	42	G23116-303
SR10K	42	G45686-200
SR10K	42	G45686-300

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	87
Spec #	Min. BIOS	AA Rev(s)
SR0PC	42	G23116-204
SR0PC	42	G23116-205
SR0PC	42	G23116-206
SR0PC	42	G23116-207
SR0PC	42	G23116-300
SR0PC	42	G23116-301
SR0PC	42	G23116-302
SR0PC	42	G23116-303
SR0PC	42	G45686-200
SR0PC	42	G45686-300

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD P4000	Max TDP 77
Spec #	Min. BIOS	AA Rev(s)
SR0PA	42	G23116-204
SR0PA	42	G23116-205
SR0PA	42	G23116-206
SR0PA	42	G23116-207
SR0PA	42	G23116-300
SR0PA	42	G23116-301
SR0PA	42	G23116-302
SR0PA	42	G23116-303
SR0PA	42	G45686-200
SR0PA	42	G45686-300

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2500	Max TDP 45
Spec #	Min. BIOS	AA Rev(s)
SR0PB	42	G23116-204
SR0PB	42	G23116-205
SR0PB	42	G23116-206
SR0PB	42	G23116-207
SR0PB	42	G23116-300
SR0PB	42	G23116-301
SR0PB	42	G23116-302
SR0PB	42	G23116-303
SR0PB	42	G45686-200
SR0PB	42	G45686-300

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 45
Spec #	Min. BIOS	AA Rev(s)

SR00M	16	G23116-200
SR00M	16	G23116-201
SR00M	16	G23116-202
SR00M	16	G23116-203
SR00M	16	G23116-204
SR00M	16	G23116-205
SR00M	16	G23116-206
SR00M	16	G23116-207
SR00M	16	G23116-300
SR00M	16	G23116-301
SR00M	16	G23116-302
SR00M	16	G23116-303
SR00M	16	G45686-200
SR00M	16	G45686-300

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0P9	42	G23116-204
SR0P9	42	G23116-205
SR0P9	42	G23116-206
SR0P9	42	G23116-207
SR0P9	42	G23116-300
SR0P9	42	G23116-301
SR0P9	42	G23116-302
SR0P9	42	G23116-303
SR0P9	42	G45686-200
SR0P9	42	G45686-300

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0P4	42	G23116-204
SR0P4	42	G23116-205
SR0P4	42	G23116-206
SR0P4	42	G23116-207

SR0P4	42	G23116-300
SR0P4	42	G23116-301
SR0P4	42	G23116-302
SR0P4	42	G23116-303
SR0P4	42	G45686-200
SR0P4	42	G45686-300

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PJ	42	G23116-204
SR0PJ	42	G23116-205
SR0PJ	42	G23116-206
SR0PJ	42	G23116-207
SR0PJ	42	G23116-300
SR0PJ	42	G23116-301
SR0PJ	42	G23116-302
SR0PJ	42	G23116-303
SR0PJ	42	G45686-200
SR0PJ	42	G45686-300

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	42	G23116-204
SR0PH	42	G23116-205
SR0PH	42	G23116-206
SR0PH	42	G23116-207
SR0PH	42	G23116-300
SR0PH	42	G23116-301
SR0PH	42	G23116-302
SR0PH	42	G23116-303
SR0PH	42	G45686-200
SR0PH	42	G45686-300

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	16	G23116-200
SR070	16	G23116-201
SR070	16	G23116-202
SR070	16	G23116-203
SR070	16	G23116-204
SR070	16	G23116-205
SR070	16	G23116-206
SR070	16	G23116-207
SR070	16	G23116-300
SR070	16	G23116-301
SR070	16	G23116-302
SR070	16	G23116-303
SR070	16	G45686-200
SR070	16	G45686-300

Add-in graphics card required