

# Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DH61ZE

## 3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	42	G43004-100
SR0PN	42	G43004-101
SR0PN	42	G43004-200
SR0PN	42	G43004-201
SR0PN	42	G43004-202

## 3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	42	G43004-100
SR0PL	42	G43004-101
SR0PL	42	G43004-200
SR0PL	42	G43004-201
SR0PL	42	G43004-202

## 3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	42	G43004-100
SR0PK	42	G43004-101
SR0PK	42	G43004-200
SR0PK	42	G43004-201
SR0PK	42	G43004-202

## 2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	16	G43004-100
SR0DG	16	G43004-101
SR0DG	16	G43004-200
SR0DG	16	G43004-201
SR0DG	16	G43004-202

## 2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00E	16	G43004-100
SR00E	16	G43004-101
SR00E	16	G43004-200
SR00E	16	G43004-201
SR00E	16	G43004-202

## 2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR00C	16	G43004-100
SR00C	16	G43004-101
SR00C	16	G43004-200
SR00C	16	G43004-201
SR00C	16	G43004-202

## 2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

## More Information

Cache	Graphics	Max TDP
8 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00B	16	G43004-100
SR00B	16	G43004-101
SR00B	16	G43004-200
SR00B	16	G43004-201
SR00B	16	G43004-202

## 3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

### More Information

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	42	G43004-100
SR0T9	42	G43004-101
SR0T9	42	G43004-200
SR0T9	42	G43004-201
SR0T9	42	G43004-202

## 3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

### More Information

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	42	G43004-100
SR0PM	42	G43004-101
SR0PM	42	G43004-200
SR0PM	38	G43004-201
SR0PM	42	G43004-202

## 3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

### More Information

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	42	G43004-100
SR0T7	42	G43004-101
SR0T7	42	G43004-200
SR0T7	42	G43004-201
SR0T7	42	G43004-202

**3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	42	G43004-100
SR0P0	42	G43004-101
SR0P0	42	G43004-200
SR0P0	42	G43004-201
SR0P0	42	G43004-202

**3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	42	G43004-100
SR0RJ	42	G43004-101
SR0RJ	42	G43004-200
SR0RJ	42	G43004-201
SR0RJ	42	G43004-202

**3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)

SR0TA	42	G43004-100
SR0TA	42	G43004-101
SR0TA	42	G43004-200
SR0TA	42	G43004-201
SR0TA	42	G43004-202

**3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T8	42	G43004-100
SR0T8	42	G43004-101
SR0T8	42	G43004-200
SR0T8	42	G43004-201
SR0T8	42	G43004-202

**3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	42	G43004-100
SR0P2	42	G43004-101
SR0P2	42	G43004-200
SR0P2	42	G43004-201
SR0P2	42	G43004-202

**3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz**  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0PF	42	G43004-100
SR0PF	42	G43004-101
SR0PF	42	G43004-200

SR0PF	42	G43004-201
SR0PF	42	G43004-202

### 3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 77
Spec # SR0WS	Min. BIOS 42	AA Rev(s) G43004-100
SR0WS	42	G43004-101
SR0WS	42	G43004-200
SR0WS	42	G43004-201
SR0WS	42	G43004-202

Add-in graphics card required

### 3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec # SR0YH	Min. BIOS	AA Rev(s) G43004-100
SR0YH		G43004-101
SR0YH		G43004-200
SR0YH		G43004-201
SR0YH		G43004-202

### 3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0YZ	Min. BIOS	AA Rev(s) G43004-100
SR0YZ		G43004-101
SR0YZ		G43004-200
SR0YZ		G43004-201
SR0YZ		G43004-202

## 3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0RQ	42	G43004-100
SR0RQ	42	G43004-101
SR0RQ	42	G43004-200
SR0RQ	42	G43004-201
SR0RQ	42	G43004-202

## 2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0QH	16	G43004-100
SR0QH	16	G43004-101
SR0QH	16	G43004-200
SR0QH	16	G43004-201
SR0QH	16	G43004-202

Add-in graphics card required

## 2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR009	16	G43004-100
SR009	16	G43004-101
SR009	16	G43004-200
SR009	16	G43004-201
SR009	16	G43004-202

## 2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR008	16	G43004-100
SR008	16	G43004-101
SR008	16	G43004-200
SR008	16	G43004-201
SR008	16	G43004-202

## 2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00T	16	G43004-100
SR00T	16	G43004-101
SR00T	16	G43004-200
SR00T	16	G43004-201
SR00T	16	G43004-202

## 2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	16	G43004-100
SR0G1	16	G43004-101
SR0G1	16	G43004-200
SR0G1	16	G43004-201
SR0G1	16	G43004-202

Add-in graphics card required

## 2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz

[More Information](#)



Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	16	G43004-100
SR0BB	16	G43004-101
SR0BB	16	G43004-200
SR0BB	16	G43004-201
SR0BB	16	G43004-202

## 2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	16	G43004-100
SR00S	16	G43004-101
SR00S	16	G43004-200
SR00S	16	G43004-201
SR00S	16	G43004-202

## 2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	16	G43004-100
SR00Q	16	G43004-101
SR00Q	16	G43004-200
SR00Q	16	G43004-201
SR00Q	16	G43004-202

## 2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SR0G2	16	G43004-100
SR0G2	16	G43004-101
SR0G2	16	G43004-200
SR0G2	16	G43004-201
SR0G2	16	G43004-202

Add-in graphics card required

## 2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02L	16	G43004-100
SR02L	16	G43004-101
SR02L	16	G43004-200
SR02L	16	G43004-201
SR02L	16	G43004-202

## 2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02K	16	G43004-100
SR02K	16	G43004-101
SR02K	16	G43004-200
SR02K	16	G43004-201
SR02K	16	G43004-202

## 2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)

SR00D	16	G43004-100
SR00D	16	G43004-101
SR00D	16	G43004-200
SR00D	16	G43004-201
SR00D	16	G43004-202

### 3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YX	42	G43004-100
SR0YX	42	G43004-101
SR0YX	42	G43004-200
SR0YX	42	G43004-201
SR0YX	42	G43004-202

### 3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0YL	42	G43004-100
SR0YL	42	G43004-101
SR0YL	42	G43004-200
SR0YL	42	G43004-201
SR0YL	42	G43004-202

### 3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	42	G43004-100
SR0RH	42	G43004-101
SR0RH	42	G43004-200

SR0RH	42	G43004-201
SR0RH	42	G43004-202

### 3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	42	G43004-100
SR0RF	42	G43004-101
SR0RF	42	G43004-200
SR0RF	42	G43004-201
SR0RF	42	G43004-202

### 3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	42	G43004-100
SR0RE	42	G43004-101
SR0RE	42	G43004-200
SR0RE	42	G43004-201
SR0RE	42	G43004-202

### 3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RG	42	G43004-100
SR0RG	42	G43004-101
SR0RG	42	G43004-200
SR0RG	42	G43004-201
SR0RG	42	G43004-202

## 3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	42	G43004-100
SR0YY	42	G43004-101
SR0YY	42	G43004-200
SR0YY	42	G43004-201
SR0YY	42	G43004-202

## 2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	16	G43004-100
SR05W	16	G43004-101
SR05W	16	G43004-200
SR05W	16	G43004-201
SR05W	16	G43004-202

## 2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	16	G43004-100
SR0AY	16	G43004-101
SR0AY	16	G43004-200
SR0AY	16	G43004-201
SR0AY	16	G43004-202

## 2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

## More Information

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	16	G43004-100
SR060	16	G43004-101
SR060	16	G43004-200
SR060	16	G43004-201
SR060	16	G43004-202

## 2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

### More Information

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	16	G43004-100
SR05Y	16	G43004-101
SR05Y	16	G43004-200
SR05Y	16	G43004-201
SR05Y	16	G43004-202

## 2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

### More Information

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	16	G43004-100
SR0BA	16	G43004-101
SR0BA	16	G43004-200
SR0BA	16	G43004-201
SR0BA	16	G43004-202

## 2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

### More Information

Cache	Graphics	Max TDP
-------	----------	---------

3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	16	G43004-100
SR05Z	16	G43004-101
SR05Z	16	G43004-200
SR05Z	16	G43004-201
SR05Z	16	G43004-202

## 2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	16	G43004-100
SR05C	16	G43004-101
SR05C	16	G43004-200
SR05C	16	G43004-201
SR05C	16	G43004-202

## Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057		G43004-100
SR057		G43004-101
SR057		G43004-200
SR057		G43004-201
SR057		G43004-202

## Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)

SR0MF	G43004-100
SR0MF	G43004-101
SR0MF	G43004-200
SR0MF	G43004-201
SR0MF	G43004-202

## Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR058	16	G43004-100
SR058	16	G43004-101
SR058	16	G43004-200
SR058	16	G43004-201
SR058	16	G43004-202

## Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05Q	16	G43004-100
SR05Q	16	G43004-101
SR05Q	16	G43004-200
SR05Q	16	G43004-201
SR05Q	16	G43004-202

## Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05P	16	G43004-100
SR05P	16	G43004-101
SR05P	16	G43004-200



SR05P	16	G43004-201
SR05P	16	G43004-202

## Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RS SR0RS SR0RS SR0RS SR0RS	Min. BIOS	AA Rev(s) G43004-100 G43004-101 G43004-200 G43004-201 G43004-202

## Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR066 SR066 SR066 SR066 SR066	Min. BIOS	AA Rev(s) G43004-100 G43004-101 G43004-200 G43004-201 G43004-202

## Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR059 SR059 SR059 SR059 SR059	Min. BIOS	AA Rev(s) G43004-100 G43004-101 G43004-200 G43004-201 G43004-202

## Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	16	G43004-100
SR05U	16	G43004-101
SR05U	16	G43004-200
SR05U	16	G43004-201
SR05U	16	G43004-202

## Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	16	G43004-100
SR05S	16	G43004-101
SR05S	16	G43004-200
SR05S	16	G43004-201
SR05S	16	G43004-202

## Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	16	G43004-100
SR05T	16	G43004-101
SR05T	16	G43004-200
SR05T	16	G43004-201
SR05T	16	G43004-202

## Intel® Pentium® G620 | Frequency: 2.60 GHz

## More Information

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05R	Min. BIOS 16	AA Rev(s) G43004-100
SR05R	16	G43004-101
SR05R	16	G43004-200
SR05R	16	G43004-201
SR05R	16	G43004-202

## Intel® Celeron® G555 | Frequency: 2.70 GHz

### More Information

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RZ	Min. BIOS	AA Rev(s) G43004-100
SR0RZ		G43004-101
SR0RZ		G43004-200
SR0RZ		G43004-201
SR0RZ		G43004-202

## Intel® Celeron® G550 | Frequency: 2.60 GHz

### More Information

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR061	Min. BIOS	AA Rev(s) G43004-100
SR061		G43004-101
SR061		G43004-200
SR061		G43004-201
SR061		G43004-202

## Intel® Celeron® G540 | Frequency: 2.50 GHz

### More Information

Cache	Graphics	Max TDP
-------	----------	---------

2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05J	16	G43004-100
SR05J	16	G43004-101
SR05J	16	G43004-200
SR05J	16	G43004-201
SR05J	16	G43004-202

## Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05K	16	G43004-100
SR05K	16	G43004-101
SR05K	16	G43004-200
SR05K	16	G43004-201
SR05K	16	G43004-202

## Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05H	16	G43004-100
SR05H	16	G43004-101
SR05H	16	G43004-200
SR05H	16	G43004-201
SR05H	16	G43004-202

## Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)

SR0S7	16	G43004-100
SR0S7	16	G43004-101
SR0S7	16	G43004-200
SR0S7	16	G43004-201
SR0S7	16	G43004-202

## Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0S8 SR0S8 SR0S8 SR0S8 SR0S8	Min. BIOS	AA Rev(s) G43004-100 G43004-101 G43004-200 G43004-201 G43004-202

## Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0GR SR0GR SR0GR SR0GR SR0GR	Min. BIOS 16 16 16 16 16	AA Rev(s) G43004-100 G43004-101 G43004-200 G43004-201 G43004-202

## Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0BY SR0BY SR0BY	Min. BIOS 16 16 16	AA Rev(s) G43004-100 G43004-101 G43004-200

SR0BY	16	G43004-201
SR0BY	16	G43004-202

## Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0YT	Min. BIOS 42	AA Rev(s) G43004-100
SR0YT	42	G43004-101
SR0YT	42	G43004-200
SR0YT	42	G43004-201
SR0YT	42	G43004-202

## Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0YU	Min. BIOS 42	AA Rev(s) G43004-100
SR0YU	42	G43004-101
SR0YU	42	G43004-200
SR0YU	42	G43004-201
SR0YU	42	G43004-202

## Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0UF	Min. BIOS 42	AA Rev(s) G43004-100
SR0UF	42	G43004-101
SR0UF	42	G43004-200
SR0UF	42	G43004-201
SR0UF	42	G43004-202

## Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR163	42	G43004-100
SR163	42	G43004-101
SR163	42	G43004-200
SR163	42	G43004-201
SR163	42	G43004-202

## Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10H	42	G43004-100
SR10H	42	G43004-101
SR10H	42	G43004-200
SR10H	42	G43004-201
SR10H	42	G43004-202

## Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	42	G43004-100
SR10J	42	G43004-101
SR10J	42	G43004-200
SR10J	42	G43004-201
SR10J	42	G43004-202

## Intel® Celeron® G1630 | Frequency: 2.80 GHz

## More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	42	G43004-100
SR16A	42	G43004-101
SR16A	42	G43004-200
SR16A	42	G43004-201
SR16A	42	G43004-202

## Intel® Celeron® G1620 | Frequency: 2.70 GHz

### More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10L	42	G43004-100
SR10L	42	G43004-101
SR10L	42	G43004-200
SR10L	42	G43004-201
SR10L	42	G43004-202

## Intel® Celeron® G1610 | Frequency: 2.60 GHz

### More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10K	42	G43004-100
SR10K	42	G43004-101
SR10K	42	G43004-200
SR10K	42	G43004-201
SR10K	42	G43004-202

## Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

### More Information

Cache	Graphics	Max TDP
-------	----------	---------



8 MB	No	87
Spec #	Min. BIOS	AA Rev(s)
SR0PC	42	G43004-100
SR0PC	42	G43004-101
SR0PC	42	G43004-200
SR0PC	42	G43004-201
SR0PC	42	G43004-202

Add-in graphics card required

## Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PA	42	G43004-100
SR0PA	42	G43004-101
SR0PA	42	G43004-200
SR0PA	42	G43004-201
SR0PA	42	G43004-202

## Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2500	45
Spec #	Min. BIOS	AA Rev(s)
SR0PB	42	G43004-100
SR0PB	42	G43004-101
SR0PB	42	G43004-200
SR0PB	42	G43004-201
SR0PB	42	G43004-202

## Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45

Spec #	Min. BIOS	AA Rev(s)
SR00M	16	G43004-100
SR00M	16	G43004-101
SR00M	16	G43004-200
SR00M	16	G43004-201
SR00M	16	G43004-202

## Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77

Spec #	Min. BIOS	AA Rev(s)
SR0P9	42	G43004-100
SR0P9	42	G43004-101
SR0P9	42	G43004-200
SR0P9	42	G43004-201
SR0P9	42	G43004-202

## Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69

Spec #	Min. BIOS	AA Rev(s)
SR0P4	42	G43004-100
SR0P4	42	G43004-101
SR0P4	42	G43004-200
SR0P4	42	G43004-201
SR0P4	42	G43004-202

Add-in graphics card required

## Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77

Spec #	Min. BIOS	AA Rev(s)
--------	-----------	-----------

SR0PJ	42	G43004-100
SR0PJ	42	G43004-101
SR0PJ	42	G43004-200
SR0PJ	42	G43004-201
SR0PJ	42	G43004-202

## Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	42	G43004-100
SR0PH	42	G43004-101
SR0PH	42	G43004-200
SR0PH	42	G43004-201
SR0PH	42	G43004-202

Add-in graphics card required

## Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	16	G43004-100
SR070	16	G43004-101
SR070	16	G43004-200
SR070	16	G43004-201
SR070	16	G43004-202

Add-in graphics card required