

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DH77EB

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	41	G39073-200
SR0PN	41	G39073-300
SR0PN	41	G39073-303
SR0PN	41	G39073-304
SR0PN	41	G39073-400

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	41	G39073-200
SR0PL	41	G39073-300
SR0PL	41	G39073-303
SR0PL	41	G39073-304
SR0PL	41	G39073-400

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	41	G39073-200
SR0PK	41	G39073-300
SR0PK	41	G39073-303
SR0PK	41	G39073-304
SR0PK	41	G39073-400

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	41	G39073-200
SR0DG	41	G39073-300
SR0DG	41	G39073-303
SR0DG	41	G39073-304
SR0DG	41	G39073-400

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00E	41	G39073-200
SR00E	41	G39073-300
SR00E	41	G39073-303
SR00E	41	G39073-304
SR00E	41	G39073-400

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR00C	41	G39073-200
SR00C	41	G39073-300
SR00C	41	G39073-303
SR00C	41	G39073-304
SR00C	41	G39073-400

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

More Information

Cache	Graphics	Max TDP
8 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00B	41	G39073-200
SR00B	41	G39073-300
SR00B	41	G39073-303
SR00B	41	G39073-304
SR00B	41	G39073-400

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

More Information

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	41	G39073-200
SR0T9	41	G39073-300
SR0T9	41	G39073-303
SR0T9	41	G39073-304
SR0T9	41	G39073-400

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

More Information

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	41	G39073-200
SR0PM	41	G39073-300
SR0PM	41	G39073-303
SR0PM	41	G39073-304
SR0PM	41	G39073-400

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

More Information

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	41	G39073-200
SR0T7	41	G39073-300
SR0T7	41	G39073-303
SR0T7	41	G39073-304
SR0T7	41	G39073-400

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	41	G39073-200
SR0P0	41	G39073-300
SR0P0	41	G39073-303
SR0P0	41	G39073-304
SR0P0	41	G39073-400

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	41	G39073-200
SR0RJ	41	G39073-300
SR0RJ	41	G39073-303
SR0RJ	41	G39073-304
SR0RJ	41	G39073-400

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)

SR0TA	41	G39073-200
SR0TA	41	G39073-300
SR0TA	41	G39073-303
SR0TA	41	G39073-304
SR0TA	41	G39073-400

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T8	41	G39073-200
SR0T8	41	G39073-300
SR0T8	41	G39073-303
SR0T8	41	G39073-304
SR0T8	41	G39073-400

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	41	G39073-200
SR0P2	41	G39073-300
SR0P2	41	G39073-303
SR0P2	41	G39073-304
SR0P2	41	G39073-400

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0PF	41	G39073-200
SR0PF	41	G39073-300
SR0PF	41	G39073-303

SR0PF	41	G39073-304
SR0PF	41	G39073-400

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	77
Spec #	Min. BIOS	AA Rev(s)
SR0WS	41	G39073-200
SR0WS	41	G39073-300
SR0WS	41	G39073-303
SR0WS	41	G39073-304
SR0WS	41	G39073-400

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0YH		G39073-200
SR0YH		G39073-300
SR0YH		G39073-303
SR0YH		G39073-304
SR0YH		G39073-400

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0YZ		G39073-200
SR0YZ		G39073-300
SR0YZ		G39073-303
SR0YZ		G39073-304
SR0YZ		G39073-400

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0RQ	41	G39073-200
SR0RQ	41	G39073-300
SR0RQ	41	G39073-303
SR0RQ	41	G39073-304
SR0RQ	41	G39073-400

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0QH	41	G39073-200
SR0QH	41	G39073-300
SR0QH	41	G39073-303
SR0QH	41	G39073-304
SR0QH	41	G39073-400

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR009	41	G39073-200
SR009	41	G39073-300
SR009	41	G39073-303
SR009	41	G39073-304
SR009	41	G39073-400

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR008	41	G39073-200
SR008	41	G39073-300
SR008	41	G39073-303
SR008	41	G39073-304
SR008	41	G39073-400

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00T	41	G39073-200
SR00T	41	G39073-300
SR00T	41	G39073-303
SR00T	41	G39073-304
SR00T	41	G39073-400

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	41	G39073-200
SR0G1	41	G39073-300
SR0G1	41	G39073-303
SR0G1	41	G39073-304
SR0G1	41	G39073-400

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	41	G39073-200
SR0BB	41	G39073-300
SR0BB	41	G39073-303
SR0BB	41	G39073-304
SR0BB	41	G39073-400

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	41	G39073-200
SR00S	41	G39073-300
SR00S	41	G39073-303
SR00S	41	G39073-304
SR00S	41	G39073-400

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	41	G39073-200
SR00Q	41	G39073-300
SR00Q	41	G39073-303
SR00Q	41	G39073-304
SR00Q	41	G39073-400

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SR0G2	41	G39073-200
SR0G2	41	G39073-300
SR0G2	41	G39073-303
SR0G2	41	G39073-304
SR0G2	41	G39073-400

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02L	41	G39073-200
SR02L	41	G39073-300
SR02L	41	G39073-303
SR02L	41	G39073-304
SR02L	41	G39073-400

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02K	41	G39073-200
SR02K	41	G39073-300
SR02K	41	G39073-303
SR02K	41	G39073-304
SR02K	41	G39073-400

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)

SR00D	41	G39073-200
SR00D	41	G39073-300
SR00D	41	G39073-303
SR00D	41	G39073-304
SR00D	41	G39073-400

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YX	41	G39073-200
SR0YX	41	G39073-300
SR0YX	41	G39073-303
SR0YX	41	G39073-304
SR0YX	41	G39073-400

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0YL	41	G39073-200
SR0YL	41	G39073-300
SR0YL	41	G39073-303
SR0YL	41	G39073-304
SR0YL	41	G39073-400

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	41	G39073-200
SR0RH	41	G39073-300
SR0RH	41	G39073-303

SR0RH	41	G39073-304
SR0RH	41	G39073-400

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD 4000	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	41	G39073-200
SR0RF	41	G39073-300
SR0RF	41	G39073-303
SR0RF	41	G39073-304
SR0RF	41	G39073-400

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	41	G39073-200
SR0RE	41	G39073-300
SR0RE	41	G39073-303
SR0RE	41	G39073-304
SR0RE	41	G39073-400

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0RG	41	G39073-200
SR0RG	41	G39073-300
SR0RG	41	G39073-303
SR0RG	41	G39073-304
SR0RG	41	G39073-400

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	41	G39073-200
SR0YY	41	G39073-300
SR0YY	41	G39073-303
SR0YY	41	G39073-304
SR0YY	41	G39073-400

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	41	G39073-200
SR05W	41	G39073-300
SR05W	41	G39073-303
SR05W	41	G39073-304
SR05W	41	G39073-400

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	41	G39073-200
SR0AY	41	G39073-300
SR0AY	41	G39073-303
SR0AY	41	G39073-304
SR0AY	41	G39073-400

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

More Information

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	41	G39073-200
SR060	41	G39073-300
SR060	41	G39073-303
SR060	41	G39073-304
SR060	41	G39073-400

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

More Information

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	41	G39073-200
SR05Y	41	G39073-300
SR05Y	41	G39073-303
SR05Y	41	G39073-304
SR05Y	41	G39073-400

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

More Information

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	41	G39073-200
SR0BA	41	G39073-300
SR0BA	41	G39073-303
SR0BA	41	G39073-304
SR0BA	41	G39073-400

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

More Information

Cache	Graphics	Max TDP
-------	----------	---------

3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	41	G39073-200
SR05Z	41	G39073-300
SR05Z	41	G39073-303
SR05Z	41	G39073-304
SR05Z	41	G39073-400

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	41	G39073-200
SR05C	41	G39073-300
SR05C	41	G39073-303
SR05C	41	G39073-304
SR05C	41	G39073-400

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057		G39073-200
SR057		G39073-300
SR057		G39073-303
SR057		G39073-304
SR057		G39073-400

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)

SR0MF	G39073-200
SR0MF	G39073-300
SR0MF	G39073-303
SR0MF	G39073-304
SR0MF	G39073-400

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR058	41	G39073-200
SR058	41	G39073-300
SR058	41	G39073-303
SR058	41	G39073-304
SR058	41	G39073-400

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05Q	41	G39073-200
SR05Q	41	G39073-300
SR05Q	41	G39073-303
SR05Q	41	G39073-304
SR05Q	41	G39073-400

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05P	41	G39073-200
SR05P	41	G39073-300
SR05P	41	G39073-303

SR05P	41	G39073-304
SR05P	41	G39073-400

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RS	Min. BIOS 41	AA Rev(s) G39073-200
SR0RS	41	G39073-300
SR0RS	41	G39073-303
SR0RS	41	G39073-304
SR0RS	41	G39073-400

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR066	Min. BIOS	AA Rev(s) G39073-200
SR066		G39073-300
SR066		G39073-303
SR066		G39073-304
SR066		G39073-400

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR059	Min. BIOS	AA Rev(s) G39073-200
SR059		G39073-300
SR059		G39073-303
SR059		G39073-304
SR059		G39073-400

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	41	G39073-200
SR05U	41	G39073-300
SR05U	41	G39073-303
SR05U	41	G39073-304
SR05U	41	G39073-400

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	41	G39073-200
SR05S	41	G39073-300
SR05S	41	G39073-303
SR05S	41	G39073-304
SR05S	41	G39073-400

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	41	G39073-200
SR05T	41	G39073-300
SR05T	41	G39073-303
SR05T	41	G39073-304
SR05T	41	G39073-400

Intel® Pentium® G620 | Frequency: 2.60 GHz

More Information

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05R	41	G39073-200
SR05R	41	G39073-300
SR05R	41	G39073-303
SR05R	41	G39073-304
SR05R	41	G39073-400

Intel® Celeron® G555 | Frequency: 2.70 GHz

More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RZ	41	G39073-200
SR0RZ	41	G39073-300
SR0RZ	41	G39073-303
SR0RZ	41	G39073-304
SR0RZ	41	G39073-400

Intel® Celeron® G550 | Frequency: 2.60 GHz

More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR061		G39073-200
SR061		G39073-300
SR061		G39073-303
SR061		G39073-304
SR061		G39073-400

Intel® Celeron® G540 | Frequency: 2.50 GHz

More Information

Cache	Graphics	Max TDP
-------	----------	---------

2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05J	41	G39073-200
SR05J	41	G39073-300
SR05J	41	G39073-303
SR05J	41	G39073-304
SR05J	41	G39073-400

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05K	41	G39073-200
SR05K	41	G39073-300
SR05K	41	G39073-303
SR05K	41	G39073-304
SR05K	41	G39073-400

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05H	41	G39073-200
SR05H	41	G39073-300
SR05H	41	G39073-303
SR05H	41	G39073-304
SR05H	41	G39073-400

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)

SR0S7	41	G39073-200
SR0S7	41	G39073-300
SR0S7	41	G39073-303
SR0S7	41	G39073-304
SR0S7	41	G39073-400

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0S8	Min. BIOS 41	AA Rev(s) G39073-200
SR0S8	41	G39073-300
SR0S8	41	G39073-303
SR0S8	41	G39073-304
SR0S8	41	G39073-400

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0GR	Min. BIOS 41	AA Rev(s) G39073-200
SR0GR	41	G39073-300
SR0GR	41	G39073-303
SR0GR	41	G39073-304
SR0GR	41	G39073-400

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0BY	Min. BIOS 41	AA Rev(s) G39073-200
SR0BY	41	G39073-300
SR0BY	41	G39073-303

SR0BY	41	G39073-304
SR0BY	41	G39073-400

Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0YT	Min. BIOS 41	AA Rev(s) G39073-200
SR0YT	41	G39073-300
SR0YT	41	G39073-303
SR0YT	41	G39073-304
SR0YT	41	G39073-400

Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0YU	Min. BIOS 41	AA Rev(s) G39073-200
SR0YU	41	G39073-300
SR0YU	41	G39073-303
SR0YU	41	G39073-304
SR0YU	41	G39073-400

Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0UF	Min. BIOS 41	AA Rev(s) G39073-200
SR0UF	41	G39073-300
SR0UF	41	G39073-303
SR0UF	41	G39073-304
SR0UF	41	G39073-400

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR163	41	G39073-200
SR163	41	G39073-300
SR163	41	G39073-303
SR163	41	G39073-304
SR163	41	G39073-400

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10H	41	G39073-200
SR10H	41	G39073-300
SR10H	41	G39073-303
SR10H	41	G39073-304
SR10H	41	G39073-400

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	41	G39073-200
SR10J	41	G39073-300
SR10J	41	G39073-303
SR10J	41	G39073-304
SR10J	41	G39073-400

Intel® Celeron® G1630 | Frequency: 2.80 GHz

More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	41	G39073-200
SR16A	41	G39073-300
SR16A	41	G39073-303
SR16A	41	G39073-304
SR16A	41	G39073-400

Intel® Celeron® G1620 | Frequency: 2.70 GHz

More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10L	41	G39073-200
SR10L	41	G39073-300
SR10L	41	G39073-303
SR10L	41	G39073-304
SR10L	41	G39073-400

Intel® Celeron® G1610 | Frequency: 2.60 GHz

More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10K	41	G39073-200
SR10K	41	G39073-300
SR10K	41	G39073-303
SR10K	41	G39073-304
SR10K	41	G39073-400

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

More Information

Cache	Graphics	Max TDP
-------	----------	---------

8 MB	No	87
Spec #	Min. BIOS	AA Rev(s)
SR0PC	41	G39073-200
SR0PC	41	G39073-300
SR0PC	41	G39073-303
SR0PC	41	G39073-304
SR0PC	41	G39073-400

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PA	41	G39073-200
SR0PA	41	G39073-300
SR0PA	41	G39073-303
SR0PA	41	G39073-304
SR0PA	41	G39073-400

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2500	45
Spec #	Min. BIOS	AA Rev(s)
SR0PB	41	G39073-200
SR0PB	41	G39073-300
SR0PB	41	G39073-303
SR0PB	41	G39073-304
SR0PB	41	G39073-400

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45

Spec #	Min. BIOS	AA Rev(s)
SR00M	41	G39073-200
SR00M	41	G39073-300
SR00M	41	G39073-303
SR00M	41	G39073-304
SR00M	41	G39073-400

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77

Spec #	Min. BIOS	AA Rev(s)
SR0P9	41	G39073-200
SR0P9	41	G39073-300
SR0P9	41	G39073-303
SR0P9	41	G39073-304
SR0P9	41	G39073-400

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69

Spec #	Min. BIOS	AA Rev(s)
SR0P4	41	G39073-200
SR0P4	41	G39073-300
SR0P4	41	G39073-303
SR0P4	41	G39073-304
SR0P4	41	G39073-400

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77

Spec #	Min. BIOS	AA Rev(s)
--------	-----------	-----------

SR0PJ	41	G39073-200
SR0PJ	41	G39073-300
SR0PJ	41	G39073-303
SR0PJ	41	G39073-304
SR0PJ	41	G39073-400

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	41	G39073-200
SR0PH	41	G39073-300
SR0PH	41	G39073-303
SR0PH	41	G39073-304
SR0PH	41	G39073-400

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	41	G39073-200
SR070	41	G39073-300
SR070	41	G39073-303
SR070	41	G39073-304
SR070	41	G39073-400

Add-in graphics card required