

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DH77KC

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	69	G39641-100
SR0PN	69	G39641-200
SR0PN	69	G39641-300
SR0PN	69	G39641-301
SR0PN	69	G39641-302
SR0PN	69	G39641-400

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	69	G39641-100
SR0PL	69	G39641-200
SR0PL	69	G39641-300
SR0PL	69	G39641-301
SR0PL	69	G39641-302
SR0PL	69	G39641-400

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	69	G39641-100
SR0PK	69	G39641-200
SR0PK	69	G39641-300

SR0PK	69	G39641-301
SR0PK	69	G39641-302
SR0PK	69	G39641-400

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	69	G39641-100
SR0DG	69	G39641-200
SR0DG	69	G39641-300
SR0DG	69	G39641-301
SR0DG	69	G39641-302
SR0DG	69	G39641-400

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00E	69	G39641-100
SR00E	69	G39641-200
SR00E	69	G39641-300
SR00E	69	G39641-301
SR00E	69	G39641-302
SR00E	69	G39641-400

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR00C	69	G39641-100
SR00C	69	G39641-200
SR00C	69	G39641-300

SR00C	69	G39641-301
SR00C	69	G39641-302
SR00C	69	G39641-400

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00B	69	G39641-100
SR00B	69	G39641-200
SR00B	69	G39641-300
SR00B	69	G39641-301
SR00B	69	G39641-302
SR00B	69	G39641-400

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	69	G39641-100
SR0T9	69	G39641-200
SR0T9	69	G39641-300
SR0T9	69	G39641-301
SR0T9	69	G39641-302
SR0T9	69	G39641-400

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	69	G39641-100
SR0PM	69	G39641-200
SR0PM	69	G39641-300

SR0PM	69	G39641-301
SR0PM	69	G39641-302
SR0PM	69	G39641-400

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	69	G39641-100
SR0T7	69	G39641-200
SR0T7	69	G39641-300
SR0T7	69	G39641-301
SR0T7	69	G39641-302
SR0T7	69	G39641-400

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	69	G39641-100
SR0P0	69	G39641-200
SR0P0	69	G39641-300
SR0P0	69	G39641-301
SR0P0	69	G39641-302
SR0P0	69	G39641-400

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	69	G39641-100
SR0RJ	69	G39641-200
SR0RJ	69	G39641-300

SR0RJ	69	G39641-301
SR0RJ	69	G39641-302
SR0RJ	69	G39641-400

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0TA	69	G39641-100
SR0TA	69	G39641-200
SR0TA	69	G39641-300
SR0TA	69	G39641-301
SR0TA	69	G39641-302
SR0TA	69	G39641-400

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T8	69	G39641-100
SR0T8	69	G39641-200
SR0T8	69	G39641-300
SR0T8	69	G39641-301
SR0T8	69	G39641-302
SR0T8	69	G39641-400

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	69	G39641-100
SR0P2	69	G39641-200
SR0P2	69	G39641-300

SR0P2	69	G39641-301
SR0P2	69	G39641-302
SR0P2	69	G39641-400

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0PF	69	G39641-100
SR0PF	69	G39641-200
SR0PF	69	G39641-300
SR0PF	69	G39641-301
SR0PF	69	G39641-302
SR0PF	69	G39641-400

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	77
Spec #	Min. BIOS	AA Rev(s)
SR0WS	69	G39641-100
SR0WS	69	G39641-200
SR0WS	69	G39641-300
SR0WS	69	G39641-301
SR0WS	69	G39641-302
SR0WS	69	G39641-400

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0YH		G39641-100
SR0YH		G39641-200

SR0YH
SR0YH
SR0YH
SR0YH

G39641-300
G39641-301
G39641-302
G39641-400

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0YZ
SR0YZ
SR0YZ
SR0YZ
SR0YZ
SR0YZ

Min. BIOS

AA Rev(s)
G39641-100
G39641-200
G39641-300
G39641-301
G39641-302
G39641-400

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0RQ
SR0RQ
SR0RQ
SR0RQ
SR0RQ
SR0RQ

Min. BIOS

AA Rev(s)
G39641-100
G39641-200
G39641-300
G39641-301
G39641-302
G39641-400

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
95

Spec #
SR0QH
SR0QH

Min. BIOS

AA Rev(s)
G39641-100
G39641-200

SR0QH	69	G39641-300
SR0QH	69	G39641-301
SR0QH	69	G39641-302
SR0QH	69	G39641-400

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR009	69	G39641-100
SR009	69	G39641-200
SR009	69	G39641-300
SR009	69	G39641-301
SR009	69	G39641-302
SR009	69	G39641-400

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR008	69	G39641-100
SR008	69	G39641-200
SR008	69	G39641-300
SR008	69	G39641-301
SR008	69	G39641-302
SR008	69	G39641-400

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00T	69	G39641-100

SR00T	69	G39641-200
SR00T	69	G39641-300
SR00T	69	G39641-301
SR00T	69	G39641-302
SR00T	69	G39641-400

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	69	G39641-100
SR0G1	69	G39641-200
SR0G1	69	G39641-300
SR0G1	69	G39641-301
SR0G1	69	G39641-302
SR0G1	69	G39641-400

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	69	G39641-100
SR0BB	69	G39641-200
SR0BB	69	G39641-300
SR0BB	69	G39641-301
SR0BB	69	G39641-302
SR0BB	69	G39641-400

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)

SR00S	69	G39641-100
SR00S	69	G39641-200
SR00S	69	G39641-300
SR00S	69	G39641-301
SR00S	69	G39641-302
SR00S	69	G39641-400

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	69	G39641-100
SR00Q	69	G39641-200
SR00Q	69	G39641-300
SR00Q	69	G39641-301
SR00Q	69	G39641-302
SR00Q	69	G39641-400

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G2	69	G39641-100
SR0G2	69	G39641-200
SR0G2	69	G39641-300
SR0G2	69	G39641-301
SR0G2	69	G39641-302
SR0G2	69	G39641-400

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR02L	69	G39641-100
SR02L	69	G39641-200
SR02L	69	G39641-300
SR02L	69	G39641-301
SR02L	69	G39641-302
SR02L	69	G39641-400

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR02K	69	G39641-100
SR02K	69	G39641-200
SR02K	69	G39641-300
SR02K	69	G39641-301
SR02K	69	G39641-302
SR02K	69	G39641-400

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR00D	69	G39641-100
SR00D	69	G39641-200
SR00D	69	G39641-300
SR00D	69	G39641-301
SR00D	69	G39641-302
SR00D	69	G39641-400

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55

Spec #	Min. BIOS	AA Rev(s)
SR0YX	69	G39641-100
SR0YX	69	G39641-200
SR0YX	69	G39641-300
SR0YX	69	G39641-301
SR0YX	69	G39641-302
SR0YX	69	G39641-400

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55

Spec #	Min. BIOS	AA Rev(s)
SR0YL	69	G39641-100
SR0YL	69	G39641-200
SR0YL	69	G39641-300
SR0YL	69	G39641-301
SR0YL	69	G39641-302
SR0YL	69	G39641-400

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55

Spec #	Min. BIOS	AA Rev(s)
SR0RH	69	G39641-100
SR0RH	69	G39641-200
SR0RH	69	G39641-300
SR0RH	69	G39641-301
SR0RH	69	G39641-302
SR0RH	69	G39641-400

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55

Spec #	Min. BIOS	AA Rev(s)
SR0RF	69	G39641-100
SR0RF	69	G39641-200
SR0RF	69	G39641-300
SR0RF	69	G39641-301
SR0RF	69	G39641-302
SR0RF	69	G39641-400

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35

Spec #	Min. BIOS	AA Rev(s)
SR0RE	69	G39641-100
SR0RE	69	G39641-200
SR0RE	69	G39641-300
SR0RE	69	G39641-301
SR0RE	69	G39641-302
SR0RE	69	G39641-400

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55

Spec #	Min. BIOS	AA Rev(s)
SR0RG	69	G39641-100
SR0RG	69	G39641-200
SR0RG	69	G39641-300
SR0RG	69	G39641-301
SR0RG	69	G39641-302
SR0RG	69	G39641-400

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55

Spec #	Min. BIOS	AA Rev(s)
SR0YY	69	G39641-100
SR0YY	69	G39641-200
SR0YY	69	G39641-300
SR0YY	69	G39641-301
SR0YY	69	G39641-302
SR0YY	69	G39641-400

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR05W	69	G39641-100
SR05W	69	G39641-200
SR05W	69	G39641-300
SR05W	69	G39641-301
SR05W	69	G39641-302
SR05W	69	G39641-400

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65

Spec #	Min. BIOS	AA Rev(s)
SR0AY	69	G39641-100
SR0AY	69	G39641-200
SR0AY	69	G39641-300
SR0AY	69	G39641-301
SR0AY	69	G39641-302
SR0AY	69	G39641-400

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35

Spec #	Min. BIOS	AA Rev(s)
SR060	69	G39641-100
SR060	69	G39641-200
SR060	69	G39641-300
SR060	69	G39641-301
SR060	69	G39641-302
SR060	69	G39641-400

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR05Y	69	G39641-100
SR05Y	69	G39641-200
SR05Y	69	G39641-300
SR05Y	69	G39641-301
SR05Y	69	G39641-302
SR05Y	69	G39641-400

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65

Spec #	Min. BIOS	AA Rev(s)
SR0BA	69	G39641-100
SR0BA	69	G39641-200
SR0BA	69	G39641-300
SR0BA	69	G39641-301
SR0BA	69	G39641-302
SR0BA	69	G39641-400

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35

Spec #	Min. BIOS	AA Rev(s)
SR05Z	69	G39641-100
SR05Z	69	G39641-200
SR05Z	69	G39641-300
SR05Z	69	G39641-301
SR05Z	69	G39641-302
SR05Z	69	G39641-400

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	69	G39641-100
SR05C	69	G39641-200
SR05C	69	G39641-300
SR05C	69	G39641-301
SR05C	69	G39641-302
SR05C	69	G39641-400

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057	69	G39641-100
SR057	69	G39641-200
SR057	69	G39641-300
SR057	69	G39641-301
SR057	69	G39641-302
SR057	69	G39641-400

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR0MF	69	G39641-100
SR0MF	69	G39641-200
SR0MF	69	G39641-300
SR0MF	69	G39641-301
SR0MF	69	G39641-302
SR0MF	69	G39641-400

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR058	69	G39641-100
SR058	69	G39641-200
SR058	69	G39641-300
SR058	69	G39641-301
SR058	69	G39641-302
SR058	69	G39641-400

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05Q	69	G39641-100
SR05Q	69	G39641-200
SR05Q	69	G39641-300
SR05Q	69	G39641-301
SR05Q	69	G39641-302
SR05Q	69	G39641-400

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05P	69	G39641-100
SR05P	69	G39641-200
SR05P	69	G39641-300
SR05P	69	G39641-301
SR05P	69	G39641-302
SR05P	69	G39641-400

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR0RS	69	G39641-100
SR0RS	69	G39641-200
SR0RS	69	G39641-300
SR0RS	69	G39641-301
SR0RS	69	G39641-302
SR0RS	69	G39641-400

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR066	69	G39641-100
SR066	69	G39641-200
SR066	69	G39641-300
SR066	69	G39641-301
SR066	69	G39641-302
SR066	69	G39641-400

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR059	69	G39641-100
SR059	69	G39641-200
SR059	69	G39641-300
SR059	69	G39641-301
SR059	69	G39641-302
SR059	69	G39641-400

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	69	G39641-100
SR05U	69	G39641-200
SR05U	69	G39641-300
SR05U	69	G39641-301
SR05U	69	G39641-302
SR05U	69	G39641-400

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	69	G39641-100
SR05S	69	G39641-200
SR05S	69	G39641-300
SR05S	69	G39641-301
SR05S	69	G39641-302
SR05S	69	G39641-400

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR05T	69	G39641-100
SR05T	69	G39641-200
SR05T	69	G39641-300
SR05T	69	G39641-301
SR05T	69	G39641-302
SR05T	69	G39641-400

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05R	69	G39641-100
SR05R	69	G39641-200
SR05R	69	G39641-300
SR05R	69	G39641-301
SR05R	69	G39641-302
SR05R	69	G39641-400

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR0RZ	69	G39641-100
SR0RZ	69	G39641-200
SR0RZ	69	G39641-300
SR0RZ	69	G39641-301
SR0RZ	69	G39641-302
SR0RZ	69	G39641-400

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR061	69	G39641-100
SR061	69	G39641-200
SR061	69	G39641-300
SR061	69	G39641-301
SR061	69	G39641-302
SR061	69	G39641-400

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05J	69	G39641-100
SR05J	69	G39641-200
SR05J	69	G39641-300
SR05J	69	G39641-301
SR05J	69	G39641-302
SR05J	69	G39641-400

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR05K	69	G39641-100
SR05K	69	G39641-200
SR05K	69	G39641-300
SR05K	69	G39641-301
SR05K	69	G39641-302
SR05K	69	G39641-400

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05H	69	G39641-100
SR05H	69	G39641-200
SR05H	69	G39641-300
SR05H	69	G39641-301
SR05H	69	G39641-302
SR05H	69	G39641-400

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR0S7	69	G39641-100
SR0S7	69	G39641-200
SR0S7	69	G39641-300
SR0S7	69	G39641-301
SR0S7	69	G39641-302
SR0S7	69	G39641-400

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR0S8	69	G39641-100
SR0S8	69	G39641-200
SR0S8	69	G39641-300
SR0S8	69	G39641-301
SR0S8	69	G39641-302
SR0S8	69	G39641-400

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR0GR	69	G39641-100
SR0GR	69	G39641-200
SR0GR	69	G39641-300
SR0GR	69	G39641-301
SR0GR	69	G39641-302
SR0GR	69	G39641-400

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR0BY	69	G39641-100
SR0BY	69	G39641-200
SR0BY	69	G39641-300
SR0BY	69	G39641-301
SR0BY	69	G39641-302
SR0BY	69	G39641-400

Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR0YT	69	G39641-100
SR0YT	69	G39641-200
SR0YT	69	G39641-300
SR0YT	69	G39641-301
SR0YT	69	G39641-302
SR0YT	69	G39641-400

Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR0YU	69	G39641-100
SR0YU	69	G39641-200
SR0YU	69	G39641-300
SR0YU	69	G39641-301
SR0YU	69	G39641-302
SR0YU	69	G39641-400

Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR0UF	69	G39641-100
SR0UF	69	G39641-200
SR0UF	69	G39641-300
SR0UF	69	G39641-301
SR0UF	69	G39641-302
SR0UF	69	G39641-400

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR163	69	G39641-100
SR163	69	G39641-200
SR163	69	G39641-300
SR163	69	G39641-301
SR163	69	G39641-302
SR163	69	G39641-400

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR10H	69	G39641-100
SR10H	69	G39641-200
SR10H	69	G39641-300
SR10H	69	G39641-301
SR10H	69	G39641-302
SR10H	69	G39641-400

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	69	G39641-100
SR10J	69	G39641-200
SR10J	69	G39641-300
SR10J	69	G39641-301
SR10J	69	G39641-302
SR10J	69	G39641-400

Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	69	G39641-100
SR16A	69	G39641-200
SR16A	69	G39641-300
SR16A	69	G39641-301
SR16A	69	G39641-302
SR16A	69	G39641-400

Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR10L	69	G39641-100
SR10L	69	G39641-200
SR10L	69	G39641-300
SR10L	69	G39641-301
SR10L	69	G39641-302
SR10L	69	G39641-400

Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR10K	69	G39641-100
SR10K	69	G39641-200
SR10K	69	G39641-300
SR10K	69	G39641-301
SR10K	69	G39641-302
SR10K	69	G39641-400

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	87

Spec #	Min. BIOS	AA Rev(s)
SR0PC	69	G39641-100
SR0PC	69	G39641-200
SR0PC	69	G39641-300
SR0PC	69	G39641-301
SR0PC	69	G39641-302
SR0PC	69	G39641-400

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PA	69	G39641-100
SR0PA	69	G39641-200
SR0PA	69	G39641-300
SR0PA	69	G39641-301
SR0PA	69	G39641-302
SR0PA	69	G39641-400

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2500	45
Spec #	Min. BIOS	AA Rev(s)
SR0PB	69	G39641-100
SR0PB	69	G39641-200
SR0PB	69	G39641-300
SR0PB	69	G39641-301
SR0PB	69	G39641-302
SR0PB	69	G39641-400

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45
Spec #	Min. BIOS	AA Rev(s)
SR00M	69	G39641-100
SR00M	69	G39641-200
SR00M	69	G39641-300
SR00M	69	G39641-301
SR00M	69	G39641-302
SR00M	69	G39641-400

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0P9	69	G39641-100
SR0P9	69	G39641-200
SR0P9	69	G39641-300
SR0P9	69	G39641-301
SR0P9	69	G39641-302
SR0P9	69	G39641-400

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0P4	69	G39641-100
SR0P4	69	G39641-200
SR0P4	69	G39641-300
SR0P4	69	G39641-301
SR0P4	69	G39641-302
SR0P4	69	G39641-400

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PJ	69	G39641-100
SR0PJ	69	G39641-200
SR0PJ	69	G39641-300
SR0PJ	69	G39641-301
SR0PJ	69	G39641-302
SR0PJ	69	G39641-400

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	69	G39641-100
SR0PH	69	G39641-200
SR0PH	69	G39641-300
SR0PH	69	G39641-301
SR0PH	69	G39641-302
SR0PH	69	G39641-400

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	69	G39641-100
SR070	69	G39641-200
SR070	69	G39641-300
SR070	69	G39641-301
SR070	69	G39641-302
SR070	69	G39641-400

Add-in graphics card required