

Intel® Desktop Compatibility Tool

Found 32 Compatible Processor(s) for Board DH87MC

4th Generation Intel® Core™ i7-4771 | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4600	Max TDP 84
Spec # SR1BW	Min. BIOS	AA Rev(s) G74242-401

4th Generation Intel® Core™ i7-4770T | Frequency: 2.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4600	Max TDP 45
Spec # SR14N	Min. BIOS 43	AA Rev(s) G74242-401

4th Generation Intel® Core™ i7-4770S | Frequency: 3.10 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4600	Max TDP 65
Spec # SR14H	Min. BIOS 43	AA Rev(s) G74242-401

4th Generation Intel® Core™ i7-4770K | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4600	Max TDP 84
Spec # SR147	Min. BIOS	AA Rev(s) G74242-401

4th Generation Intel® Core™ i7-4770 | Frequency: 3.40 GHz

[More Information](#)

Cache
8 MB

Graphics
HD 4600

Max TDP
84

Spec #
SR149

Min. BIOS

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i7-4765T | Frequency: 2.00 GHz

[More Information](#)

Cache
8 MB

Graphics
HD 4600

Max TDP
35

Spec #
SR14Q

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4670T | Frequency: 2.30 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
45

Spec #
SR14P

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4670S | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
65

Spec #
SR14K

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4670K | Frequency: 3.40 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
84

Spec #
SR14A

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4670 | Frequency: 3.40 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
84

Spec #
SR14D

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4570T | Frequency: 2.90 GHz

[More Information](#)

Cache
4 MB

Graphics
HD 4600

Max TDP
35

Spec #
SR14R

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4570S | Frequency: 2.90 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
65

Spec #
SR14J

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4570 | Frequency: 3.20 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
84

Spec #
SR14E

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4440S | Frequency: 2.80 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
65

Spec #
SR14L

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4440 | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
84

Spec #
SR14F

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4430S | Frequency: 2.70 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
65

Spec #
SR14M

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i5-4430 | Frequency: 3.00 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 4600

Max TDP
84

Spec #
SR14G

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i3-4340 | Frequency: 3.60 GHz

[More Information](#)

Cache
4 MB

Graphics
HD 4600

Max TDP
54

Spec #
SR1NL

Min. BIOS

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i3-4330 | Frequency: 3.50 GHz

[More Information](#)

Cache
4 MB

Graphics
HD 4600

Max TDP
54

Spec #
SR1NM

Min. BIOS

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i3-4130T | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 4400

Max TDP
35

Spec #
SR1NN

Min. BIOS
43

AA Rev(s)
G74242-401

4th Generation Intel® Core™ i3-4130 | Frequency: 3.40 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 4400

Max TDP
54

Spec #
SR1NP

Min. BIOS

AA Rev(s)
G74242-401

Intel® Pentium® G3430 | Frequency: 3.30 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
53

Spec #
SR1CE

Min. BIOS

AA Rev(s)
G74242-401

Intel® Pentium® G3420 | Frequency: 3.20 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
53

Spec #
SR1NB

Min. BIOS

AA Rev(s)
G74242-401

Intel® Pentium® G3220 | Frequency: 3.00 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
53

Spec #
SR1CG

Min. BIOS

AA Rev(s)
G74242-401

Intel® Celeron® G1830 | Frequency: 2.80 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
53

Spec #
SR1NC

Min. BIOS
43

AA Rev(s)
G74242-401

Intel® Celeron® G1820 | Frequency: 2.70 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
53

Spec #	Min. BIOS	AA Rev(s)
SR1CN	43	G74242-401
SR1RP		G74242-401

Intel® Xeon® E3-1280V3 | Frequency: 3.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SR150	43	G74242-401

Add-in graphics card required

Intel® Xeon® E3-1270V3 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	80

Spec #	Min. BIOS	AA Rev(s)
SR151	43	G74242-401

Add-in graphics card required

Intel® Xeon® E3-1240V3 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	80

Spec #	Min. BIOS	AA Rev(s)
SR152	43	G74242-401

Add-in graphics card required

Intel® Xeon® E3-1230V3 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	80

Spec #

SR153

Min. BIOS

43

AA Rev(s)

G74242-401

Add-in graphics card required

Intel® Xeon® E3-1230LV3 | Frequency: 1.80 GHz

[More Information](#)

Cache

8 MB

Graphics

No

Max TDP

25

Spec #

SR158

Min. BIOS

43

AA Rev(s)

G74242-401

Add-in graphics card required

Intel® Xeon® E3-1220V3 | Frequency: 3.10 GHz

[More Information](#)

Cache

8 MB

Graphics

No

Max TDP

80

Spec #

SR154

Min. BIOS

43

AA Rev(s)

G74242-401

Add-in graphics card required