

# Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DP43BF

## Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWZ	70	E78171-301
SLAWZ	70	E80808-301

Add-in graphics card required

## Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAX2	70	E78171-301
SLAX2	70	E80808-301

Add-in graphics card required

## Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACS	70	E78171-301
SLACS	70	E80808-301

Add-in graphics card required

## Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache  
8 MB

Graphics  
No

Max TDP  
95

Spec #  
SLACT  
SLACT

Min. BIOS  
70  
70

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache  
8 MB

Graphics  
No

Max TDP  
95

Spec #  
SLACU  
SLACU

Min. BIOS  
70  
70

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache  
12 MB

Graphics  
No

Max TDP  
95

Spec #  
SLB8W  
SLB8W

Min. BIOS  
70  
70

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache  
12 MB

Graphics  
No

Max TDP  
65

Spec #  
SLGAE  
SLGAE

Min. BIOS  
70  
70

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWQ	70	E78171-301
SLB8V	70	E78171-301
SLAWQ	70	E80808-301
SLB8V	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGYY	70	E78171-301
SLGYY	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR	70	E78171-301
SLAWR	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLG9U	70	E78171-301
SLG9U	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB6B	70	E78171-301
SLB6B	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWE	70	E78171-301
SLAWE	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7	70	E78171-301
SLGT7	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

## More Information

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGT6	70	E78171-301
SLGT6	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

### More Information

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5W	70	E78171-301
SLGUR	70	E78171-301
SLB5W	70	E80808-301
SLGUR	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

### More Information

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	70	E78171-301
SLG9T	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

### More Information

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	70	E78171-301

SLG9S	70	E78171-301
SLB5M	70	E80808-301
SLG9S	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	70	E78171-301
SLACQ	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR	70	E78171-301
SLACR	70	E80808-301

Add-in graphics card required

## Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	70	E78171-301
SLB9L	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache  
6 MB

Graphics  
No

Max TDP  
65

Spec #  
SLAPK  
SLB9K  
SLAPK  
SLB9K

Min. BIOS  
70  
70  
70  
70

AA Rev(s)  
E78171-301  
E78171-301  
E80808-301  
E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache  
6 MB

Graphics  
No

Max TDP  
65

Spec #  
SLAPL  
SLB9J  
SLAPL  
SLB9J

Min. BIOS  
70  
70  
70  
70

AA Rev(s)  
E78171-301  
E78171-301  
E80808-301  
E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache  
6 MB

Graphics  
No

Max TDP  
65

Spec #  
SLAPN  
SLAPN

Min. BIOS

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache  
6 MB

Graphics  
No

Max TDP  
65

Spec #

Min. BIOS

AA Rev(s)

SLAPP	70	E78171-301
SLAPP	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD	70	E78171-301
SLGTD	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z	70	E78171-301
SLGTE	70	E78171-301
SLB9Z	70	E80808-301
SLGTE	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y	70	E78171-301
SLGW3	70	E78171-301
SLB9Y	70	E80808-301
SLGW3	70	E80808-301

Add-in graphics card required



## Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache  
3 MB

Graphics  
No

Max TDP  
65

Spec #  
SLAPB  
SLAPB

Min. BIOS  
70  
70

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache  
3 MB

Graphics  
No

Max TDP  
65

Spec #  
SLAPC  
SLAVN  
SLAPC  
SLAVN

Min. BIOS  
70  
70  
70  
70

AA Rev(s)  
E78171-301  
E78171-301  
E80808-301  
E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache  
4 MB

Graphics  
No

Max TDP  
65

Spec #  
SLA9U  
SLA9U

Min. BIOS  
70  
70

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #	Min. BIOS	AA Rev(s)
SLGUE	85	E78171-301
SLGUE	85	E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9V	70	E78171-301
SLA9V	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF	70	E78171-301
SLGUF	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG	70	E78171-301
SLGUG	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

## More Information

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	70	E78171-301
SLA9X	70	E80808-301

Add-in graphics card required

## Intel® Pentium® E6500K | Frequency: 2.93 GHz

### More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGYP	70	E78171-301
SLGYP	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

### More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH	70	E78171-301
SLGUH	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

### More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU9	70	E78171-301
SLGU9	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG	Min. BIOS 85	AA Rev(s) E78171-301
SLGTG	85	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH	Min. BIOS 85	AA Rev(s) E78171-301
SLGTH	85	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ	Min. BIOS 70	AA Rev(s) E78171-301
SLGTJ	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLB9V	70	E78171-301
SLGTK	70	E78171-301
SLB9V	70	E80808-301
SLGTK	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLB9U	70	E78171-301
SLGTL	70	E78171-301
SLB9U	70	E80808-301
SLGTL	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAY7	70	E78171-301
SLB9T	70	E78171-301
SLAY7	70	E80808-301
SLB9T	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLALT	70	E78171-301

SLALT 70 E80808-301  
Add-in graphics card required

## Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA94	70	E78171-301
SLA94	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA95	70	E78171-301
SLA95	70	E80808-301

Add-in graphics card required

## Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA98	70	E78171-301
SLA98	70	E80808-301

Add-in graphics card required

## Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

1 MB	No	65
------	----	----

Spec #	Min. BIOS	AA Rev(s)
SLGTY		E78171-301
SLGTY		E80808-301

Add-in graphics card required

## Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGTZ	70	E78171-301
SLGTZ	70	E80808-301

Add-in graphics card required

## Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGU4	70	E78171-301
SLGU4	70	E80808-301

Add-in graphics card required

## Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGU5	70	E78171-301
SLGU5	70	E80808-301

Add-in graphics card required

## Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9D	70	E78171-301
SLB9D	70	E80808-301

Add-in graphics card required

## Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPM	70	E78171-301
SLB9C	70	E78171-301
SLAPM	70	E80808-301
SLB9C	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8W	70	E78171-301
SLA8W	70	E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)



SLB9R

E78171-301

SLB9R

E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache

1 MB

Graphics

No

Max TDP

65

Spec #

SLA8X

Min. BIOS

70

AA Rev(s)

E78171-301

SLA8X

70

E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache

1 MB

Graphics

No

Max TDP

65

Spec #

SLA8Y

Min. BIOS

70

AA Rev(s)

E78171-301

SLA8Y

70

E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache

1 MB

Graphics

No

Max TDP

65

Spec #

SLA8Z

Min. BIOS

70

AA Rev(s)

E78171-301

SLA8Z

70

E80808-301

Add-in graphics card required

## Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache  
1 MB

Graphics  
No

Max TDP  
65

Spec #  
SLA93  
SLA93

Min. BIOS  
70  
70

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache  
512 KB

Graphics  
No

Max TDP  
65

Spec #  
SLAQY  
SLAQY

Min. BIOS

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache  
512 KB

Graphics  
No

Max TDP  
65

Spec #  
SLAQZ  
SLAQZ

Min. BIOS  
70  
70

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache  
512 KB

Graphics  
No

Max TDP  
65

Spec #  
SLAR2  
SLAR2

Min. BIOS  
70  
70

AA Rev(s)  
E78171-301  
E80808-301

Add-in graphics card required

## Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW	70	E78171-301
SLAQW	70	E80808-301

Add-in graphics card required

## Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA2	70	E78171-301
SLAA2	70	E80808-301

Add-in graphics card required

## Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA3	70	E78171-301
SLAA3	70	E80808-301

Add-in graphics card required

## Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA9	70	E78171-301

SLAA9  
Add-in graphics card required

70

E80808-301