

Intel® Desktop Compatibility Tool

Found 24 Compatible Processor(s) for Board DP55KG

Intel® Xeon® X3480 | Frequency: 3.07 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBPT	4905	E47218-403
SLBPT	4905	E47218-404
SLBPT	4905	E47218-405
SLBPT		E47218-406
SLBPT		E47218-407

Add-in graphics card required

Intel® Xeon® X3470 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBJH	3878	E47218-403
SLBJH	3878	E47218-404
SLBJH	3878	E47218-405
SLBJH		E47218-406
SLBJH		E47218-407

Add-in graphics card required

Intel® Xeon® X3460 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBJK	3878	E47218-403
SLBJK	3878	E47218-404
SLBJK	3878	E47218-405

SLBJK

E47218-406

SLBJK

E47218-407

Add-in graphics card required

Intel® Xeon® X3440 | Frequency: 2.53 GHz

[More Information](#)

Cache

8 MB

Graphics

No

Max TDP

95

Spec #

Min. BIOS

AA Rev(s)

SLBLF

3878

E47218-403

SLBLF

3878

E47218-404

SLBLF

3878

E47218-405

SLBLF

E47218-406

SLBLF

E47218-407

Add-in graphics card required

Intel® Xeon® X3430 | Frequency: 2.40 GHz

[More Information](#)

Cache

8 MB

Graphics

No

Max TDP

95

Spec #

Min. BIOS

AA Rev(s)

SLBLJ

3878

E47218-403

SLBLJ

3878

E47218-404

SLBLJ

3878

E47218-405

SLBLJ

E47218-406

SLBLJ

E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i7-875K | Frequency: 2.93 GHz

[More Information](#)

Cache

8 MB

Graphics

No

Max TDP

95

Spec #

Min. BIOS

AA Rev(s)

SLBS2

4905

E47218-403

SLBS2

4905

E47218-404

SLBS2	4905	E47218-405
SLBS2		E47218-406
SLBS2		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i7-870S | Frequency: 2.67 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	82
Spec #	Min. BIOS	AA Rev(s)
SLBQ7	3878	E47218-403
SLBQ7	3878	E47218-404
SLBQ7	3878	E47218-405
SLBQ7		E47218-406
SLBQ7		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i7-870 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBJG	3878	E47218-403
SLBJG	3878	E47218-404
SLBJG	3878	E47218-405
SLBJG		E47218-406
SLBJG		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i7-860S | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	82

Spec #	Min. BIOS	AA Rev(s)
SLBLG	3878	E47218-403
SLBLG	3878	E47218-404
SLBLG	3878	E47218-405
SLBLG		E47218-406
SLBLG		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i7-860 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBJJ	3878	E47218-403
SLBJJ	3878	E47218-404
SLBJJ	3878	E47218-405
SLBJJ		E47218-406
SLBJJ		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i5-760 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBRP	3878	E47218-403
SLBRP	3878	E47218-404
SLBRP	3878	E47218-405
SLBRP		E47218-406
SLBRP		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i5-750S | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	82
Spec #	Min. BIOS	AA Rev(s)
SLBLH	3878	E47218-403
SLBLH	3878	E47218-404
SLBLH	3878	E47218-405
SLBLH		E47218-406
SLBLH		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i5-750 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBLC	3878	E47218-403
SLBLC	3878	E47218-404
SLBLC	3878	E47218-405
SLBLC		E47218-406
SLBLC		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i5-680 | Frequency: 3.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBTM	5531	E47218-403
SLBTM	5531	E47218-404
SLBTM	5531	E47218-405
SLBTM		E47218-406
SLBTM		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i5-670 | Frequency: 3.46 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBLT	4905	E47218-403
SLBLT	4905	E47218-404
SLBLT	4905	E47218-405
SLBLT		E47218-406
SLBLT		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i5-661 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	87
Spec #	Min. BIOS	AA Rev(s)
SLBNE	4905	E47218-403
SLBTB	4905	E47218-403
SLBNE	4905	E47218-404
SLBTB		E47218-404
SLBNE	4905	E47218-405
SLBTB		E47218-405
SLBNE		E47218-406
SLBTB		E47218-406
SLBNE		E47218-407
SLBTB		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i5-660 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBLV	4905	E47218-403

SLBTK	4905	E47218-403
SLBLV	4905	E47218-404
SLBTK		E47218-404
SLBLV	4905	E47218-405
SLBTK		E47218-405
SLBLV		E47218-406
SLBTK		E47218-406
SLBLV		E47218-407
SLBTK		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i5-655K | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBXL	5531	E47218-403
SLBXL	5531	E47218-404
SLBXL	5531	E47218-405
SLBXL		E47218-406
SLBXL		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i5-650 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBLK	4905	E47218-403
SLBTJ	5531	E47218-403
SLBLK	4905	E47218-404
SLBTJ	5531	E47218-404
SLBLK	4905	E47218-405
SLBTJ	5531	E47218-405
SLBLK		E47218-406
SLBTJ		E47218-406
SLBLK		E47218-407
SLBTJ		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i3-560 | Frequency: 3.33 GHz

[More Information](#)

Cache 4 MB	Graphics HD Graphics	Max TDP 73
Spec # SLBY2	Min. BIOS 5531	AA Rev(s) E47218-403
SLBY2	5531	E47218-404
SLBY2	5531	E47218-405
SLBY2		E47218-406
SLBY2		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i3-550 | Frequency: 3.20 GHz

[More Information](#)

Cache 4 MB	Graphics HD Graphics	Max TDP 73
Spec # SLBUD	Min. BIOS 5531	AA Rev(s) E47218-403
SLBUD	5531	E47218-404
SLBUD	5531	E47218-405
SLBUD		E47218-406
SLBUD		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i3-540 | Frequency: 3.06 GHz

[More Information](#)

Cache 4 MB	Graphics HD Graphics	Max TDP 73
Spec # SLBMQ	Min. BIOS 4905	AA Rev(s) E47218-403
SLBTD	5531	E47218-403
SLBMQ	4905	E47218-404

SLBTD	5531	E47218-404
SLBMQ	4905	E47218-405
SLBTD	5531	E47218-405
SLBMQ		E47218-406
SLBTD		E47218-406
SLBMQ		E47218-407
SLBTD		E47218-407

Add-in graphics card required

Previous Generation Intel® Core™ i3-530 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBLR	4905	E47218-403
SLBX7	5531	E47218-403
SLBLR	4905	E47218-404
SLBX7	5531	E47218-404
SLBLR	4905	E47218-405
SLBX7	5531	E47218-405
SLBLR		E47218-406
SLBX7		E47218-406
SLBLR		E47218-407
SLBX7		E47218-407

Add-in graphics card required

Intel® Pentium® G6950 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	Yes	73
Spec #	Min. BIOS	AA Rev(s)
SLBMS	4905	E47218-403
SLBMS	4905	E47218-404
SLBMS	4905	E47218-405
SLBMS		E47218-406
SLBMS		E47218-407

Add-in graphics card required

