

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DP67DE

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	77	G10217-301
SR0PN	77	G10217-302
SR0PN	77	G10217-303
SR0PN	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	77	G10217-301
SR0PL	77	G10217-302
SR0PL	77	G10217-303
SR0PL	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	77	G10217-301
SR0PK	77	G10217-302
SR0PK	77	G10217-303
SR0PK	77	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	31	G10217-202
SR0DG	31	G10217-203
SR0DG	31	G10217-204
SR0DG	31	G10217-205
SR0DG	31	G10217-206
SR0DG	31	G10217-300
SR0DG	31	G10217-301
SR0DG	31	G10217-302
SR0DG	31	G10217-303
SR0DG	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00E	31	G10217-202
SR00E	31	G10217-203
SR00E	31	G10217-204
SR00E	31	G10217-205
SR00E	31	G10217-206
SR00E	31	G10217-300
SR00E	31	G10217-301
SR00E	31	G10217-302
SR00E	31	G10217-303
SR00E	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR00C	31	G10217-202
SR00C	31	G10217-203
SR00C	31	G10217-204
SR00C	31	G10217-205
SR00C	31	G10217-206
SR00C	31	G10217-300
SR00C	31	G10217-301
SR00C	31	G10217-302
SR00C	31	G10217-303
SR00C	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00B	31	G10217-202
SR00B	31	G10217-203
SR00B	31	G10217-204
SR00B	31	G10217-205
SR00B	31	G10217-206
SR00B	31	G10217-300
SR00B	31	G10217-301
SR00B	31	G10217-302
SR00B	31	G10217-303
SR00B	31	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	77	G10217-301
SR0T9	77	G10217-302

SR0T9	77	G10217-303
SR0T9	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	77	G10217-301
SR0PM	77	G10217-302
SR0PM	77	G10217-303
SR0PM	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	77	G10217-301
SR0T7	77	G10217-302
SR0T7	77	G10217-303
SR0T7	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	77	G10217-301
SR0P0	77	G10217-302
SR0P0	77	G10217-303
SR0P0	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	77	G10217-301
SR0RJ	77	G10217-302
SR0RJ	77	G10217-303
SR0RJ	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0TA	77	G10217-301
SR0TA	77	G10217-302
SR0TA	77	G10217-303
SR0TA	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T8	77	G10217-301
SR0T8	77	G10217-302
SR0T8	77	G10217-303
SR0T8	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	77	G10217-301
SR0P2	77	G10217-302
SR0P2	77	G10217-303
SR0P2	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0PF	77	G10217-301
SR0PF	77	G10217-302
SR0PF	77	G10217-303
SR0PF	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	77
Spec #	Min. BIOS	AA Rev(s)
SR0WS	77	G10217-301
SR0WS	77	G10217-302
SR0WS	77	G10217-303
SR0WS	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec # SR0YH SR0YH SR0YH SR0YH	Min. BIOS	AA Rev(s) G10217-301 G10217-302 G10217-303 G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0YZ SR0YZ SR0YZ SR0YZ	Min. BIOS	AA Rev(s) G10217-301 G10217-302 G10217-303 G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0RQ SR0RQ SR0RQ SR0RQ	Min. BIOS 77 77 77 77	AA Rev(s) G10217-301 G10217-302 G10217-303 G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0QH	31	G10217-202
SR0QH	31	G10217-203
SR0QH	31	G10217-204
SR0QH	31	G10217-205
SR0QH	31	G10217-206
SR0QH	31	G10217-300
SR0QH	31	G10217-301
SR0QH	31	G10217-302
SR0QH	31	G10217-303
SR0QH	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR009	31	G10217-202
SR009	31	G10217-203
SR009	31	G10217-204
SR009	31	G10217-205
SR009	31	G10217-206
SR009	31	G10217-300
SR009	31	G10217-301
SR009	31	G10217-302
SR009	31	G10217-303
SR009	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	95

Spec #	Min. BIOS	AA Rev(s)
SR008	31	G10217-202
SR008	31	G10217-203
SR008	31	G10217-204
SR008	31	G10217-205

SR008	31	G10217-206
SR008	31	G10217-300
SR008	31	G10217-301
SR008	31	G10217-302
SR008	31	G10217-303
SR008	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00T	31	G10217-202
SR00T	31	G10217-203
SR00T	31	G10217-204
SR00T	31	G10217-205
SR00T	31	G10217-206
SR00T	31	G10217-300
SR00T	31	G10217-301
SR00T	31	G10217-302
SR00T	31	G10217-303
SR00T	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	31	G10217-202
SR0G1	31	G10217-203
SR0G1	31	G10217-204
SR0G1	31	G10217-205
SR0G1	31	G10217-206
SR0G1	31	G10217-300
SR0G1	31	G10217-301
SR0G1	31	G10217-302
SR0G1	31	G10217-303
SR0G1	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	31	G10217-202
SR0BB	31	G10217-203
SR0BB	31	G10217-204
SR0BB	31	G10217-205
SR0BB	31	G10217-206
SR0BB	31	G10217-300
SR0BB	31	G10217-301
SR0BB	31	G10217-302
SR0BB	31	G10217-303
SR0BB	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	31	G10217-202
SR00S	31	G10217-203
SR00S	31	G10217-204
SR00S	31	G10217-205
SR00S	31	G10217-206
SR00S	31	G10217-300
SR00S	31	G10217-301
SR00S	31	G10217-302
SR00S	31	G10217-303
SR00S	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	31	G10217-202
SR00Q	31	G10217-203
SR00Q	31	G10217-204
SR00Q	31	G10217-205
SR00Q	31	G10217-206
SR00Q	31	G10217-300
SR00Q	31	G10217-301
SR00Q	31	G10217-302
SR00Q	31	G10217-303
SR00Q	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G2	31	G10217-202
SR0G2	31	G10217-203
SR0G2	31	G10217-204
SR0G2	31	G10217-205
SR0G2	31	G10217-206
SR0G2	31	G10217-300
SR0G2	31	G10217-301
SR0G2	31	G10217-302
SR0G2	31	G10217-303
SR0G2	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02L	31	G10217-202
SR02L	31	G10217-203

SR02L	31	G10217-204
SR02L	31	G10217-205
SR02L	31	G10217-206
SR02L	31	G10217-300
SR02L	31	G10217-301
SR02L	31	G10217-302
SR02L	31	G10217-303
SR02L	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02K	31	G10217-202
SR02K	31	G10217-203
SR02K	31	G10217-204
SR02K	31	G10217-205
SR02K	31	G10217-206
SR02K	31	G10217-300
SR02K	31	G10217-301
SR02K	31	G10217-302
SR02K	31	G10217-303
SR02K	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00D	31	G10217-202
SR00D	31	G10217-203
SR00D	31	G10217-204
SR00D	31	G10217-205
SR00D	31	G10217-206
SR00D	31	G10217-300
SR00D	31	G10217-301
SR00D	31	G10217-302

SR00D	31	G10217-303
SR00D	31	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YX	77	G10217-301
SR0YX	77	G10217-302
SR0YX	77	G10217-303
SR0YX	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0YL	77	G10217-301
SR0YL	77	G10217-302
SR0YL	77	G10217-303
SR0YL	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	77	G10217-301
SR0RH	77	G10217-302
SR0RH	77	G10217-303
SR0RH	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	77	G10217-301
SR0RF	77	G10217-302
SR0RF	77	G10217-303
SR0RF	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	77	G10217-301
SR0RE	77	G10217-302
SR0RE	77	G10217-303
SR0RE	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RG	77	G10217-301
SR0RG	77	G10217-302
SR0RG	77	G10217-303
SR0RG	77	G10217-304

Add-in graphics card required

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	77	G10217-301
SR0YY	77	G10217-302
SR0YY	77	G10217-303
SR0YY	77	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	31	G10217-202
SR05W	31	G10217-203
SR05W	31	G10217-204
SR05W	31	G10217-205
SR05W	31	G10217-206
SR05W	31	G10217-300
SR05W	31	G10217-301
SR05W	31	G10217-302
SR05W	31	G10217-303
SR05W	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	31	G10217-202
SR0AY	31	G10217-203
SR0AY	31	G10217-204
SR0AY	31	G10217-205
SR0AY	31	G10217-206

SR0AY	31	G10217-300
SR0AY	31	G10217-301
SR0AY	31	G10217-302
SR0AY	31	G10217-303
SR0AY	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	31	G10217-202
SR060	31	G10217-203
SR060	31	G10217-204
SR060	31	G10217-205
SR060	31	G10217-206
SR060	31	G10217-300
SR060	31	G10217-301
SR060	31	G10217-302
SR060	31	G10217-303
SR060	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	31	G10217-202
SR05Y	31	G10217-203
SR05Y	31	G10217-204
SR05Y	31	G10217-205
SR05Y	31	G10217-206
SR05Y	31	G10217-300
SR05Y	31	G10217-301
SR05Y	31	G10217-302
SR05Y	31	G10217-303
SR05Y	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	31	G10217-202
SR0BA	31	G10217-203
SR0BA	31	G10217-204
SR0BA	31	G10217-205
SR0BA	31	G10217-206
SR0BA	31	G10217-300
SR0BA	31	G10217-301
SR0BA	31	G10217-302
SR0BA	31	G10217-303
SR0BA	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	31	G10217-202
SR05Z	31	G10217-203
SR05Z	31	G10217-204
SR05Z	31	G10217-205
SR05Z	31	G10217-206
SR05Z	31	G10217-300
SR05Z	31	G10217-301
SR05Z	31	G10217-302
SR05Z	31	G10217-303
SR05Z	31	G10217-304

Add-in graphics card required

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	31	G10217-202
SR05C	31	G10217-203
SR05C	31	G10217-204
SR05C	31	G10217-205
SR05C	31	G10217-206
SR05C	31	G10217-300
SR05C	31	G10217-301
SR05C	31	G10217-302
SR05C	31	G10217-303
SR05C	31	G10217-304

Add-in graphics card required

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057		G10217-202
SR057		G10217-203
SR057		G10217-204
SR057		G10217-205
SR057		G10217-206
SR057		G10217-300
SR057		G10217-301
SR057		G10217-302
SR057		G10217-303
SR057		G10217-304

Add-in graphics card required

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0MF		G10217-202
SR0MF		G10217-203

SR0MF	G10217-204
SR0MF	G10217-205
SR0MF	G10217-206
SR0MF	G10217-300
SR0MF	G10217-301
SR0MF	G10217-302
SR0MF	G10217-303
SR0MF	G10217-304

Add-in graphics card required

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR058	31	G10217-202
SR058	31	G10217-203
SR058	31	G10217-204
SR058	31	G10217-205
SR058	31	G10217-206
SR058	31	G10217-300
SR058	31	G10217-301
SR058	31	G10217-302
SR058	31	G10217-303
SR058	31	G10217-304

Add-in graphics card required

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05Q	31	G10217-202
SR05Q	31	G10217-203
SR05Q	31	G10217-204
SR05Q	31	G10217-205
SR05Q	31	G10217-206
SR05Q	31	G10217-300
SR05Q	31	G10217-301
SR05Q	31	G10217-302

SR05Q	31	G10217-303
SR05Q	31	G10217-304

Add-in graphics card required

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05P	31	G10217-202
SR05P	31	G10217-203
SR05P	31	G10217-204
SR05P	31	G10217-205
SR05P	31	G10217-206
SR05P	31	G10217-300
SR05P	31	G10217-301
SR05P	31	G10217-302
SR05P	31	G10217-303
SR05P	31	G10217-304

Add-in graphics card required

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RS		G10217-202
SR0RS		G10217-203
SR0RS		G10217-204
SR0RS		G10217-205
SR0RS		G10217-206
SR0RS		G10217-300
SR0RS		G10217-301
SR0RS		G10217-302
SR0RS		G10217-303
SR0RS		G10217-304

Add-in graphics card required

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR066 SR066 SR066 SR066 SR066 SR066 SR066 SR066 SR066 SR066 SR066	Min. BIOS	AA Rev(s) G10217-202 G10217-203 G10217-204 G10217-205 G10217-206 G10217-300 G10217-301 G10217-302 G10217-303 G10217-304

Add-in graphics card required

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR059 SR059 SR059 SR059 SR059 SR059 SR059 SR059 SR059 SR059 SR059	Min. BIOS	AA Rev(s) G10217-202 G10217-203 G10217-204 G10217-205 G10217-206 G10217-300 G10217-301 G10217-302 G10217-303 G10217-304

Add-in graphics card required

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
---------------	-------------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR05U	31	G10217-202
SR05U	31	G10217-203
SR05U	31	G10217-204
SR05U	31	G10217-205
SR05U	31	G10217-206
SR05U	31	G10217-300
SR05U	31	G10217-301
SR05U	31	G10217-302
SR05U	31	G10217-303
SR05U	31	G10217-304

Add-in graphics card required

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR05S	31	G10217-202
SR05S	31	G10217-203
SR05S	31	G10217-204
SR05S	31	G10217-205
SR05S	31	G10217-206
SR05S	31	G10217-300
SR05S	31	G10217-301
SR05S	31	G10217-302
SR05S	31	G10217-303
SR05S	31	G10217-304

Add-in graphics card required

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR05T	31	G10217-202
SR05T	31	G10217-203
SR05T	31	G10217-204
SR05T	31	G10217-205

SR05T	31	G10217-206
SR05T	31	G10217-300
SR05T	31	G10217-301
SR05T	31	G10217-302
SR05T	31	G10217-303
SR05T	31	G10217-304

Add-in graphics card required

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05R	31	G10217-202
SR05R	31	G10217-203
SR05R	31	G10217-204
SR05R	31	G10217-205
SR05R	31	G10217-206
SR05R	31	G10217-300
SR05R	31	G10217-301
SR05R	31	G10217-302
SR05R	31	G10217-303
SR05R	31	G10217-304

Add-in graphics card required

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RZ		G10217-202
SR0RZ		G10217-203
SR0RZ		G10217-204
SR0RZ		G10217-205
SR0RZ		G10217-206
SR0RZ		G10217-300
SR0RZ		G10217-301
SR0RZ		G10217-302
SR0RZ		G10217-303
SR0RZ		G10217-304

Add-in graphics card required

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR061		G10217-202
SR061		G10217-203
SR061		G10217-204
SR061		G10217-205
SR061		G10217-206
SR061		G10217-300
SR061		G10217-301
SR061		G10217-302
SR061		G10217-303
SR061		G10217-304

Add-in graphics card required

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05J	31	G10217-202
SR05J	31	G10217-203
SR05J	31	G10217-204
SR05J	31	G10217-205
SR05J	31	G10217-206
SR05J	31	G10217-300
SR05J	31	G10217-301
SR05J	31	G10217-302
SR05J	31	G10217-303
SR05J	31	G10217-304

Add-in graphics card required

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05K	31	G10217-202
SR05K	31	G10217-203
SR05K	31	G10217-204
SR05K	31	G10217-205
SR05K	31	G10217-206
SR05K	31	G10217-300
SR05K	31	G10217-301
SR05K	31	G10217-302
SR05K	31	G10217-303
SR05K	31	G10217-304

Add-in graphics card required

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05H	31	G10217-202
SR05H	31	G10217-203
SR05H	31	G10217-204
SR05H	31	G10217-205
SR05H	31	G10217-206
SR05H	31	G10217-300
SR05H	31	G10217-301
SR05H	31	G10217-302
SR05H	31	G10217-303
SR05H	31	G10217-304

Add-in graphics card required

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0S7	31	G10217-202
SR0S7	31	G10217-203

SR0S7	31	G10217-204
SR0S7	31	G10217-205
SR0S7	31	G10217-206
SR0S7	31	G10217-300
SR0S7	31	G10217-301
SR0S7	31	G10217-302
SR0S7	31	G10217-303
SR0S7	31	G10217-304

Add-in graphics card required

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0S8		G10217-202
SR0S8		G10217-203
SR0S8		G10217-204
SR0S8		G10217-205
SR0S8		G10217-206
SR0S8		G10217-300
SR0S8		G10217-301
SR0S8		G10217-302
SR0S8		G10217-303
SR0S8		G10217-304

Add-in graphics card required

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0GR	31	G10217-202
SR0GR	31	G10217-203
SR0GR	31	G10217-204
SR0GR	31	G10217-205
SR0GR	31	G10217-206
SR0GR	31	G10217-300
SR0GR	31	G10217-301
SR0GR	31	G10217-302

SR0GR	31	G10217-303
SR0GR	31	G10217-304

Add-in graphics card required

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0BY	31	G10217-202
SR0BY	31	G10217-203
SR0BY	31	G10217-204
SR0BY	31	G10217-205
SR0BY	31	G10217-206
SR0BY	31	G10217-300
SR0BY	31	G10217-301
SR0BY	31	G10217-302
SR0BY	31	G10217-303
SR0BY	31	G10217-304

Add-in graphics card required

Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YT	77	G10217-301
SR0YT	77	G10217-302
SR0YT	77	G10217-303
SR0YT	77	G10217-304

Add-in graphics card required

Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR0YU	77	G10217-301
SR0YU	77	G10217-302
SR0YU	77	G10217-303
SR0YU	77	G10217-304

Add-in graphics card required

Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR0UF	77	G10217-301
SR0UF	77	G10217-302
SR0UF	77	G10217-303
SR0UF	77	G10217-304

Add-in graphics card required

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR163	77	G10217-301
SR163	77	G10217-302
SR163	77	G10217-303
SR163	77	G10217-304

Add-in graphics card required

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR10H	77	G10217-301

SR10H	77	G10217-302
SR10H	77	G10217-303
SR10H	77	G10217-304

Add-in graphics card required

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	77	G10217-301
SR10J	77	G10217-302
SR10J	77	G10217-303
SR10J	77	G10217-304

Add-in graphics card required

Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	77	G10217-301
SR16A	77	G10217-302
SR16A	77	G10217-303
SR16A	77	G10217-304

Add-in graphics card required

Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10L	77	G10217-301
SR10L	77	G10217-302
SR10L	77	G10217-303
SR10L	77	G10217-304

Add-in graphics card required

Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10K	77	G10217-301
SR10K	77	G10217-302
SR10K	77	G10217-303
SR10K	77	G10217-304

Add-in graphics card required

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	87
Spec #	Min. BIOS	AA Rev(s)
SR0PC	77	G10217-301
SR0PC	77	G10217-302
SR0PC	77	G10217-303
SR0PC	77	G10217-304

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PA	77	G10217-301
SR0PA	77	G10217-302
SR0PA	77	G10217-303
SR0PA	77	G10217-304

Add-in graphics card required

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2500	45
Spec #	Min. BIOS	AA Rev(s)
SR0PB	77	G10217-301
SR0PB	77	G10217-302
SR0PB	77	G10217-303
SR0PB	77	G10217-304

Add-in graphics card required

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45
Spec #	Min. BIOS	AA Rev(s)
SR00M	31	G10217-202
SR00M	31	G10217-203
SR00M	31	G10217-204
SR00M	31	G10217-205
SR00M	31	G10217-206
SR00M	31	G10217-300
SR00M	31	G10217-301
SR00M	31	G10217-302
SR00M	31	G10217-303
SR00M	31	G10217-304

Add-in graphics card required

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0P9	77	G10217-301
SR0P9	77	G10217-302
SR0P9	77	G10217-303
SR0P9	77	G10217-304

Add-in graphics card required

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0P4	77	G10217-301
SR0P4	77	G10217-302
SR0P4	77	G10217-303
SR0P4	77	G10217-304

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PJ	77	G10217-301
SR0PJ	77	G10217-302
SR0PJ	77	G10217-303
SR0PJ	77	G10217-304

Add-in graphics card required

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	77	G10217-301
SR0PH	77	G10217-302
SR0PH	77	G10217-303
SR0PH	77	G10217-304

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	31	G10217-202
SR070	31	G10217-203
SR070	31	G10217-204
SR070	31	G10217-205
SR070	31	G10217-206
SR070	31	G10217-300
SR070	31	G10217-301
SR070	31	G10217-302
SR070	31	G10217-303
SR070	31	G10217-304

Add-in graphics card required