

Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DQ35JO

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWZ	831	D82085-700
SLAWZ	831	D82085-701
SLAWZ	831	D82085-702
SLAWZ	831	D82085-800
SLAWZ	831	D82085-801
SLAWZ	831	D82085-802
SLAWZ	831	D82085-803
SLAWZ		D82085-804
SLAWZ		D82085-805
SLAWZ		D82085-806
SLAWZ		D82085-807
SLAWZ	831	E41927-802

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAX2	831	D82085-700
SLAX2	831	D82085-701
SLAX2	831	D82085-702
SLAX2	831	D82085-800
SLAX2	831	D82085-801
SLAX2	831	D82085-802
SLAX2	831	D82085-803
SLAX2		D82085-804
SLAX2		D82085-805
SLAX2		D82085-806
SLAX2		D82085-807
SLAX2	831	E41927-802

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACS	745	D82085-700
SLACS	745	D82085-701
SLACS	745	D82085-702
SLACS	745	D82085-800
SLACS	745	D82085-801
SLACS	745	D82085-802
SLACS	745	D82085-803
SLACS		D82085-804
SLACS		D82085-805
SLACS		D82085-806
SLACS		D82085-807
SLACS	745	E41927-802

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACT	745	D82085-700
SLACT	745	D82085-701
SLACT	745	D82085-702
SLACT	745	D82085-800
SLACT	745	D82085-801
SLACT	745	D82085-802
SLACT	745	D82085-803
SLACT		D82085-804
SLACT		D82085-805
SLACT		D82085-806
SLACT		D82085-807
SLACT	745	E41927-802

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACU	745	D82085-700
SLACU	745	D82085-701
SLACU	745	D82085-702
SLACU	745	D82085-800
SLACU	745	D82085-801
SLACU	745	D82085-802
SLACU	745	D82085-803
SLACU		D82085-804
SLACU		D82085-805
SLACU		D82085-806
SLACU		D82085-807
SLACU	745	E41927-802

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB8W		D82085-700
SLB8W		D82085-701
SLB8W		D82085-702
SLB8W		D82085-800
SLB8W		D82085-801
SLB8W		D82085-802
SLB8W		D82085-803
SLB8W		D82085-804
SLB8W		D82085-805
SLB8W		D82085-806
SLB8W		D82085-807
SLB8W		E41927-802

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGAE		D82085-700
SLGAE		D82085-701
SLGAE		D82085-702
SLGAE		D82085-800
SLGAE		D82085-801
SLGAE		D82085-802
SLGAE		D82085-803
SLGAE		D82085-804
SLGAE		D82085-805
SLGAE		D82085-806
SLGAE		D82085-807
SLGAE		E41927-802

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLAWQ		D82085-700
SLB8V		D82085-700
SLAWQ		D82085-701
SLB8V		D82085-701
SLAWQ		D82085-702
SLB8V		D82085-702
SLAWQ		D82085-800
SLB8V		D82085-800
SLAWQ		D82085-801
SLB8V		D82085-801
SLAWQ		D82085-802
SLB8V		D82085-802
SLAWQ		D82085-803
SLB8V		D82085-803
SLAWQ		D82085-804
SLB8V		D82085-804
SLAWQ		D82085-805
SLB8V		D82085-805
SLAWQ		D82085-806
SLB8V		D82085-806
SLAWQ		D82085-807
SLB8V		D82085-807
SLAWQ		E41927-802
SLB8V		E41927-802

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGYY		D82085-700
SLGYY		D82085-701
SLGYY		D82085-702
SLGYY		D82085-800
SLGYY		D82085-801
SLGYY		D82085-802
SLGYY		D82085-803
SLGYY		D82085-804
SLGYY		D82085-805
SLGYY		D82085-806
SLGYY		D82085-807
SLGYY		E41927-802

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR	733	D82085-700
SLAWR	733	D82085-701
SLAWR	733	D82085-702
SLAWR	733	D82085-800
SLAWR	733	D82085-801
SLAWR	733	D82085-802
SLAWR	733	D82085-803
SLAWR		D82085-804
SLAWR		D82085-805
SLAWR		D82085-806
SLAWR		D82085-807
SLAWR	733	E41927-802

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLG9U		D82085-700
SLG9U		D82085-701
SLG9U		D82085-702
SLG9U		D82085-800
SLG9U		D82085-801
SLG9U		D82085-802
SLG9U		D82085-803
SLG9U		D82085-804
SLG9U		D82085-805
SLG9U		D82085-806
SLG9U		D82085-807
SLG9U		E41927-802

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLB6B		D82085-700
SLB6B		D82085-701
SLB6B		D82085-702
SLB6B		D82085-800
SLB6B		D82085-801
SLB6B		D82085-802
SLB6B		D82085-803
SLB6B		D82085-804
SLB6B		D82085-805
SLB6B		D82085-806
SLB6B		D82085-807
SLB6B		E41927-802

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLAWE		D82085-700
SLAWE		D82085-701
SLAWE		D82085-702
SLAWE		D82085-800
SLAWE		D82085-801
SLAWE		D82085-802
SLAWE		D82085-803
SLAWE		D82085-804
SLAWE		D82085-805
SLAWE		D82085-806
SLAWE		D82085-807
SLAWE		E41927-802

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGT7		D82085-700
SLGT7		D82085-701
SLGT7		D82085-702
SLGT7		D82085-800
SLGT7		D82085-801
SLGT7		D82085-802
SLGT7		D82085-803
SLGT7		D82085-804
SLGT7		D82085-805
SLGT7		D82085-806
SLGT7		D82085-807
SLGT7		E41927-802

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLGT6		D82085-700
SLGT6		D82085-701

SLGT6	D82085-702
SLGT6	D82085-800
SLGT6	D82085-801
SLGT6	D82085-802
SLGT6	D82085-803
SLGT6	D82085-804
SLGT6	D82085-805
SLGT6	D82085-806
SLGT6	D82085-807
SLGT6	E41927-802

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLB5W		D82085-700
SLGUR		D82085-700
SLB5W		D82085-701
SLGUR		D82085-701
SLB5W		D82085-702
SLGUR		D82085-702
SLB5W		D82085-800
SLGUR		D82085-800
SLB5W		D82085-801
SLGUR		D82085-801
SLB5W		D82085-802
SLGUR		D82085-802
SLB5W		D82085-803
SLGUR		D82085-803
SLB5W		D82085-804
SLGUR		D82085-804
SLB5W		D82085-805
SLGUR		D82085-805
SLB5W		D82085-806
SLGUR		D82085-806
SLB5W		D82085-807
SLGUR		D82085-807
SLB5W		E41927-802
SLGUR		E41927-802

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

More Information

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLG9T		D82085-700
SLG9T		D82085-701
SLG9T		D82085-702
SLG9T		D82085-800
SLG9T		D82085-801
SLG9T		D82085-802
SLG9T		D82085-803
SLG9T		D82085-804
SLG9T		D82085-805
SLG9T		D82085-806
SLG9T		D82085-807
SLG9T		E41927-802

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

More Information

Cache 4 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLB5M		D82085-700
SLG9S		D82085-700
SLB5M		D82085-701
SLG9S		D82085-701
SLB5M		D82085-702
SLG9S		D82085-702
SLB5M		D82085-800
SLG9S		D82085-800
SLB5M		D82085-801
SLG9S		D82085-801
SLB5M		D82085-802
SLG9S		D82085-802
SLB5M		D82085-803
SLG9S		D82085-803
SLB5M		D82085-804
SLG9S		D82085-804
SLB5M		D82085-805
SLG9S		D82085-805
SLB5M		D82085-806
SLG9S		D82085-806

SLB5M	D82085-807
SLG9S	D82085-807
SLB5M	E41927-802
SLG9S	E41927-802

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	559	D82085-700
SLACQ	559	D82085-701
SLACQ	559	D82085-702
SLACQ	559	D82085-800
SLACQ	559	D82085-801
SLACQ	559	D82085-802
SLACQ	559	D82085-803
SLACQ		D82085-804
SLACQ		D82085-805
SLACQ		D82085-806
SLACQ		D82085-807
SLACQ	559	E41927-802

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLACR	559	D82085-700
SLACR	559	D82085-701
SLACR	559	D82085-702
SLACR	559	D82085-800
SLACR	559	D82085-801
SLACR	559	D82085-802
SLACR	559	D82085-803
SLACR		D82085-804
SLACR		D82085-805
SLACR		D82085-806
SLACR		D82085-807
SLACR	559	E41927-802

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L		D82085-700
SLB9L		D82085-701
SLB9L		D82085-702
SLB9L		D82085-800
SLB9L		D82085-801
SLB9L		D82085-802
SLB9L		D82085-803
SLB9L		D82085-804
SLB9L		D82085-805
SLB9L		D82085-806
SLB9L		D82085-807
SLB9L		E41927-802

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	733	D82085-700
SLB9K		D82085-700
SLAPK	733	D82085-701
SLB9K		D82085-701
SLAPK	733	D82085-702
SLB9K		D82085-702
SLAPK	733	D82085-800
SLB9K		D82085-800
SLAPK	733	D82085-801
SLB9K		D82085-801
SLAPK	733	D82085-802
SLB9K		D82085-802
SLAPK	733	D82085-803
SLB9K		D82085-803
SLAPK		D82085-804
SLB9K		D82085-804
SLAPK		D82085-805

SLB9K		D82085-805
SLAPK		D82085-806
SLB9K		D82085-806
SLAPK		D82085-807
SLB9K		D82085-807
SLAPK	733	E41927-802
SLB9K		E41927-802

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz
[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPL	733	D82085-700
SLB9J		D82085-700
SLAPL	733	D82085-701
SLB9J		D82085-701
SLAPL	733	D82085-702
SLB9J		D82085-702
SLAPL	733	D82085-800
SLB9J		D82085-800
SLAPL	733	D82085-801
SLB9J		D82085-801
SLAPL	733	D82085-802
SLB9J		D82085-802
SLAPL	733	D82085-803
SLB9J		D82085-803
SLAPL		D82085-804
SLB9J		D82085-804
SLAPL		D82085-805
SLB9J		D82085-805
SLAPL		D82085-806
SLB9J		D82085-806
SLAPL		D82085-807
SLB9J		D82085-807
SLAPL	733	E41927-802
SLB9J		E41927-802

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz
[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	733	D82085-700
SLAPN	733	D82085-701
SLAPN	733	D82085-702
SLAPN	733	D82085-800
SLAPN	733	D82085-801
SLAPN	733	D82085-802
SLAPN		D82085-803
SLAPN		D82085-804
SLAPN		D82085-805
SLAPN		D82085-806
SLAPN		D82085-807
SLAPN	733	E41927-802

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	733	D82085-700
SLAPP	733	D82085-701
SLAPP	733	D82085-702
SLAPP	733	D82085-800
SLAPP	733	D82085-801
SLAPP	733	D82085-802
SLAPP	733	D82085-803
SLAPP		D82085-804
SLAPP		D82085-805
SLAPP		D82085-806
SLAPP		D82085-807
SLAPP	733	E41927-802

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD		D82085-700

SLGTD	D82085-701
SLGTD	D82085-702
SLGTD	D82085-800
SLGTD	D82085-801
SLGTD	D82085-802
SLGTD	D82085-803
SLGTD	D82085-804
SLGTD	D82085-805
SLGTD	D82085-806
SLGTD	D82085-807
SLGTD	E41927-802

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z		D82085-700
SLGTE		D82085-700
SLB9Z		D82085-701
SLGTE		D82085-701
SLB9Z		D82085-702
SLGTE		D82085-702
SLB9Z		D82085-800
SLGTE		D82085-800
SLB9Z		D82085-801
SLGTE		D82085-801
SLB9Z		D82085-802
SLGTE		D82085-802
SLB9Z		D82085-803
SLGTE		D82085-803
SLB9Z		D82085-804
SLGTE		D82085-804
SLB9Z		D82085-805
SLGTE		D82085-805
SLB9Z		D82085-806
SLGTE		D82085-806
SLB9Z		D82085-807
SLGTE		D82085-807
SLB9Z		E41927-802
SLGTE		E41927-802

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y		D82085-700
SLGW3		D82085-700
SLB9Y		D82085-701
SLGW3		D82085-701
SLB9Y		D82085-702
SLGW3		D82085-702
SLB9Y		D82085-800
SLGW3		D82085-800
SLB9Y		D82085-801
SLGW3		D82085-801
SLB9Y		D82085-802
SLGW3		D82085-802
SLB9Y		D82085-803
SLGW3		D82085-803
SLB9Y		D82085-804
SLGW3		D82085-804
SLB9Y		D82085-805
SLGW3		D82085-805
SLB9Y		D82085-806
SLGW3		D82085-806
SLB9Y		D82085-807
SLGW3		D82085-807
SLB9Y		E41927-802
SLGW3		E41927-802

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	831	D82085-700
SLAPB	831	D82085-701
SLAPB	831	D82085-702
SLAPB	831	D82085-800
SLAPB	831	D82085-801
SLAPB	831	D82085-802
SLAPB		D82085-803

SLAPB		D82085-804
SLAPB		D82085-805
SLAPB		D82085-806
SLAPB		D82085-807
SLAPB	831	E41927-802

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	831	D82085-700
SLAVN	831	D82085-700
SLAPC	831	D82085-701
SLAVN	831	D82085-701
SLAPC	831	D82085-702
SLAVN	831	D82085-702
SLAPC	831	D82085-800
SLAVN	831	D82085-800
SLAPC	831	D82085-801
SLAVN	831	D82085-801
SLAPC	831	D82085-802
SLAVN	831	D82085-802
SLAPC	831	D82085-803
SLAVN	831	D82085-803
SLAPC		D82085-804
SLAVN		D82085-804
SLAPC		D82085-805
SLAVN		D82085-805
SLAPC		D82085-806
SLAVN		D82085-806
SLAPC		D82085-807
SLAVN		D82085-807
SLAPC	831	E41927-802
SLAVN	831	E41927-802

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA9U	559	D82085-700
SLA9U	559	D82085-701
SLA9U	559	D82085-702
SLA9U	559	D82085-800
SLA9U	559	D82085-801
SLA9U	559	D82085-802
SLA9U	559	D82085-803
SLA9U		D82085-804
SLA9U		D82085-805
SLA9U		D82085-806
SLA9U		D82085-807
SLA9U	559	E41927-802

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGUE		D82085-700
SLGUE		D82085-701
SLGUE		D82085-702
SLGUE		D82085-800
SLGUE		D82085-801
SLGUE		D82085-802
SLGUE		D82085-803
SLGUE		D82085-804
SLGUE		D82085-805
SLGUE		D82085-806
SLGUE		D82085-807
SLGUE		E41927-802

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA9V	559	D82085-700
SLA9V	559	D82085-701

SLA9V	559	D82085-702
SLA9V	559	D82085-800
SLA9V	559	D82085-801
SLA9V	559	D82085-802
SLA9V	559	D82085-803
SLA9V		D82085-804
SLA9V		D82085-805
SLA9V		D82085-806
SLA9V		D82085-807
SLA9V	559	E41927-802

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF	Min. BIOS	AA Rev(s) D82085-700
SLGUF		D82085-701
SLGUF		D82085-702
SLGUF		D82085-800
SLGUF		D82085-801
SLGUF		D82085-802
SLGUF		D82085-803
SLGUF		D82085-804
SLGUF		D82085-805
SLGUF		D82085-806
SLGUF		D82085-807
SLGUF		E41927-802

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUG	Min. BIOS	AA Rev(s) D82085-700
SLGUG		D82085-701
SLGUG		D82085-702
SLGUG		D82085-800
SLGUG		D82085-801
SLGUG		D82085-802

SLGUG	D82085-803
SLGUG	D82085-804
SLGUG	D82085-805
SLGUG	D82085-806
SLGUG	D82085-807
SLGUG	E41927-802

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	559	D82085-700
SLA9X	559	D82085-701
SLA9X	559	D82085-702
SLA9X	559	D82085-800
SLA9X	559	D82085-801
SLA9X	559	D82085-802
SLA9X	559	D82085-803
SLA9X		D82085-804
SLA9X		D82085-805
SLA9X		D82085-806
SLA9X		D82085-807
SLA9X	559	E41927-802

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGYP		D82085-700
SLGYP		D82085-701
SLGYP		D82085-702
SLGYP		D82085-800
SLGYP		D82085-801
SLGYP		D82085-802
SLGYP		D82085-803
SLGYP		D82085-804
SLGYP		D82085-805
SLGYP		D82085-806

SLGYP
SLGYP

D82085-807
E41927-802

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUH SLGUH SLGUH SLGUH SLGUH SLGUH SLGUH SLGUH SLGUH SLGUH SLGUH SLGUH	Min. BIOS	AA Rev(s) D82085-700 D82085-701 D82085-702 D82085-800 D82085-801 D82085-802 D82085-803 D82085-804 D82085-805 D82085-806 D82085-807 E41927-802

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9	Min. BIOS	AA Rev(s) D82085-700 D82085-701 D82085-702 D82085-800 D82085-801 D82085-802 D82085-803 D82085-804 D82085-805 D82085-806 D82085-807 E41927-802

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG	Min. BIOS	AA Rev(s) D82085-700 D82085-701 D82085-702 D82085-800 D82085-801 D82085-802 D82085-803 D82085-804 D82085-805 D82085-806 D82085-807 E41927-802

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH	Min. BIOS	AA Rev(s) D82085-700 D82085-701 D82085-702 D82085-800 D82085-801 D82085-802 D82085-803 D82085-804 D82085-805 D82085-806 D82085-807 E41927-802

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ	Min. BIOS	AA Rev(s) D82085-700 D82085-701 D82085-702 D82085-800 D82085-801 D82085-802 D82085-803 D82085-804 D82085-805 D82085-806 D82085-807 E41927-802

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK	Min. BIOS	AA Rev(s) D82085-700 D82085-700 D82085-701 D82085-701 D82085-702 D82085-702 D82085-800 D82085-800 D82085-801 D82085-801 D82085-802 D82085-802 D82085-803 D82085-803 D82085-804 D82085-804 D82085-805 D82085-805 D82085-806 D82085-806 D82085-807 D82085-807

SLB9V
SLGTK

E41927-802
E41927-802

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9U		D82085-700
SLGTL		D82085-700
SLB9U		D82085-701
SLGTL		D82085-701
SLB9U		D82085-702
SLGTL		D82085-702
SLB9U		D82085-800
SLGTL		D82085-800
SLB9U		D82085-801
SLGTL		D82085-801
SLB9U		D82085-802
SLGTL		D82085-802
SLB9U		D82085-803
SLGTL		D82085-803
SLB9U		D82085-804
SLGTL		D82085-804
SLB9U		D82085-805
SLGTL		D82085-805
SLB9U		D82085-806
SLGTL		D82085-806
SLB9U		D82085-807
SLGTL		D82085-807
SLB9U		E41927-802
SLGTL		E41927-802

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAY7		D82085-700
SLB9T		D82085-700

SLAY7	D82085-701
SLB9T	D82085-701
SLAY7	D82085-702
SLB9T	D82085-702
SLAY7	D82085-800
SLB9T	D82085-800
SLAY7	D82085-801
SLB9T	D82085-801
SLAY7	D82085-802
SLB9T	D82085-802
SLAY7	D82085-803
SLB9T	D82085-803
SLAY7	D82085-804
SLB9T	D82085-804
SLAY7	D82085-805
SLB9T	D82085-805
SLAY7	D82085-806
SLB9T	D82085-806
SLAY7	D82085-807
SLB9T	D82085-807
SLAY7	E41927-802
SLB9T	E41927-802

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLALT	745	D82085-700
SLALT	745	D82085-701
SLALT	745	D82085-702
SLALT	745	D82085-800
SLALT	745	D82085-801
SLALT	745	D82085-802
SLALT	745	D82085-803
SLALT		D82085-804
SLALT		D82085-805
SLALT		D82085-806
SLALT		D82085-807
SLALT	745	E41927-802

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA94	559	D82085-700
SLA94	559	D82085-701
SLA94	559	D82085-702
SLA94	559	D82085-800
SLA94	559	D82085-801
SLA94	559	D82085-802
SLA94	559	D82085-803
SLA94		D82085-804
SLA94		D82085-805
SLA94		D82085-806
SLA94		D82085-807
SLA94	559	E41927-802

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA95	559	D82085-700
SLA95	559	D82085-701
SLA95	559	D82085-702
SLA95	559	D82085-800
SLA95	559	D82085-801
SLA95	559	D82085-802
SLA95	559	D82085-803
SLA95		D82085-804
SLA95		D82085-805
SLA95		D82085-806
SLA95		D82085-807
SLA95	559	E41927-802

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA98	559	D82085-700
SLA98	559	D82085-701
SLA98	559	D82085-702
SLA98	559	D82085-800
SLA98	559	D82085-801
SLA98	559	D82085-802
SLA98	559	D82085-803
SLA98		D82085-804
SLA98		D82085-805
SLA98		D82085-806
SLA98		D82085-807
SLA98	559	E41927-802

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGTY		D82085-700
SLGTY		D82085-701
SLGTY		D82085-702
SLGTY		D82085-800
SLGTY		D82085-801
SLGTY		D82085-802
SLGTY		D82085-803
SLGTY		D82085-804
SLGTY		D82085-805
SLGTY		D82085-806
SLGTY		D82085-807
SLGTY		E41927-802

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGTZ		D82085-700
SLGTZ		D82085-701

SLGTZ	D82085-702
SLGTZ	D82085-800
SLGTZ	D82085-801
SLGTZ	D82085-802
SLGTZ	D82085-803
SLGTZ	D82085-804
SLGTZ	D82085-805
SLGTZ	D82085-806
SLGTZ	D82085-807
SLGTZ	E41927-802

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4	Min. BIOS	AA Rev(s) D82085-700
SLGU4		D82085-701
SLGU4		D82085-702
SLGU4		D82085-800
SLGU4		D82085-801
SLGU4		D82085-802
SLGU4		D82085-803
SLGU4		D82085-804
SLGU4		D82085-805
SLGU4		D82085-806
SLGU4		D82085-807
SLGU4		E41927-802

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5	Min. BIOS	AA Rev(s) D82085-700
SLGU5		D82085-701
SLGU5		D82085-702
SLGU5		D82085-800
SLGU5		D82085-801
SLGU5		D82085-802

SLGU5	D82085-803
SLGU5	D82085-804
SLGU5	D82085-805
SLGU5	D82085-806
SLGU5	D82085-807
SLGU5	E41927-802

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9D		D82085-700
SLB9D		D82085-701
SLB9D		D82085-702
SLB9D		D82085-800
SLB9D		D82085-801
SLB9D		D82085-802
SLB9D		D82085-803
SLB9D		D82085-804
SLB9D		D82085-805
SLB9D		D82085-806
SLB9D		D82085-807
SLB9D		E41927-802

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPM	831	D82085-700
SLB9C		D82085-700
SLAPM	831	D82085-701
SLB9C		D82085-701
SLAPM	831	D82085-702
SLB9C		D82085-702
SLAPM	831	D82085-800
SLB9C		D82085-800
SLAPM	831	D82085-801
SLB9C		D82085-801

SLAPM	831	D82085-802
SLB9C		D82085-802
SLAPM	831	D82085-803
SLB9C		D82085-803
SLAPM		D82085-804
SLB9C		D82085-804
SLAPM		D82085-805
SLB9C		D82085-805
SLAPM		D82085-806
SLB9C		D82085-806
SLAPM		D82085-807
SLB9C		D82085-807
SLAPM	831	E41927-802
SLB9C		E41927-802

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8W		D82085-700
SLA8W		D82085-701
SLA8W		D82085-702
SLA8W		D82085-800
SLA8W		D82085-801
SLA8W		D82085-802
SLA8W		D82085-803
SLA8W		D82085-804
SLA8W		D82085-805
SLA8W		D82085-806
SLA8W		D82085-807
SLA8W		E41927-802

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9R		D82085-700
SLB9R		D82085-701

SLB9R	D82085-702
SLB9R	D82085-800
SLB9R	D82085-801
SLB9R	D82085-802
SLB9R	D82085-803
SLB9R	D82085-804
SLB9R	D82085-805
SLB9R	D82085-806
SLB9R	D82085-807
SLB9R	E41927-802

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA8X	559	D82085-700
SLA8X	559	D82085-701
SLA8X	559	D82085-702
SLA8X	559	D82085-800
SLA8X	559	D82085-801
SLA8X	559	D82085-802
SLA8X	559	D82085-803
SLA8X		D82085-804
SLA8X		D82085-805
SLA8X		D82085-806
SLA8X		D82085-807
SLA8X	559	E41927-802

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA8Y	559	D82085-700
SLA8Y	559	D82085-701
SLA8Y	559	D82085-702
SLA8Y	559	D82085-800
SLA8Y	559	D82085-801
SLA8Y	559	D82085-802

SLA8Y	559	D82085-803
SLA8Y		D82085-804
SLA8Y		D82085-805
SLA8Y		D82085-806
SLA8Y		D82085-807
SLA8Y	559	E41927-802

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Z	559	D82085-700
SLA8Z	559	D82085-701
SLA8Z	559	D82085-702
SLA8Z	559	D82085-800
SLA8Z	559	D82085-801
SLA8Z	559	D82085-802
SLA8Z	559	D82085-803
SLA8Z		D82085-804
SLA8Z		D82085-805
SLA8Z		D82085-806
SLA8Z		D82085-807
SLA8Z	559	E41927-802

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA93	559	D82085-700
SLA93	559	D82085-701
SLA93	559	D82085-702
SLA93	559	D82085-800
SLA93	559	D82085-801
SLA93	559	D82085-802
SLA93	559	D82085-803
SLA93		D82085-804
SLA93		D82085-805
SLA93		D82085-806

SLA93		D82085-807
SLA93	559	E41927-802

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQY		D82085-700
SLAQY		D82085-701
SLAQY		D82085-702
SLAQY		D82085-800
SLAQY		D82085-801
SLAQY		D82085-802
SLAQY		D82085-803
SLAQY		D82085-804
SLAQY		D82085-805
SLAQY		D82085-806
SLAQY		D82085-807
SLAQY		E41927-802

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQZ		D82085-700
SLAQZ		D82085-701
SLAQZ		D82085-702
SLAQZ		D82085-800
SLAQZ		D82085-801
SLAQZ		D82085-802
SLAQZ		D82085-803
SLAQZ		D82085-804
SLAQZ		D82085-805
SLAQZ		D82085-806
SLAQZ		D82085-807
SLAQZ		E41927-802

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAR2		D82085-700
SLAR2		D82085-701
SLAR2		D82085-702
SLAR2		D82085-800
SLAR2		D82085-801
SLAR2		D82085-802
SLAR2		D82085-803
SLAR2		D82085-804
SLAR2		D82085-805
SLAR2		D82085-806
SLAR2		D82085-807
SLAR2		E41927-802

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW	745	D82085-700
SLAQW	745	D82085-701
SLAQW	745	D82085-702
SLAQW	745	D82085-800
SLAQW	745	D82085-801
SLAQW	745	D82085-802
SLAQW	745	D82085-803
SLAQW		D82085-804
SLAQW		D82085-805
SLAQW		D82085-806
SLAQW		D82085-807
SLAQW	745	E41927-802

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAA2	745	D82085-700
SLAA2	745	D82085-701
SLAA2	745	D82085-702
SLAA2	745	D82085-800
SLAA2	745	D82085-801
SLAA2	745	D82085-802
SLAA2	745	D82085-803
SLAA2		D82085-804
SLAA2		D82085-805
SLAA2		D82085-806
SLAA2		D82085-807
SLAA2	745	E41927-802

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAA3	745	D82085-700
SLAA3	745	D82085-701
SLAA3	745	D82085-702
SLAA3	745	D82085-800
SLAA3	745	D82085-801
SLAA3	745	D82085-802
SLAA3	745	D82085-803
SLAA3		D82085-804
SLAA3		D82085-805
SLAA3		D82085-806
SLAA3		D82085-807
SLAA3	745	E41927-802

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLAA9	745	D82085-700
SLAA9	745	D82085-701
SLAA9	745	D82085-702
SLAA9	745	D82085-800
SLAA9	745	D82085-801
SLAA9	745	D82085-802
SLAA9	745	D82085-803
SLAA9		D82085-804
SLAA9		D82085-805
SLAA9		D82085-806
SLAA9		D82085-807
SLAA9	745	E41927-802