

Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DQ45CB

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAX2 SLAX2 SLAX2 SLAX2 SLAX2 SLAX2 SLAX2 SLAX2 SLAX2	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLACS		E30148-204
SLACS		E30148-205
SLACS		E30148-206
SLACS		E30148-207
SLACS		E30148-208
SLACS		E30148-301
SLACS		E30148-302
SLACS		E30148-303

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLACT		E30148-204
SLACT		E30148-205
SLACT		E30148-206
SLACT		E30148-207
SLACT		E30148-208
SLACT		E30148-301
SLACT		E30148-302
SLACT		E30148-303

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLACU		E30148-204
SLACU		E30148-205
SLACU		E30148-206
SLACU		E30148-207
SLACU		E30148-208
SLACU		E30148-301
SLACU		E30148-302
SLACU		E30148-303

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W SLB8W SLB8W SLB8W SLB8W SLB8W SLB8W SLB8W	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
Spec # SLGAE SLGAE SLGAE SLGAE SLGAE SLGAE SLGAE SLGAE	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWQ SLB8V SLAWQ SLB8V	Min. BIOS	AA Rev(s) E30148-204 E30148-204 E30148-205 E30148-205

SLAWQ	E30148-206
SLB8V	E30148-206
SLAWQ	E30148-207
SLB8V	E30148-207
SLAWQ	E30148-208
SLB8V	E30148-208
SLAWQ	E30148-301
SLB8V	E30148-301
SLAWQ	E30148-302
SLB8V	E30148-302
SLAWQ	E30148-303
SLB8V	E30148-303

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGYY		E30148-204
SLGYY		E30148-205
SLGYY		E30148-206
SLGYY		E30148-207
SLGYY		E30148-208
SLGYY		E30148-301
SLGYY		E30148-302
SLGYY		E30148-303

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR		E30148-204
SLAWR		E30148-205
SLAWR		E30148-206
SLAWR		E30148-207
SLAWR		E30148-208
SLAWR		E30148-301
SLAWR		E30148-302
SLAWR		E30148-303

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLG9U SLG9U SLG9U SLG9U SLG9U SLG9U SLG9U SLG9U	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLB6B SLB6B SLB6B SLB6B SLB6B SLB6B SLB6B SLB6B	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLAWE SLAWE SLAWE	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206

SLAWE	E30148-207
SLAWE	E30148-208
SLAWE	E30148-301
SLAWE	E30148-302
SLAWE	E30148-303

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLGT7 SLGT7 SLGT7 SLGT7 SLGT7 SLGT7 SLGT7 SLGT7	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLGT6 SLGT6 SLGT6 SLGT6 SLGT6 SLGT6 SLGT6 SLGT6	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5W		E30148-204
SLGUR		E30148-204
SLB5W		E30148-205
SLGUR		E30148-205
SLB5W		E30148-206
SLGUR		E30148-206
SLB5W		E30148-207
SLGUR		E30148-207
SLB5W		E30148-208
SLGUR		E30148-208
SLB5W		E30148-301
SLGUR		E30148-301
SLB5W		E30148-302
SLGUR		E30148-302
SLB5W		E30148-303
SLGUR		E30148-303

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T		E30148-204
SLG9T		E30148-205
SLG9T		E30148-206
SLG9T		E30148-207
SLG9T		E30148-208
SLG9T		E30148-301
SLG9T		E30148-302
SLG9T		E30148-303

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M		E30148-204

SLG9S	E30148-204
SLB5M	E30148-205
SLG9S	E30148-205
SLB5M	E30148-206
SLG9S	E30148-206
SLB5M	E30148-207
SLG9S	E30148-207
SLB5M	E30148-208
SLG9S	E30148-208
SLB5M	E30148-301
SLG9S	E30148-301
SLB5M	E30148-302
SLG9S	E30148-302
SLB5M	E30148-303
SLG9S	E30148-303

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ		E30148-204
SLACQ		E30148-205
SLACQ		E30148-206
SLACQ		E30148-207
SLACQ		E30148-208
SLACQ		E30148-301
SLACQ		E30148-302
SLACQ		E30148-303

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR		E30148-204
SLACR		E30148-205
SLACR		E30148-206
SLACR		E30148-207
SLACR		E30148-208

SLACR	E30148-301
SLACR	E30148-302
SLACR	E30148-303

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9L		E30148-204
SLB9L		E30148-205
SLB9L		E30148-206
SLB9L		E30148-207
SLB9L		E30148-208
SLB9L		E30148-301
SLB9L		E30148-302
SLB9L		E30148-303

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPK		E30148-204
SLB9K		E30148-204
SLAPK		E30148-205
SLB9K		E30148-205
SLAPK		E30148-206
SLB9K		E30148-206
SLAPK		E30148-207
SLB9K		E30148-207
SLAPK		E30148-208
SLB9K		E30148-208
SLAPK		E30148-301
SLB9K		E30148-301
SLAPK		E30148-302
SLB9K		E30148-302
SLAPK		E30148-303
SLB9K		E30148-303

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPL		E30148-204
SLB9J		E30148-204
SLAPL		E30148-205
SLB9J		E30148-205
SLAPL		E30148-206
SLB9J		E30148-206
SLAPL		E30148-207
SLB9J		E30148-207
SLAPL		E30148-208
SLB9J		E30148-208
SLAPL		E30148-301
SLB9J		E30148-301
SLAPL		E30148-302
SLB9J		E30148-302
SLAPL		E30148-303
SLB9J		E30148-303

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPN		E30148-204
SLAPN		E30148-205
SLAPN		E30148-206
SLAPN		E30148-207
SLAPN		E30148-208
SLAPN		E30148-301
SLAPN		E30148-302
SLAPN		E30148-303

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPP SLAPP SLAPP SLAPP SLAPP SLAPP SLAPP SLAPP	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLGTD SLGTD SLGTD SLGTD SLGTD SLGTD SLGTD SLGTD	Min. BIOS 83 83 83 83	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE SLB9Z	Min. BIOS	AA Rev(s) E30148-204 E30148-204 E30148-205 E30148-205 E30148-206 E30148-206 E30148-207

SLGTE	E30148-207
SLB9Z	E30148-208
SLGTE	E30148-208
SLB9Z	E30148-301
SLGTE	E30148-301
SLB9Z	E30148-302
SLGTE	E30148-302
SLB9Z	E30148-303
SLGTE	E30148-303

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y		E30148-204
SLGW3		E30148-204
SLB9Y		E30148-205
SLGW3		E30148-205
SLB9Y		E30148-206
SLGW3		E30148-206
SLB9Y		E30148-207
SLGW3		E30148-207
SLB9Y		E30148-208
SLGW3		E30148-208
SLB9Y		E30148-301
SLGW3		E30148-301
SLB9Y		E30148-302
SLGW3		E30148-302
SLB9Y		E30148-303
SLGW3		E30148-303

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPB		E30148-204
SLAPB		E30148-205
SLAPB		E30148-206

SLAPB	E30148-207
SLAPB	E30148-208
SLAPB	E30148-301
SLAPB	E30148-302
SLAPB	E30148-303

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPC		E30148-204
SLAVN		E30148-204
SLAPC		E30148-205
SLAVN		E30148-205
SLAPC		E30148-206
SLAVN		E30148-206
SLAPC		E30148-207
SLAVN		E30148-207
SLAPC		E30148-208
SLAVN		E30148-208
SLAPC		E30148-301
SLAVN		E30148-301
SLAPC		E30148-302
SLAVN		E30148-302
SLAPC		E30148-303
SLAVN		E30148-303

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz
[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA9U		E30148-204
SLA9U		E30148-205
SLA9U		E30148-206
SLA9U		E30148-207
SLA9U		E30148-208
SLA9U		E30148-301
SLA9U		E30148-302

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUE SLGUE SLGUE SLGUE SLGUE SLGUE SLGUE SLGUE	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9V SLA9V SLA9V SLA9V SLA9V SLA9V SLA9V SLA9V	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF	Min. BIOS	AA Rev(s) E30148-204

SLGUF	E30148-205
SLGUF	E30148-206
SLGUF	E30148-207
SLGUF	E30148-208
SLGUF	E30148-301
SLGUF	E30148-302
SLGUF	E30148-303

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG		E30148-204
SLGUG		E30148-205
SLGUG		E30148-206
SLGUG		E30148-207
SLGUG		E30148-208
SLGUG		E30148-301
SLGUG		E30148-302
SLGUG		E30148-303

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X		E30148-204
SLA9X		E30148-205
SLA9X		E30148-206
SLA9X		E30148-207
SLA9X		E30148-208
SLA9X		E30148-301
SLA9X		E30148-302
SLA9X		E30148-303

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLGYP
SLGYP
SLGYP
SLGYP
SLGYP
SLGYP
SLGYP
SLGYP

Min. BIOS

AA Rev(s)
E30148-204
E30148-205
E30148-206
E30148-207
E30148-208
E30148-301
E30148-302
E30148-303

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLGUH
SLGUH
SLGUH
SLGUH
SLGUH
SLGUH
SLGUH
SLGUH

Min. BIOS

AA Rev(s)
E30148-204
E30148-205
E30148-206
E30148-207
E30148-208
E30148-301
E30148-302
E30148-303

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLGU9
SLGU9
SLGU9
SLGU9
SLGU9
SLGU9
SLGU9

Min. BIOS

AA Rev(s)
E30148-204
E30148-205
E30148-206
E30148-207
E30148-208
E30148-301
E30148-302

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ SLGTJ SLGTJ	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206

SLGTJ	E30148-207
SLGTJ	E30148-208
SLGTJ	E30148-301
SLGTJ	E30148-302

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9V		E30148-204
SLGTK		E30148-204
SLB9V		E30148-205
SLGTK		E30148-205
SLB9V		E30148-206
SLGTK		E30148-206
SLB9V		E30148-207
SLGTK		E30148-207
SLB9V		E30148-208
SLGTK		E30148-208
SLB9V		E30148-301
SLGTK		E30148-301
SLB9V		E30148-302
SLGTK		E30148-302

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9U		E30148-204
SLGTL		E30148-204
SLB9U		E30148-205
SLGTL		E30148-205
SLB9U		E30148-206
SLGTL		E30148-206
SLB9U		E30148-207
SLGTL		E30148-207
SLB9U		E30148-208
SLGTL		E30148-208

SLB9U	E30148-301
SLGTL	E30148-301
SLB9U	E30148-302
SLGTL	E30148-302

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAY7		E30148-204
SLB9T		E30148-204
SLAY7		E30148-205
SLB9T		E30148-205
SLAY7		E30148-206
SLB9T		E30148-206
SLAY7		E30148-207
SLB9T		E30148-207
SLAY7		E30148-208
SLB9T		E30148-208
SLAY7		E30148-301
SLB9T		E30148-301
SLAY7		E30148-302
SLB9T		E30148-302

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLALT		E30148-204
SLALT		E30148-205
SLALT		E30148-206
SLALT		E30148-207
SLALT		E30148-208
SLALT		E30148-301
SLALT		E30148-302
SLALT		E30148-303

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA94 SLA94 SLA94 SLA94 SLA94 SLA94 SLA94 SLA94	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA95 SLA95 SLA95 SLA95 SLA95 SLA95 SLA95 SLA95	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA98 SLA98 SLA98 SLA98	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207

SLA98	E30148-208
SLA98	E30148-301
SLA98	E30148-302
SLA98	E30148-303

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTY SLGTY SLGTY SLGTY SLGTY SLGTY SLGTY	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLGU4	E30148-204
SLGU4	E30148-205
SLGU4	E30148-206
SLGU4	E30148-207
SLGU4	E30148-208
SLGU4	E30148-301
SLGU4	E30148-302

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9D SLB9D SLB9D SLB9D SLB9D SLB9D SLB9D SLB9D	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPM		E30148-204
SLB9C		E30148-204
SLAPM		E30148-205
SLB9C		E30148-205
SLAPM		E30148-206
SLB9C		E30148-206
SLAPM		E30148-207
SLB9C		E30148-207
SLAPM		E30148-208
SLB9C		E30148-208
SLAPM		E30148-301
SLB9C		E30148-301
SLAPM		E30148-302
SLB9C		E30148-302
SLAPM		E30148-303
SLB9C		E30148-303

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA8W		E30148-204
SLA8W		E30148-205
SLA8W		E30148-206
SLA8W		E30148-207
SLA8W		E30148-208
SLA8W		E30148-301
SLA8W		E30148-302
SLA8W		E30148-303

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLB9R	E30148-204
SLB9R	E30148-205
SLB9R	E30148-206
SLB9R	E30148-207
SLB9R	E30148-208
SLB9R	E30148-301
SLB9R	E30148-302

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz
[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8X		E30148-204
SLA8X		E30148-205
SLA8X		E30148-206
SLA8X		E30148-207
SLA8X		E30148-208
SLA8X		E30148-301
SLA8X		E30148-302
SLA8X		E30148-303

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz
[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Y		E30148-204
SLA8Y		E30148-205
SLA8Y		E30148-206
SLA8Y		E30148-207
SLA8Y		E30148-208
SLA8Y		E30148-301
SLA8Y		E30148-302
SLA8Y		E30148-303

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz
[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93 SLA93 SLA93 SLA93 SLA93 SLA93 SLA93 SLA93	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQY SLAQY SLAQY SLAQY SLAQY SLAQY SLAQY	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302

SLAQY

E30148-303

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAR2 SLAR2 SLAR2 SLAR2 SLAR2 SLAR2 SLAR2 SLAR2 SLAR2	Min. BIOS	AA Rev(s) E30148-204 E30148-205 E30148-206 E30148-207 E30148-208 E30148-301 E30148-302 E30148-303

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQW	Min. BIOS	AA Rev(s) E30148-204

SLAQW	E30148-205
SLAQW	E30148-206
SLAQW	E30148-207
SLAQW	E30148-208
SLAQW	E30148-301
SLAQW	E30148-302
SLAQW	E30148-303

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAA2		E30148-204
SLAA2		E30148-205
SLAA2		E30148-206
SLAA2		E30148-207
SLAA2		E30148-208
SLAA2		E30148-301
SLAA2		E30148-302
SLAA2		E30148-303

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAA3		E30148-204
SLAA3		E30148-205
SLAA3		E30148-206
SLAA3		E30148-207
SLAA3		E30148-208
SLAA3		E30148-301
SLAA3		E30148-302
SLAA3		E30148-303

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache
4 MB

Graphics
No

Max TDP
65

Spec #
SLAA9
SLAA9
SLAA9
SLAA9
SLAA9
SLAA9
SLAA9
SLAA9

Min. BIOS

AA Rev(s)
E30148-204
E30148-205
E30148-206
E30148-207
E30148-208
E30148-301
E30148-302
E30148-303