

Intel® Desktop Compatibility Tool

Found 72 Compatible Processor(s) for Board DX48BT2

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWZ	1782	E26191-100
SLAWZ	1782	E26191-102
SLAWZ	1782	E26191-201
SLAWZ	1782	E26191-203
SLAWZ	1782	E26191-204
SLAWZ	1782	E26191-205
SLAWZ	1782	E26191-206
SLAWZ	1782	E26191-207

Add-in graphics card required

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAX2	1782	E26191-100
SLAX2	1782	E26191-102
SLAX2	1782	E26191-201
SLAX2	1782	E26191-203
SLAX2	1782	E26191-204
SLAX2	1782	E26191-205
SLAX2	1782	E26191-206
SLAX2	1782	E26191-207

Add-in graphics card required

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACS	1397	E26191-100
SLACS	1397	E26191-102
SLACS	1397	E26191-201
SLACS	1397	E26191-203
SLACS	1397	E26191-204
SLACS	1397	E26191-205
SLACS	1397	E26191-206
SLACS	1397	E26191-207

Add-in graphics card required

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACT	1397	E26191-100
SLACT	1397	E26191-102
SLACT	1397	E26191-201
SLACT	1397	E26191-203
SLACT	1397	E26191-204
SLACT	1397	E26191-205
SLACT	1397	E26191-206
SLACT	1397	E26191-207

Add-in graphics card required

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACU	1397	E26191-100
SLACU	1397	E26191-102
SLACU	1397	E26191-201
SLACU	1397	E26191-203
SLACU	1397	E26191-204
SLACU	1397	E26191-205
SLACU	1397	E26191-206

SLACU
Add-in graphics card required

1397

E26191-207

Legacy Intel® Core™2 QX9770 | Frequency: 3.20 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 136
Spec #	Min. BIOS	AA Rev(s)
SLAWM	1782	E26191-100
SLAWM	1782	E26191-102
SLAWM	1782	E26191-201
SLAWM	1782	E26191-203
SLAWM	1782	E26191-204
SLAWM	1782	E26191-205
SLAWM	1782	E26191-206
SLAWM	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Extreme Desktop QX9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 130
Spec #	Min. BIOS	AA Rev(s)
SLAN3	1478	E26191-100
SLAN3	1478	E26191-102
SLAN3	1478	E26191-201
SLAN3	1478	E26191-203
SLAN3	1478	E26191-204
SLAN3	1478	E26191-205
SLAN3	1478	E26191-206
SLAN3	1478	E26191-207

Add-in graphics card required

Intel® Core™2 Extreme Desktop QX6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLAFN	1397	E26191-100
SLAFN	1397	E26191-102
SLAFN	1397	E26191-201
SLAFN	1397	E26191-203
SLAFN	1397	E26191-204
SLAFN	1397	E26191-205
SLAFN	1397	E26191-206
SLAFN	1397	E26191-207

Add-in graphics card required

Intel® Core™2 Extreme Desktop QX6800 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLACP	1397	E26191-100
SLACP	1397	E26191-102
SLACP	1397	E26191-201
SLACP	1397	E26191-203
SLACP	1397	E26191-204
SLACP	1397	E26191-205
SLACP	1397	E26191-206
SLACP	1397	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB8W	1782	E26191-100
SLB8W	1782	E26191-102
SLB8W	1782	E26191-201
SLB8W	1782	E26191-203
SLB8W	1782	E26191-204

SLB8W	1782	E26191-205
SLB8W	1782	E26191-206
SLB8W	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGAE	1782	E26191-100
SLGAE	1782	E26191-102
SLGAE	1782	E26191-201
SLGAE	1782	E26191-203
SLGAE	1782	E26191-204
SLGAE	1782	E26191-205
SLGAE	1782	E26191-206
SLGAE	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWQ	1478	E26191-100
SLB8V	1782	E26191-100
SLAWQ	1478	E26191-102
SLB8V	1782	E26191-102
SLAWQ	1478	E26191-201
SLB8V	1782	E26191-201
SLAWQ	1478	E26191-203
SLB8V	1782	E26191-203
SLAWQ	1478	E26191-204
SLB8V	1782	E26191-204
SLAWQ	1478	E26191-205
SLB8V	1782	E26191-205
SLAWQ	1478	E26191-206
SLB8V	1782	E26191-206
SLAWQ	1478	E26191-207

SLB8V
Add-in graphics card required

1782

E26191-207

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLGYY	1782	E26191-100
SLGYY	1782	E26191-102
SLGYY	1782	E26191-201
SLGYY	1782	E26191-203
SLGYY	1782	E26191-204
SLGYY	1782	E26191-205
SLGYY	1782	E26191-206
SLGYY	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWR	1782	E26191-100
SLAWR	1782	E26191-102
SLAWR	1782	E26191-201
SLAWR	1782	E26191-203
SLAWR	1782	E26191-204
SLAWR	1782	E26191-205
SLAWR	1782	E26191-206
SLAWR	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLG9U	1782	E26191-100
SLG9U	1782	E26191-102
SLG9U	1782	E26191-201
SLG9U	1782	E26191-203
SLG9U	1782	E26191-204
SLG9U	1782	E26191-205
SLG9U	1782	E26191-206
SLG9U	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLB6B	1782	E26191-100
SLB6B	1782	E26191-102
SLB6B	1782	E26191-201
SLB6B	1782	E26191-203
SLB6B	1782	E26191-204
SLB6B	1782	E26191-205
SLB6B	1782	E26191-206
SLB6B	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLAWE	1478	E26191-100
SLAWE	1478	E26191-102
SLAWE	1478	E26191-201
SLAWE	1478	E26191-203
SLAWE	1478	E26191-204
SLAWE	1478	E26191-205
SLAWE	1478	E26191-206
SLAWE	1478	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGT7	1782	E26191-100
SLGT7	1782	E26191-102
SLGT7	1782	E26191-201
SLGT7	1782	E26191-203
SLGT7	1782	E26191-204
SLGT7	1782	E26191-205
SLGT7	1782	E26191-206
SLGT7	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLGT6	1782	E26191-100
SLGT6	1782	E26191-102
SLGT6	1782	E26191-201
SLGT6	1782	E26191-203
SLGT6	1782	E26191-204
SLGT6	1782	E26191-205
SLGT6	1782	E26191-206
SLGT6	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)

SLB5W	1782	E26191-100
SLGUR	1782	E26191-100
SLB5W	1782	E26191-102
SLGUR	1782	E26191-102
SLB5W	1782	E26191-201
SLGUR	1782	E26191-201
SLB5W	1782	E26191-203
SLGUR	1782	E26191-203
SLB5W	1782	E26191-204
SLGUR	1782	E26191-204
SLB5W	1782	E26191-205
SLGUR	1782	E26191-205
SLB5W	1782	E26191-206
SLGUR	1782	E26191-206
SLB5W	1782	E26191-207
SLGUR	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	1782	E26191-100
SLG9T	1782	E26191-102
SLG9T	1782	E26191-201
SLG9T	1782	E26191-203
SLG9T	1782	E26191-204
SLG9T	1782	E26191-205
SLG9T	1782	E26191-206
SLG9T	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	1782	E26191-100
SLG9S	1782	E26191-100

SLB5M	1782	E26191-102
SLG9S	1782	E26191-102
SLB5M	1782	E26191-201
SLG9S	1782	E26191-201
SLB5M	1782	E26191-203
SLG9S	1782	E26191-203
SLB5M	1782	E26191-204
SLG9S	1782	E26191-204
SLB5M	1782	E26191-205
SLG9S	1782	E26191-205
SLB5M	1782	E26191-206
SLG9S	1782	E26191-206
SLB5M	1782	E26191-207
SLG9S	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	1397	E26191-100
SLACQ	1397	E26191-102
SLACQ	1397	E26191-201
SLACQ	1397	E26191-203
SLACQ	1397	E26191-204
SLACQ	1397	E26191-205
SLACQ	1397	E26191-206
SLACQ	1397	E26191-207

Add-in graphics card required

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR	1397	E26191-100
SLACR	1397	E26191-102
SLACR	1397	E26191-201
SLACR	1397	E26191-203

SLACR	1397	E26191-204
SLACR	1397	E26191-205
SLACR	1397	E26191-206
SLACR	1397	E26191-207

Add-in graphics card required

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	1782	E26191-100
SLB9L	1782	E26191-102
SLB9L	1782	E26191-201
SLB9L	1782	E26191-203
SLB9L	1782	E26191-204
SLB9L	1782	E26191-205
SLB9L	1782	E26191-206
SLB9L	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	1478	E26191-100
SLB9K	1782	E26191-100
SLAPK	1478	E26191-102
SLB9K	1782	E26191-102
SLAPK	1478	E26191-201
SLB9K	1782	E26191-201
SLAPK	1478	E26191-203
SLB9K	1782	E26191-203
SLAPK	1478	E26191-204
SLB9K	1782	E26191-204
SLAPK	1478	E26191-205
SLB9K	1782	E26191-205
SLAPK	1478	E26191-206
SLB9K	1782	E26191-206

SLAPK	1478	E26191-207
SLB9K	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPL	1478	E26191-100
SLB9J	1478	E26191-100
SLAPL	1478	E26191-102
SLB9J	1478	E26191-102
SLAPL	1478	E26191-201
SLB9J	1478	E26191-201
SLAPL	1478	E26191-203
SLB9J	1478	E26191-203
SLAPL	1478	E26191-204
SLB9J	1478	E26191-204
SLAPL	1478	E26191-205
SLB9J	1478	E26191-205
SLAPL	1478	E26191-206
SLB9J	1478	E26191-206
SLAPL	1478	E26191-207
SLB9J	1478	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	1397	E26191-100
SLAPN		E26191-102
SLAPN	1478	E26191-201
SLAPN	1478	E26191-203
SLAPN	1478	E26191-204
SLAPN		E26191-205
SLAPN		E26191-206
SLAPN		E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	1478	E26191-100
SLAPP	1478	E26191-102
SLAPP	1478	E26191-201
SLAPP	1478	E26191-203
SLAPP	1478	E26191-204
SLAPP	1478	E26191-205
SLAPP	1478	E26191-206
SLAPP	1478	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD	1782	E26191-100
SLGTD	1782	E26191-102
SLGTD	1782	E26191-201
SLGTD	1782	E26191-203
SLGTD	1782	E26191-204
SLGTD	1782	E26191-205
SLGTD	1782	E26191-206
SLGTD	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)

SLB9Z	1782	E26191-100
SLGTE	1782	E26191-100
SLB9Z	1782	E26191-102
SLGTE	1782	E26191-102
SLB9Z	1782	E26191-201
SLGTE	1782	E26191-201
SLB9Z	1782	E26191-203
SLGTE	1782	E26191-203
SLB9Z	1782	E26191-204
SLGTE	1782	E26191-204
SLB9Z	1782	E26191-205
SLGTE	1782	E26191-205
SLB9Z	1782	E26191-206
SLGTE	1782	E26191-206
SLB9Z	1782	E26191-207
SLGTE	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y	1782	E26191-100
SLGW3	1782	E26191-100
SLB9Y	1782	E26191-102
SLGW3	1782	E26191-102
SLB9Y	1782	E26191-201
SLGW3	1782	E26191-201
SLB9Y	1782	E26191-203
SLGW3	1782	E26191-203
SLB9Y	1782	E26191-204
SLGW3	1782	E26191-204
SLB9Y	1782	E26191-205
SLGW3	1782	E26191-205
SLB9Y	1782	E26191-206
SLGW3	1782	E26191-206
SLB9Y	1782	E26191-207
SLGW3	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

More Information

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	1782	E26191-100
SLAPB	1782	E26191-102
SLAPB	1782	E26191-201
SLAPB	1782	E26191-203
SLAPB	1782	E26191-204
SLAPB	1782	E26191-205
SLAPB	1782	E26191-206
SLAPB	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

More Information

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	1478	E26191-100
SLAVN	1478	E26191-100
SLAPC	1478	E26191-102
SLAVN	1478	E26191-102
SLAPC	1478	E26191-201
SLAVN	1478	E26191-201
SLAPC	1478	E26191-203
SLAVN	1478	E26191-203
SLAPC	1478	E26191-204
SLAVN	1478	E26191-204
SLAPC	1478	E26191-205
SLAVN	1478	E26191-205
SLAPC	1478	E26191-206
SLAVN	1478	E26191-206
SLAPC	1478	E26191-207
SLAVN	1478	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

More Information

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA9U	1478	E26191-100
SLA9U	1478	E26191-102
SLA9U	1478	E26191-201
SLA9U	1478	E26191-203
SLA9U	1478	E26191-204
SLA9U	1478	E26191-205
SLA9U	1478	E26191-206
SLA9U	1478	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGUE	1782	E26191-100
SLGUE	1782	E26191-102
SLGUE	1782	E26191-201
SLGUE	1782	E26191-203
SLGUE	1782	E26191-204
SLGUE	1782	E26191-205
SLGUE	1782	E26191-206
SLGUE	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA9V	1397	E26191-100
SLA9V	1397	E26191-102
SLA9V	1397	E26191-201
SLA9V	1397	E26191-203
SLA9V	1397	E26191-204
SLA9V	1397	E26191-205

SLA9V	1397	E26191-206
SLA9V	1397	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF	1782	E26191-100
SLGUF	1782	E26191-102
SLGUF	1782	E26191-201
SLGUF	1782	E26191-203
SLGUF	1782	E26191-204
SLGUF	1782	E26191-205
SLGUF	1782	E26191-206
SLGUF	1782	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG	1782	E26191-100
SLGUG	1782	E26191-102
SLGUG	1782	E26191-201
SLGUG	1782	E26191-203
SLGUG	1782	E26191-204
SLGUG	1782	E26191-205
SLGUG	1782	E26191-206
SLGUG	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	1397	E26191-100
SLA9X	1397	E26191-102
SLA9X	1397	E26191-201
SLA9X	1397	E26191-203
SLA9X	1397	E26191-204
SLA9X	1397	E26191-205
SLA9X	1397	E26191-206
SLA9X	1397	E26191-207

Add-in graphics card required

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGYP	1782	E26191-100
SLGYP	1782	E26191-102
SLGYP	1782	E26191-201
SLGYP	1782	E26191-203
SLGYP	1782	E26191-204
SLGYP	1782	E26191-205
SLGYP	1782	E26191-206
SLGYP	1782	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH	1782	E26191-100
SLGUH	1782	E26191-102
SLGUH	1782	E26191-201
SLGUH	1782	E26191-203
SLGUH	1782	E26191-204
SLGUH	1782	E26191-205
SLGUH	1782	E26191-206

SLGUH
Add-in graphics card required

1782

E26191-207

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGU9	1782	E26191-100
SLGU9	1782	E26191-102
SLGU9	1782	E26191-201
SLGU9	1782	E26191-203
SLGU9	1782	E26191-204
SLGU9	1782	E26191-205
SLGU9	1782	E26191-206
SLGU9	1782	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGTG	1782	E26191-100
SLGTG	1782	E26191-102
SLGTG	1782	E26191-201
SLGTG	1782	E26191-203
SLGTG	1782	E26191-204
SLGTG	1782	E26191-205
SLGTG	1782	E26191-206
SLGTG	1782	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLGTH	1782	E26191-100
SLGTH	1782	E26191-102
SLGTH	1782	E26191-201
SLGTH	1782	E26191-203
SLGTH	1782	E26191-204
SLGTH	1782	E26191-205
SLGTH	1782	E26191-206
SLGTH	1782	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGTJ	1782	E26191-100
SLGTJ	1782	E26191-102
SLGTJ	1782	E26191-201
SLGTJ	1782	E26191-203
SLGTJ	1782	E26191-204
SLGTJ	1782	E26191-205
SLGTJ	1782	E26191-206
SLGTJ	1782	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLB9V	1782	E26191-100
SLGTK	1782	E26191-100
SLB9V	1782	E26191-102
SLGTK	1782	E26191-102
SLB9V	1782	E26191-201
SLGTK	1782	E26191-201
SLB9V	1782	E26191-203
SLGTK	1782	E26191-203

SLB9V	1782	E26191-204
SLGTK	1782	E26191-204
SLB9V	1782	E26191-205
SLGTK	1782	E26191-205
SLB9V	1782	E26191-206
SLGTK	1782	E26191-206
SLB9V	1782	E26191-207
SLGTK	1782	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9U	1782	E26191-100
SLGTL	1782	E26191-100
SLB9U	1782	E26191-102
SLGTL	1782	E26191-102
SLB9U	1782	E26191-201
SLGTL	1782	E26191-201
SLB9U	1782	E26191-203
SLGTL	1782	E26191-203
SLB9U	1782	E26191-204
SLGTL	1782	E26191-204
SLB9U	1782	E26191-205
SLGTL	1782	E26191-205
SLB9U	1782	E26191-206
SLGTL	1782	E26191-206
SLB9U	1782	E26191-207
SLGTL	1782	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAY7	1478	E26191-100
SLB9T	1782	E26191-100

SLAY7	1478	E26191-102
SLB9T	1782	E26191-102
SLAY7	1478	E26191-201
SLB9T	1782	E26191-201
SLAY7	1478	E26191-203
SLB9T	1782	E26191-203
SLAY7	1478	E26191-204
SLB9T	1782	E26191-204
SLAY7	1478	E26191-205
SLB9T	1782	E26191-205
SLAY7	1478	E26191-206
SLB9T	1782	E26191-206
SLAY7	1478	E26191-207
SLB9T	1782	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLALT	1397	E26191-100
SLALT	1397	E26191-102
SLALT	1397	E26191-201
SLALT	1397	E26191-203
SLALT	1397	E26191-204
SLALT	1397	E26191-205
SLALT	1397	E26191-206
SLALT	1397	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA94	1478	E26191-100
SLA94	1478	E26191-102
SLA94	1478	E26191-201
SLA94	1478	E26191-203

SLA94	1478	E26191-204
SLA94	1478	E26191-205
SLA94	1478	E26191-206
SLA94	1478	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA95	1478	E26191-100
SLA95	1478	E26191-102
SLA95	1478	E26191-201
SLA95	1478	E26191-203
SLA95	1478	E26191-204
SLA95	1478	E26191-205
SLA95	1478	E26191-206
SLA95	1478	E26191-207

Add-in graphics card required

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA98	1478	E26191-100
SLA98	1478	E26191-102
SLA98	1478	E26191-201
SLA98	1478	E26191-203
SLA98	1478	E26191-204
SLA98	1478	E26191-205
SLA98	1478	E26191-206
SLA98	1478	E26191-207

Add-in graphics card required

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTY		E26191-100
SLGTY		E26191-102
SLGTY		E26191-201
SLGTY		E26191-203
SLGTY		E26191-204
SLGTY		E26191-205
SLGTY		E26191-206
SLGTY		E26191-207

Add-in graphics card required

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTZ	1782	E26191-100
SLGTZ	1782	E26191-102
SLGTZ	1782	E26191-201
SLGTZ	1782	E26191-203
SLGTZ	1782	E26191-204
SLGTZ	1782	E26191-205
SLGTZ	1782	E26191-206
SLGTZ	1782	E26191-207

Add-in graphics card required

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU4	1782	E26191-100
SLGU4	1782	E26191-102
SLGU4	1782	E26191-201
SLGU4	1782	E26191-203
SLGU4	1782	E26191-204

SLGU4	1782	E26191-205
SLGU4	1782	E26191-206
SLGU4	1782	E26191-207

Add-in graphics card required

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGU5	1782	E26191-100
SLGU5	1782	E26191-102
SLGU5	1782	E26191-201
SLGU5	1782	E26191-203
SLGU5	1782	E26191-204
SLGU5	1782	E26191-205
SLGU5	1782	E26191-206
SLGU5	1782	E26191-207

Add-in graphics card required

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9D	1782	E26191-100
SLB9D	1782	E26191-102
SLB9D	1782	E26191-201
SLB9D	1782	E26191-203
SLB9D	1782	E26191-204
SLB9D	1782	E26191-205
SLB9D	1782	E26191-206
SLB9D	1782	E26191-207

Add-in graphics card required

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPM	1478	E26191-100
SLB9C	1782	E26191-100
SLAPM	1478	E26191-102
SLB9C	1782	E26191-102
SLAPM	1478	E26191-201
SLB9C	1782	E26191-201
SLAPM	1478	E26191-203
SLB9C	1782	E26191-203
SLAPM	1478	E26191-204
SLB9C	1782	E26191-204
SLAPM	1478	E26191-205
SLB9C	1782	E26191-205
SLAPM	1478	E26191-206
SLB9C	1782	E26191-206
SLAPM	1478	E26191-207
SLB9C	1782	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8W	1478	E26191-100
SLA8W	1478	E26191-102
SLA8W	1478	E26191-201
SLA8W	1478	E26191-203
SLA8W	1478	E26191-204
SLA8W	1478	E26191-205
SLA8W	1478	E26191-206
SLA8W	1478	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLB9R		E26191-100
SLB9R		E26191-102
SLB9R		E26191-201
SLB9R		E26191-203
SLB9R		E26191-204
SLB9R		E26191-205
SLB9R		E26191-206
SLB9R		E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA8X	1478	E26191-100
SLA8X	1478	E26191-102
SLA8X	1478	E26191-201
SLA8X	1478	E26191-203
SLA8X	1478	E26191-204
SLA8X	1478	E26191-205
SLA8X	1478	E26191-206
SLA8X	1478	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA8Y	1478	E26191-100
SLA8Y	1478	E26191-102
SLA8Y	1478	E26191-201
SLA8Y	1478	E26191-203
SLA8Y	1478	E26191-204
SLA8Y	1478	E26191-205
SLA8Y	1478	E26191-206
SLA8Y	1478	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA8Z	1478	E26191-100
SLA8Z	1478	E26191-102
SLA8Z	1478	E26191-201
SLA8Z	1478	E26191-203
SLA8Z	1478	E26191-204
SLA8Z	1478	E26191-205
SLA8Z	1478	E26191-206
SLA8Z	1478	E26191-207

Add-in graphics card required

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA93	1478	E26191-100
SLA93	1478	E26191-102
SLA93	1478	E26191-201
SLA93	1478	E26191-203
SLA93	1478	E26191-204
SLA93	1478	E26191-205
SLA93	1478	E26191-206
SLA93	1478	E26191-207

Add-in graphics card required

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLAQY	1478	E26191-100
SLAQY	1478	E26191-102
SLAQY	1478	E26191-201
SLAQY	1478	E26191-203
SLAQY	1478	E26191-204
SLAQY	1478	E26191-205
SLAQY	1478	E26191-206
SLAQY	1478	E26191-207

Add-in graphics card required

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQZ	1478	E26191-100
SLAQZ	1478	E26191-102
SLAQZ	1478	E26191-201
SLAQZ	1478	E26191-203
SLAQZ	1478	E26191-204
SLAQZ	1478	E26191-205
SLAQZ	1478	E26191-206
SLAQZ	1478	E26191-207

Add-in graphics card required

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAR2	1478	E26191-100
SLAR2	1478	E26191-102
SLAR2	1478	E26191-201
SLAR2	1478	E26191-203
SLAR2	1478	E26191-204
SLAR2	1478	E26191-205
SLAR2	1478	E26191-206
SLAR2	1478	E26191-207

Add-in graphics card required

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW	1478	E26191-100
SLAQW	1478	E26191-102
SLAQW	1478	E26191-201
SLAQW	1478	E26191-203
SLAQW	1478	E26191-204
SLAQW	1478	E26191-205
SLAQW	1478	E26191-206
SLAQW	1478	E26191-207

Add-in graphics card required

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA2	1397	E26191-100
SLAA2	1397	E26191-102
SLAA2	1397	E26191-201
SLAA2	1397	E26191-203
SLAA2	1397	E26191-204
SLAA2	1397	E26191-205
SLAA2	1397	E26191-206
SLAA2	1397	E26191-207

Add-in graphics card required

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA3	1397	E26191-100

SLAA3	1397	E26191-102
SLAA3	1397	E26191-201
SLAA3	1397	E26191-203
SLAA3	1397	E26191-204
SLAA3	1397	E26191-205
SLAA3	1397	E26191-206
SLAA3	1397	E26191-207

Add-in graphics card required

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA9	1397	E26191-100
SLAA9	1397	E26191-102
SLAA9	1397	E26191-201
SLAA9	1397	E26191-203
SLAA9	1397	E26191-204
SLAA9	1397	E26191-205
SLAA9	1397	E26191-206
SLAA9	1397	E26191-207

Add-in graphics card required