

# Intel® Desktop Compatibility Tool

Found 11 Compatible Processor(s) for Board DX79SI

## Intel® High End Desktop i7-3970X | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
15 MB	No	150
Spec #	Min. BIOS	AA Rev(s)
SR0WR	430	G28808-500
SR0WR	430	G28808-600
SR0WR	430	G28808-601
SR0WR	430	G28808-602

Add-in graphics card required

## Intel® High End Desktop i7-3960X | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
15 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SR0GW	280	G28808-500
SR0KF	430	G28808-500
SR0GW	280	G28808-600
SR0KF	430	G28808-600
SR0GW	280	G28808-601
SR0KF	430	G28808-601
SR0GW	280	G28808-602
SR0KF	430	G28808-602

Add-in graphics card required

## Intel® High End Desktop i7-3930K | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SR0H9	430	G28808-500

SR0KY	280	G28808-500
SR0H9	430	G28808-600
SR0KY	280	G28808-600
SR0H9	430	G28808-601
SR0KY	280	G28808-601
SR0H9	430	G28808-602
SR0KY	280	G28808-602

Add-in graphics card required

## Intel® High End Desktop i7-3820 | Frequency: 3.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
10 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SR0LD	460	G28808-500
SR0LD	460	G28808-600
SR0LD	460	G28808-601
SR0LD	460	G28808-602

Add-in graphics card required

## Intel® Xeon® E5-2680 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
20 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SR0KH	430	G28808-600
SR0KH	430	G28808-601
SR0KH	430	G28808-602

Add-in graphics card required

## Intel® Xeon® E5-2670 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
20 MB	No	115
Spec #	Min. BIOS	AA Rev(s)
SR0KX	430	G28808-600

SR0KX	430	G28808-601
SR0KX	430	G28808-602

Add-in graphics card required

## Intel® Xeon® E5-2660 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
20 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0KK	430	G28808-600
SR0KK	430	G28808-601
SR0KK	430	G28808-602

Add-in graphics card required

## Intel® Xeon® E5-2650 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
20 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0KQ	430	G28808-600
SR0KQ	430	G28808-601
SR0KQ	430	G28808-602

Add-in graphics card required

## Intel® Xeon® E5-2620 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
15 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0KW	430	G28808-600
SR0KW	430	G28808-601
SR0KW	430	G28808-602

Add-in graphics card required

## Intel® Xeon® E5-2609 | Frequency: 2.40 GHz

[More Information](#)

Cache  
10 MB

Graphics  
No

Max TDP  
80

Spec #  
SR0LA

Min. BIOS  
430

AA Rev(s)  
G28808-602

Add-in graphics card required

## Intel® Xeon® E5-1620 | Frequency: 3.60 GHz

[More Information](#)

Cache  
10 MB

Graphics  
No

Max TDP  
130

Spec #  
SR0LC  
SR0LC  
SR0LC

Min. BIOS  
430  
430  
430

AA Rev(s)  
G28808-600  
G28808-601  
G28808-602

Add-in graphics card required