

Intel® Desktop Compatibility Tool

Found 10 Compatible Processor(s) for Board DX79TO

Intel® High End Desktop i7-3960X | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
15 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SR0GW	280	G28805-300
SR0KF	430	G28805-300
SR0GW	280	G28805-400
SR0KF	430	G28805-400
SR0GW	280	G28805-401
SR0KF	430	G28805-401
SR0GW	280	G28805-402
SR0KF	430	G28805-402

Add-in graphics card required

Intel® High End Desktop i7-3930K | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SR0H9	430	G28805-300
SR0KY	280	G28805-300
SR0H9	430	G28805-400
SR0KY	280	G28805-400
SR0H9	430	G28805-401
SR0KY	280	G28805-401
SR0H9	430	G28805-402
SR0KY	280	G28805-402

Add-in graphics card required

Intel® High End Desktop i7-3820 | Frequency: 3.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

10 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SR0LD	460	G28805-300
SR0LD	460	G28805-400
SR0LD	460	G28805-401
SR0LD	460	G28805-402

Add-in graphics card required

Intel® Xeon® E5-2680 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
20 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SR0KH	430	G28805-400
SR0KH	430	G28805-401
SR0KH	430	G28805-402

Add-in graphics card required

Intel® Xeon® E5-2670 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
20 MB	No	115
Spec #	Min. BIOS	AA Rev(s)
SR0KX	430	G28805-400
SR0KX	430	G28805-401
SR0KX	430	G28805-402

Add-in graphics card required

Intel® Xeon® E5-2660 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
20 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0KK	430	G28805-400
SR0KK	430	G28805-401

SR0KK 430 G28805-402
Add-in graphics card required

Intel® Xeon® E5-2650 | Frequency: 2.00 GHz

[More Information](#)

Cache 20 MB	Graphics No	Max TDP 95
Spec # SR0KQ	Min. BIOS 430	AA Rev(s) G28805-400
SR0KQ	430	G28805-401
SR0KQ	430	G28805-402

Add-in graphics card required

Intel® Xeon® E5-2620 | Frequency: 2.00 GHz

[More Information](#)

Cache 15 MB	Graphics No	Max TDP 95
Spec # SR0KW	Min. BIOS 430	AA Rev(s) G28805-400
SR0KW	430	G28805-401
SR0KW	430	G28805-402

Add-in graphics card required

Intel® Xeon® E5-2609 | Frequency: 2.40 GHz

[More Information](#)

Cache 10 MB	Graphics No	Max TDP 80
Spec # SR0LA	Min. BIOS 430	AA Rev(s) G28805-402

Add-in graphics card required

Intel® Xeon® E5-1620 | Frequency: 3.60 GHz

[More Information](#)

Cache
10 MB

Graphics
No

Max TDP
130

Spec #
SR0LC
SR0LC
SR0LC

Min. BIOS
430
430
430

AA Rev(s)
G28805-400
G28805-401
G28805-402

Add-in graphics card required