

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DZ68DB

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	40	G27985-100
SR0PN	40	G27985-101
SR0PN	40	G27985-102
SR0PN	40	G27985-103
SR0PN	40	G27985-104
SR0PN	40	G27985-105
SR0PN	40	G27985-106

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	40	G27985-100
SR0PL	40	G27985-101
SR0PL	40	G27985-102
SR0PL	40	G27985-103
SR0PL	40	G27985-104
SR0PL	40	G27985-105
SR0PL	40	G27985-106

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	40	G27985-100

SR0PK	40	G27985-101
SR0PK	40	G27985-102
SR0PK	40	G27985-103
SR0PK	40	G27985-104
SR0PK	40	G27985-105
SR0PK	40	G27985-106

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	11	G27985-100
SR0DG	11	G27985-101
SR0DG	11	G27985-102
SR0DG	11	G27985-103
SR0DG	11	G27985-104
SR0DG	11	G27985-105
SR0DG	11	G27985-106

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz
[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00E	11	G27985-100
SR00E	11	G27985-101
SR00E	11	G27985-102
SR00E	11	G27985-103
SR00E	11	G27985-104
SR00E	11	G27985-105
SR00E	11	G27985-106

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95

Spec #	Min. BIOS	AA Rev(s)
SR00C	11	G27985-100
SR00C	11	G27985-101
SR00C	11	G27985-102
SR00C	11	G27985-103
SR00C	11	G27985-104
SR00C	11	G27985-105
SR00C	11	G27985-106

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00B	11	G27985-100
SR00B	11	G27985-101
SR00B	11	G27985-102
SR00B	11	G27985-103
SR00B	11	G27985-104
SR00B	11	G27985-105
SR00B	11	G27985-106

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	40	G27985-100
SR0T9	40	G27985-101
SR0T9	40	G27985-102
SR0T9	40	G27985-103
SR0T9	40	G27985-104
SR0T9	40	G27985-105
SR0T9	40	G27985-106

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	40	G27985-100
SR0PM	40	G27985-101
SR0PM	40	G27985-102
SR0PM	40	G27985-103
SR0PM	40	G27985-104
SR0PM	40	G27985-105
SR0PM	40	G27985-106

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	40	G27985-100
SR0T7	40	G27985-101
SR0T7	40	G27985-102
SR0T7	40	G27985-103
SR0T7	40	G27985-104
SR0T7	40	G27985-105
SR0T7	40	G27985-106

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	40	G27985-100
SR0P0	40	G27985-101
SR0P0	40	G27985-102
SR0P0	40	G27985-103
SR0P0	40	G27985-104
SR0P0	40	G27985-105
SR0P0	40	G27985-106

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	40	G27985-100
SR0RJ	40	G27985-101
SR0RJ	40	G27985-102
SR0RJ	40	G27985-103
SR0RJ	40	G27985-104
SR0RJ	40	G27985-105
SR0RJ	40	G27985-106

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0TA	40	G27985-100
SR0TA	40	G27985-101
SR0TA	40	G27985-102
SR0TA	40	G27985-103
SR0TA	40	G27985-104
SR0TA	40	G27985-105
SR0TA	40	G27985-106

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T8	40	G27985-100
SR0T8	40	G27985-101
SR0T8	40	G27985-102
SR0T8	40	G27985-103
SR0T8	40	G27985-104
SR0T8	40	G27985-105

SR0T8

40

G27985-106

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
65

Spec #
SR0P2
SR0P2
SR0P2
SR0P2
SR0P2
SR0P2
SR0P2

Min. BIOS
40
40
40
40
40
40
40

AA Rev(s)
G27985-100
G27985-101
G27985-102
G27985-103
G27985-104
G27985-105
G27985-106

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0PF
SR0PF
SR0PF
SR0PF
SR0PF
SR0PF
SR0PF

Min. BIOS
40
40
40
40
40
40
40

AA Rev(s)
G27985-100
G27985-101
G27985-102
G27985-103
G27985-104
G27985-105
G27985-106

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
77

Spec #
SR0WS
SR0WS
SR0WS

Min. BIOS
40
40
40

AA Rev(s)
G27985-100
G27985-101
G27985-102

SR0WS	40	G27985-103
SR0WS	40	G27985-104
SR0WS	40	G27985-105
SR0WS	40	G27985-106

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0YH		G27985-100
SR0YH		G27985-101
SR0YH		G27985-102
SR0YH		G27985-103
SR0YH		G27985-104
SR0YH		G27985-105
SR0YH		G27985-106

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0YZ		G27985-100
SR0YZ		G27985-101
SR0YZ		G27985-102
SR0YZ		G27985-103
SR0YZ		G27985-104
SR0YZ		G27985-105
SR0YZ		G27985-106

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77

Spec #	Min. BIOS	AA Rev(s)
SR0RQ	40	G27985-100
SR0RQ	40	G27985-101
SR0RQ	40	G27985-102
SR0RQ	40	G27985-103
SR0RQ	40	G27985-104
SR0RQ	40	G27985-105
SR0RQ	40	G27985-106

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SR0QH	11	G27985-100
SR0QH	11	G27985-101
SR0QH	11	G27985-102
SR0QH	11	G27985-103
SR0QH	11	G27985-104
SR0QH	11	G27985-105
SR0QH	11	G27985-106

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR009	11	G27985-100
SR009	11	G27985-101
SR009	11	G27985-102
SR009	11	G27985-103
SR009	11	G27985-104
SR009	11	G27985-105
SR009	11	G27985-106

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

More Information

Cache 6 MB	Graphics HD 3000	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SR008	11	G27985-100
SR008	11	G27985-101
SR008	11	G27985-102
SR008	11	G27985-103
SR008	11	G27985-104
SR008	11	G27985-105
SR008	11	G27985-106

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2000	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SR00T	11	G27985-100
SR00T	11	G27985-101
SR00T	11	G27985-102
SR00T	11	G27985-103
SR00T	11	G27985-104
SR00T	11	G27985-105
SR00T	11	G27985-106

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	11	G27985-100
SR0G1	11	G27985-101
SR0G1	11	G27985-102
SR0G1	11	G27985-103
SR0G1	11	G27985-104
SR0G1	11	G27985-105
SR0G1	11	G27985-106

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	11	G27985-100
SR0BB	11	G27985-101
SR0BB	11	G27985-102
SR0BB	11	G27985-103
SR0BB	11	G27985-104
SR0BB	11	G27985-105
SR0BB	11	G27985-106

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	11	G27985-100
SR00S	11	G27985-101
SR00S	11	G27985-102
SR00S	11	G27985-103
SR00S	11	G27985-104
SR00S	11	G27985-105
SR00S	11	G27985-106

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	11	G27985-100
SR00Q	11	G27985-101
SR00Q	11	G27985-102
SR00Q	11	G27985-103

SR00Q	11	G27985-104
SR00Q	11	G27985-105
SR00Q	11	G27985-106

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G2	11	G27985-100
SR0G2	11	G27985-101
SR0G2	11	G27985-102
SR0G2	11	G27985-103
SR0G2	11	G27985-104
SR0G2	11	G27985-105
SR0G2	11	G27985-106

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02L	11	G27985-100
SR02L	11	G27985-101
SR02L	11	G27985-102
SR02L	11	G27985-103
SR02L	11	G27985-104
SR02L	11	G27985-105
SR02L	11	G27985-106

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)

SR02K	11	G27985-100
SR02K	11	G27985-101
SR02K	11	G27985-102
SR02K	11	G27985-103
SR02K	11	G27985-104
SR02K	11	G27985-105
SR02K	11	G27985-106

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00D	11	G27985-100
SR00D	11	G27985-101
SR00D	11	G27985-102
SR00D	11	G27985-103
SR00D	11	G27985-104
SR00D	11	G27985-105
SR00D	11	G27985-106

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YX	40	G27985-100
SR0YX	40	G27985-101
SR0YX	40	G27985-102
SR0YX	40	G27985-103
SR0YX	40	G27985-104
SR0YX	40	G27985-105
SR0YX	40	G27985-106

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0YL	40	G27985-100
SR0YL	40	G27985-101
SR0YL	40	G27985-102
SR0YL	40	G27985-103
SR0YL	40	G27985-104
SR0YL	40	G27985-105
SR0YL	40	G27985-106

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	40	G27985-100
SR0RH	40	G27985-101
SR0RH	40	G27985-102
SR0RH	40	G27985-103
SR0RH	40	G27985-104
SR0RH	40	G27985-105
SR0RH	40	G27985-106

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	40	G27985-100
SR0RF	40	G27985-101
SR0RF	40	G27985-102
SR0RF	40	G27985-103
SR0RF	40	G27985-104
SR0RF	40	G27985-105
SR0RF	40	G27985-106

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz

More Information

Cache 3 MB	Graphics HD 2500	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	40	G27985-100
SR0RE	40	G27985-101
SR0RE	40	G27985-102
SR0RE	40	G27985-103
SR0RE	40	G27985-104
SR0RE	40	G27985-105
SR0RE	40	G27985-106

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0RG	40	G27985-100
SR0RG	40	G27985-101
SR0RG	40	G27985-102
SR0RG	40	G27985-103
SR0RG	40	G27985-104
SR0RG	40	G27985-105
SR0RG	40	G27985-106

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	40	G27985-100
SR0YY	40	G27985-101
SR0YY	40	G27985-102
SR0YY	40	G27985-103
SR0YY	40	G27985-104
SR0YY	40	G27985-105
SR0YY	40	G27985-106

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	11	G27985-100
SR05W	11	G27985-101
SR05W	11	G27985-102
SR05W	11	G27985-103
SR05W	11	G27985-104
SR05W	11	G27985-105
SR05W	11	G27985-106

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	11	G27985-100
SR0AY	11	G27985-101
SR0AY	11	G27985-102
SR0AY	11	G27985-103
SR0AY	11	G27985-104
SR0AY	11	G27985-105
SR0AY	11	G27985-106

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	11	G27985-100
SR060	11	G27985-101
SR060	11	G27985-102
SR060	11	G27985-103
SR060	11	G27985-104

SR060	11	G27985-105
SR060	11	G27985-106

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	11	G27985-100
SR05Y	11	G27985-101
SR05Y	11	G27985-102
SR05Y	11	G27985-103
SR05Y	11	G27985-104
SR05Y	11	G27985-105
SR05Y	11	G27985-106

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	11	G27985-100
SR0BA	11	G27985-101
SR0BA	11	G27985-102
SR0BA	11	G27985-103
SR0BA	11	G27985-104
SR0BA	11	G27985-105
SR0BA	11	G27985-106

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	11	G27985-100
SR05Z	11	G27985-101

SR05Z	11	G27985-102
SR05Z	11	G27985-103
SR05Z	11	G27985-104
SR05Z	11	G27985-105
SR05Z	11	G27985-106

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	11	G27985-100
SR05C	11	G27985-101
SR05C	11	G27985-102
SR05C	11	G27985-103
SR05C	11	G27985-104
SR05C	11	G27985-105
SR05C	11	G27985-106

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057		G27985-100
SR057		G27985-101
SR057		G27985-102
SR057		G27985-103
SR057		G27985-104
SR057		G27985-105
SR057		G27985-106

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR0MF		G27985-100
SR0MF		G27985-101
SR0MF		G27985-102
SR0MF		G27985-103
SR0MF		G27985-104
SR0MF		G27985-105
SR0MF		G27985-106

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR058	11	G27985-100
SR058	11	G27985-101
SR058	11	G27985-102
SR058	11	G27985-103
SR058	11	G27985-104
SR058	11	G27985-105
SR058	11	G27985-106

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05Q	11	G27985-100
SR05Q	11	G27985-101
SR05Q	11	G27985-102
SR05Q	11	G27985-103
SR05Q	11	G27985-104
SR05Q	11	G27985-105
SR05Q	11	G27985-106

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05P	11	G27985-100
SR05P	11	G27985-101
SR05P	11	G27985-102
SR05P	11	G27985-103
SR05P	11	G27985-104
SR05P	11	G27985-105
SR05P	11	G27985-106

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RS		G27985-100
SR0RS		G27985-101
SR0RS		G27985-102
SR0RS		G27985-103
SR0RS		G27985-104
SR0RS		G27985-105
SR0RS		G27985-106

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR066		G27985-100
SR066		G27985-101
SR066		G27985-102
SR066		G27985-103
SR066		G27985-104
SR066		G27985-105
SR066		G27985-106

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR059		G27985-100
SR059		G27985-101
SR059		G27985-102
SR059		G27985-103
SR059		G27985-104
SR059		G27985-105
SR059		G27985-106

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	11	G27985-100
SR05U	11	G27985-101
SR05U	11	G27985-102
SR05U	11	G27985-103
SR05U	11	G27985-104
SR05U	11	G27985-105
SR05U	11	G27985-106

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	11	G27985-100
SR05S	11	G27985-101
SR05S	11	G27985-102
SR05S	11	G27985-103
SR05S	11	G27985-104
SR05S	11	G27985-105

SR05S

11

G27985-106

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR05T	11	G27985-100
SR05T	11	G27985-101
SR05T	11	G27985-102
SR05T	11	G27985-103
SR05T	11	G27985-104
SR05T	11	G27985-105
SR05T	11	G27985-106

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05R	11	G27985-100
SR05R	11	G27985-101
SR05R	11	G27985-102
SR05R	11	G27985-103
SR05R	11	G27985-104
SR05R	11	G27985-105
SR05R	11	G27985-106

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR0RZ		G27985-100
SR0RZ		G27985-101
SR0RZ		G27985-102

SR0RZ	G27985-103
SR0RZ	G27985-104
SR0RZ	G27985-105
SR0RZ	G27985-106

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR061 SR061 SR061 SR061 SR061 SR061 SR061	Min. BIOS	AA Rev(s) G27985-100 G27985-101 G27985-102 G27985-103 G27985-104 G27985-105 G27985-106

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05J SR05J SR05J SR05J SR05J SR05J SR05J	Min. BIOS 11 11 11 11 11 11 11	AA Rev(s) G27985-100 G27985-101 G27985-102 G27985-103 G27985-104 G27985-105 G27985-106

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)

SR05K	11	G27985-100
SR05K	11	G27985-101
SR05K	11	G27985-102
SR05K	11	G27985-103
SR05K	11	G27985-104
SR05K	11	G27985-105
SR05K	11	G27985-106

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05H	11	G27985-100
SR05H	11	G27985-101
SR05H	11	G27985-102
SR05H	11	G27985-103
SR05H	11	G27985-104
SR05H	11	G27985-105
SR05H	11	G27985-106

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0S7	11	G27985-100
SR0S7	11	G27985-101
SR0S7	11	G27985-102
SR0S7	11	G27985-103
SR0S7	11	G27985-104
SR0S7	11	G27985-105
SR0S7	11	G27985-106

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0S8		G27985-100
SR0S8		G27985-101
SR0S8		G27985-102
SR0S8		G27985-103
SR0S8		G27985-104
SR0S8		G27985-105
SR0S8		G27985-106

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0GR	11	G27985-100
SR0GR	11	G27985-101
SR0GR	11	G27985-102
SR0GR	11	G27985-103
SR0GR	11	G27985-104
SR0GR	11	G27985-105
SR0GR	11	G27985-106

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0BY	11	G27985-100
SR0BY	11	G27985-101
SR0BY	11	G27985-102
SR0BY	11	G27985-103
SR0BY	11	G27985-104
SR0BY	11	G27985-105
SR0BY	11	G27985-106

Intel® Pentium® G2140 | Frequency: 3.30 GHz

More Information

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YT	40	G27985-100
SR0YT	40	G27985-101
SR0YT	40	G27985-102
SR0YT	40	G27985-103
SR0YT	40	G27985-104
SR0YT	40	G27985-105
SR0YT	40	G27985-106

Intel® Pentium® G2130 | Frequency: 3.20 GHz

More Information

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YU	40	G27985-100
SR0YU	40	G27985-101
SR0YU	40	G27985-102
SR0YU	40	G27985-103
SR0YU	40	G27985-104
SR0YU	40	G27985-105
SR0YU	40	G27985-106

Intel® Pentium® G2120 | Frequency: 3.10 GHz

More Information

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0UF	40	G27985-100
SR0UF	40	G27985-101
SR0UF	40	G27985-102
SR0UF	40	G27985-103
SR0UF	40	G27985-104
SR0UF	40	G27985-105
SR0UF	40	G27985-106

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR163	40	G27985-100
SR163	40	G27985-101
SR163	40	G27985-102
SR163	40	G27985-103
SR163	40	G27985-104
SR163	40	G27985-105
SR163	40	G27985-106

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10H	40	G27985-100
SR10H	40	G27985-101
SR10H	40	G27985-102
SR10H	40	G27985-103
SR10H	40	G27985-104
SR10H	40	G27985-105
SR10H	40	G27985-106

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	40	G27985-100
SR10J	40	G27985-101
SR10J	40	G27985-102
SR10J	40	G27985-103
SR10J	40	G27985-104

SR10J	40	G27985-105
SR10J	40	G27985-106

Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR16A	40	G27985-100
SR16A	40	G27985-101
SR16A	40	G27985-102
SR16A	40	G27985-103
SR16A	40	G27985-104
SR16A	40	G27985-105
SR16A	40	G27985-106

Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR10L	40	G27985-100
SR10L	40	G27985-101
SR10L	40	G27985-102
SR10L	40	G27985-103
SR10L	40	G27985-104
SR10L	40	G27985-105
SR10L	40	G27985-106

Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR10K	40	G27985-100
SR10K	40	G27985-101

SR10K	40	G27985-102
SR10K	40	G27985-103
SR10K	40	G27985-104
SR10K	40	G27985-105
SR10K	40	G27985-106

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	87
Spec #	Min. BIOS	AA Rev(s)
SR0PC	40	G27985-100
SR0PC	40	G27985-101
SR0PC	40	G27985-102
SR0PC	40	G27985-103
SR0PC	40	G27985-104
SR0PC	40	G27985-105
SR0PC	40	G27985-106

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PA	40	G27985-100
SR0PA	40	G27985-101
SR0PA	40	G27985-102
SR0PA	40	G27985-103
SR0PA	40	G27985-104
SR0PA	40	G27985-105
SR0PA	40	G27985-106

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2500	45

Spec #	Min. BIOS	AA Rev(s)
SR0PB	40	G27985-100
SR0PB	40	G27985-101
SR0PB	40	G27985-102
SR0PB	40	G27985-103
SR0PB	40	G27985-104
SR0PB	40	G27985-105
SR0PB	40	G27985-106

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45
Spec #	Min. BIOS	AA Rev(s)
SR00M	11	G27985-100
SR00M	11	G27985-101
SR00M	11	G27985-102
SR00M	11	G27985-103
SR00M	11	G27985-104
SR00M	11	G27985-105
SR00M	11	G27985-106

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0P9	40	G27985-100
SR0P9	40	G27985-101
SR0P9	40	G27985-102
SR0P9	40	G27985-103
SR0P9	40	G27985-104
SR0P9	40	G27985-105
SR0P9	40	G27985-106

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0P4	40	G27985-100
SR0P4	40	G27985-101
SR0P4	40	G27985-102
SR0P4	40	G27985-103
SR0P4	40	G27985-104
SR0P4	40	G27985-105
SR0P4	40	G27985-106

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PJ	40	G27985-100
SR0PJ	40	G27985-101
SR0PJ	40	G27985-102
SR0PJ	40	G27985-103
SR0PJ	40	G27985-104
SR0PJ	40	G27985-105
SR0PJ	40	G27985-106

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	40	G27985-100
SR0PH	40	G27985-101
SR0PH	40	G27985-102
SR0PH	40	G27985-103
SR0PH	40	G27985-104
SR0PH	40	G27985-105
SR0PH	40	G27985-106

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	11	G27985-100
SR070	11	G27985-101
SR070	11	G27985-102
SR070	11	G27985-103
SR070	11	G27985-104
SR070	11	G27985-105
SR070	11	G27985-106

Add-in graphics card required