

Intel® NUC M15 Laptop Kit LAPBC510 LAPBC710 Product Specification

Version 1.3

Regulatory Model Name: BC57

April 2022

Intel® LAPBC510 and LAPBC710 may contain design defects or errors known as errata that may cause the product to deviate from published specifications. Current characterized errata, if any, are documented in this Product Specification.

Revision History

Revision	Revision History	Date
1.0	First Release	December 2020
1.1	LAPBC5V0 and LAPBC7V0 models removed	April 2021
1.2	Updated figure 2 to reflect new Windows 11 key icon	March 2022
1.3	Specification change of battery capacity ± percentage	April 2022

Disclaimer

This product specification applies to only the standard Intel® NUC M15 Laptop Kit LAPBC510 and Intel® NUC M15 Laptop Kit LAPBC710 with a BIOS identifier that starts with BCTGL357.

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL® PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER, AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. UNLESS OTHERWISE AGREED IN WRITING BY INTEL, THE INTEL PRODUCTS ARE NOT DESIGNED NOR INTENDED FOR ANY APPLICATION IN WHICH THE FAILURE OF THE INTEL PRODUCT COULD CREATE A SITUATION WHERE PERSONAL INJURY OR DEATH MAY OCCUR.

LAPBC510 and LAPBC710 are evaluated as Information Technology Equipment (I.T.E.) for use in personal computers (PC) for installation in homes, offices, schools, computer rooms, and similar locations. The suitability of this product for other PC or embedded non-PC applications or other environments, such as medical, industrial, alarm systems, test equipment, etc. may not be supported without further evaluation by Intel.

Intel Corporation may have patents or pending patent applications, trademarks, copyrights, or other intellectual property rights that relate to the presented subject matter. The furnishing of documents and other materials and information does not provide any license, express or implied, by estoppel or otherwise, to any such patents, trademarks, copyrights, or other intellectual property rights.

Intel may make changes to specifications and product descriptions at any time, without notice.

Designers must not rely on the absence or characteristics of any features or instructions marked "reserved" or "undefined." Intel reserves these for future definition and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to them.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families: Go to:

Learn About Intel® Processor Numbers

Intel® NUC M15 Laptop Kits may contain design defects or errors known as errata, which may cause the product to deviate from published specifications. Current characterized errata, if any, are available in this document.

Contact your local Intel sales office or your distributor to obtain the latest specifications before placing your product order.

The SuperSpeed USB Trident® logo is a registered trademark owned by USB Implementers Forum, Inc. and any use of such mark by Intel Corporation is under license.

The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

Intel and the Intel logo are trademarks of Intel Corporation in the U.S. and/or other countries.

* Other names and brands may be claimed as the property of others.

Copyright © 2022 Intel Corporation. All rights reserved.

Intel® NUC M15 Laptop Kit LAPBC510 and LAPBC710 Identification Information

LAPBC510 and LAPBC710 Identification Information

Original SA Revision	Product Code	Original BIOS Revision	Notes
M12936-502	BBC510BAU7A01	BCTGL357.0048.2020.1118.2111	1,2
M13446-502	BBC510EAU7A01	BCTGL357.0048.2020.1118.2111	1,2
M12934-502	BBC510BCU7A01	BCTGL357.0048.2020.1118.2111	1,2
M12935-502	BBC510ECU7A01	BCTGL357.0048.2020.1118.2111	1,2
M12932-502	BBC710BCU7B01	BCTGL357.0048.2020.1118.2111	1,2
K93876-502	BBC710ECU7B01	BCTGL357.0048.2020.1118.2111	1,2

Notes:

- 1. The SA number is found on the back cover.
- 2. The processors used on this SA revision may consist of the following components:

Device	Stepping	Spec Code
Intel® Core™ i5-1135G7	B1	SRK04
Intel® Core™ i7-1165G7	B1	SRK01

Specification Changes or Clarifications

The table below indicates the Specification Changes or Specification Clarifications, if any, that apply to LAPBC510 and LAPBC710.

Specification Changes or Clarifications

Date Type of Change Description of Changes or Clarifications		Description of Changes or Clarifications
April 2022	Specification	Change battery capacity percentage to ±10% of 4830mAh

Errata

Current characterized errata, if any, will be documented in a separate section of this Product Specification.

Preface

This Product Specification specifies the layout, components, connectors, power, and environmental features for the Intel® NUC M15 Laptop Kit LAPBC510 and LAPBC710.



NOTE

In this document, the use of "Intel® NUC M15 Laptop Kit LAPBC510 and LAPBC710 will refer to the LAPBC510 and LAPBC710 versions of the Intel® NUC M15 Laptop Kit.

Intended Audience

This document is intended to provide technical information about LAPBC510/LAPBC710 and its components to the vendors, system integrators, and other engineers and technicians who need this level of information. It is specifically *not* intended for general audiences.

What This Document Contains

Chapter	Description
1	A description of the LAPBC510 and LAPBC710 features
2	A technical description of the LAPBC510 and LAPBC710

Typographical Conventions

This section contains information about the conventions used in this specification. Not all of these symbols and abbreviations appear in all specifications of this type.

Notes, Cautions, and Warnings



NOTE

Notes call attention to important information.



A CAUTION

Cautions are included to help you avoid damaging hardware or losing data.

Other Common Notation

#	Used after a signal name to identify an active-low signal (such as USBP0#)
GB	Gigabyte (1,073,741,824 bytes)
GB/s	Gigabytes per second
Gb/s	Gigabits per second
КВ	Kilobyte (1024 bytes)
Kb	Kilobit (1024 bits)
kb/s	1000 bits per second
МВ	Megabyte (1,048,576 bytes)
MB/s	Megabytes per second
Mb	Megabit (1,048,576 bits)
Mb/s	Megabits per second
TDP	Thermal Design Power
Xxh	An address or data value ending with a lowercase h indicates a hexadecimal value.
x.x V	Volts. Voltages are DC unless otherwise specified.
*	This symbol is used to indicate third-party brands and names that are the property of their respective owners.

Contents

Re	evision History		ii
	Disclaimer		iii
	Errata		iv
Pr	reface		V
		Contains	
		ntions	
Co	ontents		vii
1		on	
•	=	<u> </u>	
		ry	
		ry	
2	Technical Referer	rce	12
	•	PS	
	2.3 Keyboard		16
	2.4 External Graphic	cs	16
	2.5 Memory		16
	2.6 Storage		16
	2.6.1 AHCI M	1ode	16
	·		
	2.9 Environmental		17
3	Characterized Erra	ata	19
c:	gures		
•	O	PBC710 Block Diagram	12
_		ures	
_	• • •	ui es	
_			
_	_		
_	_		
_	gure 7 Rottom Feature		15

Tables

Table 1. Version Summary	g
Table 2. LAPBC510 and LAPBC710 Feature Summary	
Table 3. Top-Open Features	13
Table 4. Front Features	14
Table 5. Power/Charging/Battery Status Indicator States	14
Table 6. Back Features	14
Table 7. Left Features	14
Table 8. Right Features	15
Table 9. Bottom Features	15
Table 10. Keyboard Layout and Language Options	16
Table 11. Environmental Specifications	17

1 Product Description

1.1 Overview

The Intel® NUC M15 Laptop Kit LAPBC510 and Intel® NUC M15 Laptop Kit LAPBC710 are premium anodized aluminum, thin and light laptops.

1.2 Version Summary

There are four different versions of LAPBC510 and two different versions of LAPBC710 documented in this product specification which are summarized in Table 1. Unless otherwise noted in this document, not all features are available on all versions.

Table 1. Version Summary

Version	CPU	Memory	Display	Color
BBC510BAU7A01	Intel® Core™ i5-1135G7	8GB	FHD, non-touch	Midnight Black
BBC510EAU7A01	Intel® Core™ i5-1135G7	8GB	FHD, non-touch	Shadow Gray
BBC510BCU7A01	Intel® Core™ i5-1135G7	8GB	FHD, touch	Midnight Black
BBC510ECU7A01	Intel® Core™ i5-1135G7	8GB	FHD, touch	Shadow Gray
BBC710BCU7B01	Intel® Core™ i7-1165G7	16GB	FHD, touch	Midnight Black
BBC710ECU7B01	Intel® Core™ i7-1165G7	16GB	FHD, touch	Shadow Gray



NOTE

The above listed versions incorporate an ANSI US language keyboard layout with US Type B AC power cord. In addition to the above, other keyboard layouts, keyboard languages and AC power cord options are available. See Section 2.3 and Section 2.7 respectively for more information.

To find information about... Visit this World Wide Web site:

Available configurations http://ark.intel.com

 Intel Processors
 http://www.intel.com/processors

 Intel Graphics
 http://www.intel.com/graphics

Intel HD Audio http://www.intel.com/content/www/us/en/products/docs/chipsets/high-

definition-audio.html

 Intel Wireless
 http://www.intel.com/wireless

 Intel Technologies
 http://www.intel.com/technology

 For Support Visit
 http://www.intel.com/LaptopSupport

1.3 Feature Summary

Table 2 summarizes the major features of the LAPBC510 and LAPBC710

Table 2. LAPBC510 and LAPBC710 Feature Summary

Feature	LAPBC510	LAPBC710
Color	Midnight Black or Shadow Gray	Midnight Black or Shadow Gray
Materials	Anodized Aluminum	Anodized Aluminum
Processor	Intel® Core™ i5-1135G7	Intel® Core™ i7-1165G7
Memory	8GB LPDDR4x 4266MHz	16GB LPDDR4x 4266MHz
Graphics	Integrated Intel® Iris® Xe Graphics	Integrated Intel® Iris® Xe Graphics
Storage	1 M.2 22x80 PCle x4 Gen4 NVMe	1 M.2 22x80 PCle x4 Gen4 NVMe
Display Panel	Narrow Bezel IPS 15.6" 1920x1080, 60Hz,16:9	Narrow Bezel IPS 15.6" 1920x1080, 60Hz, 16:9
. ,	ratio, 100% sRGB ¹ , LED backlight, touch and	ratio, 100% sRGB ¹ , LED backlight, touch screen
	non-touch screen options	
Display	1 Full Size HDMI 2.0b Output	1 Full Size HDMI 2.0b Output
Outputs	2 DisplayPort 1.4a via USB Type C	2 DisplayPort 1.4a via USB Type C
Audio	Realtek* ALC711 with Intel® HD Audio	Realtek* ALC711 with Intel® HD Audio
	Intel® Smart Sound Technology	Intel® Smart Sound Technology
	1 3.5mm Headset Audio Jack	1 3.5mm Headset Audio Jack
Speakers	2 Built In, 2W each	2 Built In, 2W each
Microphones	4 Digital Microphones	4 Digital Microphones
Keyboard	Silent Membrane with backlight, 1.2mm travel	Silent Membrane with backlight,1.2mm travel
Pointing	Glass Touch/Click Pad with Microsoft Precision	Glass Touch/Click Pad with Microsoft Precision
Device	Touchpad Driver Support	Touchpad Driver Support
	Enable/Disable option with LED indicator	Enable/Disable option with LED indicator
Camera	HD IR with Windows Hello Support	HD IR with Windows Hello Support
Network	Intel® Wi-Fi 6 AX201, Bluetooth* 5.1	Intel® Wi-Fi 6 AX201, Bluetooth 5.1
Power Supply	USB-C PD 20V, 65W 100/240V AC 50/60Hz	USB-C PD 20V, 65W 100/240V AC 50/60Hz
Battery	73.41Whr (4830mAh) ±10% with Fast Charge	73.41Whr (4830mAh) ±10% with Fast Charge
	Support	Support
Power,	Power On: White, Power Off: Off	Power On: White, Power Off: Off
Charging and	Charging (Power On): Breathing White	Charging (Power On): Breathing White
Battery LED	Charging (Power Off): Breathing White	Charging (Power Off): Breathing White
	Battery Low (<20%): Amber	Battery Low (<20%): Amber
	Charging Finish (w/AC): White, w/o AC: Off	Charging Finish (w/AC): White, w/o AC: Off
Front Light Bar	RGB	RGB
USB	2 USB 3.2 (Gen 2) x1 Type A	2 USB 3.2 (Gen 2) x1 Type A
	2 Type C Thunderbolt™ 4 (USB 4/DP 1.4a)	2 Type C Thunderbolt™ 4 (USB 4/DP 1.4a)
Size	355mmx230mmx15mm	355mmx230mmx15mm
Weight	1.65kg ±0.05kg	1.65kg ±0.05kg
Security	1 Kensington* NanoSaver Lock	1 Kensington* NanoSaver Lock
Advanced	Intel® Speed Shift Technology	Intel® Speed Shift Technology
Technologies	Intel® Turbo Boost Technology 2.0	Intel® Turbo Boost Technology 2.0
Supported	Intel® Hyper-Threading Technology	Intel® Hyper-Threading Technology
	Intel® Dynamic Tuning Technology	Intel® Dynamic Tuning Technology
	Intel® Virtualization Technology (VT-x)	Intel® Virtualization Technology (VT-x)
	Intel® Virtualization Technology for Directed I/O	Intel® Virtualization Technology for Directed I/O
	(VT-d)	(VT-d)
	Intel® Deep Learning Boost (Intel® DL Boost)	Intel® Deep Learning Boost (Intel® DL Boost)
	Intel® 64 Architecture	Intel® 64 Architecture
	Intel® SSE4.1, Intel® SSE4.2, Intel® AVX2, Intel®	Intel® SSE4.1, Intel® SSE4.2, Intel® AVX2, Intel®
	AVX-512	AVX-512
<u> </u>	Thermal Monitoring Technologies	Thermal Monitoring Technologies
Security and	Intel® AES New Instructions	Intel® AES New Instructions
Reliability	Intel® Boot Guard	Intel® Boot Guard
	Intel® OS Guard	Intel® OS Guard

Feature	LAPBC510	LAPBC710	
,		Intel® Software Guard Extensions (Intel® SGX)	
	Intel® Platform Trust Technology (Intel® PTT)	Intel® Platform Trust Technology (Intel® PTT)	
	Mode -based Execute Control (MBE)	Mode -based Execute Control (MBE)	
OS Features	NUC Software Studio, NUC Audio Studio,	NUC Software Studio, NUC Audio Studio,	
	Windows Hello Support, Voice Assistant Support	Windows Hello Support, Voice Assistant Support	
	for Alexa and Cortana. Support for Modern	for Alexa and Cortana. Support for Modern	
	Standby	Standby	

^{1 -} For color gamut, 100% sRGB is per the specification, 95% sRGB is guaranteed.

2 Technical Reference

2.1 Block Diagram

Figure 1 is a block diagram of the major functional areas of LAPBC510 and LAPBC710. Note that some versions may have a non-touch display.




Figure 1. LAPBC510/LAPBC710 Block Diagram

2.2 Exterior Features

The following figures show the exterior features for all versions of the laptop.




Figure 2. Top-Open Features

Table 3. Top-Open Features

Feature	Description	Feature	Description	Feature	Description
Α	Time of Flight Sensor	E	Ambient Light Sensor	1	Touchpad Enable/disable Switch/LED
В	Infrared LED	F	Display	J	Touchpad/Clickpad
С	Infrared LED	G	Power Button ¹	K	Caps Lock Status LED
D	Camera	Н	Keyboard ²		

^{1.} The power button incorporates a power and battery status LED.

^{2.} United States ANSI keyboard shown. Other keyboard layouts and languages are available. See section 2.3.




Figure 3. Front Features

Table 4. Front Features

Feature	Description	Feature	Description
Α	Power/Battery Status LED ¹	С	RGB Light Bar
В	Digital Microphones		

Table 5. Power/Charging/Battery Status Indicator States

Laptop Power Status	Powered On	Modern Standby	Hibernate	Powered Off
AC and Charging	White Breathing			
AC NOT Charging	White Solid Off			
Battery White So		Off		
Battery Low	Amber	Amber		Off

^{1.} The power/charging/battery status indicator will only be active when the lid is closed.




Figure 4. Back Features

Table 6. Back Features

Feature	Description
Α	Air Vents




Figure 5. Left Features

Table 7. Left Features

Feature	Description	Feature	Description
Α	Thunderbolt™ 4 Port/Power Connector	С	USB 3.2 (Gen 2) Type A Port
В	HDMI 2.0b Port	D	Wireless Antenna



Figure 6. Right Features

Table 8. Right Features

Feature	Description	Feature	Description
Α	Wireless Antenna	D	Thunderbolt™ 4 Port/ Power Connector
В	Headset Jack	Е	Kensington NanoSaver Lock
С	USB 3.2 (Gen 2) Type A		




Figure 7. Bottom Features

Table 9. Bottom Features

Feature	Description
Α	Speakers
В	Back Cover Screws
С	Air Vents

2.3 Keyboard

In addition to the ANSI US language keyboard shown in this specification, the following keyboard layouts and languages may be available on certain versions of LAPBC510 and LAPBC710. Check with an Intel representative for order codes and availability.

Table 10. Keyboard Layout and Language Options

Layout	Language	Layout	Language
ISO	United Kingdom English	ISO	Italian
JIS	Japanese	ISO	Norwegian
ISO	French	ISO	Spanish
ISO	German	ISO	Spanish (LAR)

2.4 External Graphics

Maximum Supported Resolutions

- HDMI 2.0b 3840x2160 48-60 Hz 24 bpp (RGB/YUV444) or 3840x2160 48-60 Hz 12 bpp (YUV420)
- DisplayPort* 1.4a via Thunderbolt™ 4 Port 4096x2304 60 Hz 36 bpp or 5120 x3200 60 Hz 24 bpp

2.5 Memory

Memory is soldered down with support for the following memory features:

- Dual Channel LPDDR4x 4266Mhz
- 8GB of memory on LAPBC510
- 16GB of memory on LAPBC710

2.6 Storage

The following storage interface options are supported via one M.2 2280 (key type M) connector:

Gen 4 PCIe x4 AHCI, NVMe port is reserved for the M.2 storage module supporting M.2
 2280 (key type M) module. M.2 SATA SSD modules are not supported.

2.6.1 AHCI Mode

LAPBC510 and LAPBC710 supports AHCI storage mode.



NOTE

In order to use AHCI mode, AHCI must be enabled in the BIOS. Microsoft* Windows* 10 includes the necessary AHCI drivers without the need to install separate AHCI drivers during the operating system installation process.

2.7 Power Adapter

All versions of the laptop ship with a 20V, 65W 100/240V AC 50/60Hz power adapter with a USB Type C DC connector. In addition to the Type B AC power cord referenced in this specification, the following AC power cords may be available on certain versions of LAPBC510 and LAPBC710. Check with an Intel representative for order codes and availability.

- Type A
- Type G
- Type F
- Type I

2.8 Thunderbolt™ 4

Thunderbolt™ 4 is supported with up to 40 Gbps of data throughput, 5K (60Hz) monitor output, USB 4 connection, charging output capabilities up to 5V at 3A or 9V at 2A and a 20V at 5A maximum input via the USB Type C connectors.

2.9 Environmental

Table 11 lists the environmental specifications for the LAPBC510 and LAPBC710.

Table 11. Environmental Specifications

Parameter	Specification	_		
Temperature				
Non-Operating	-20 °C to +60 °C			
Operating	0 °C to +35 °C			
Shock				
Unpackaged	120 g half sinusoid waveform			
	3ms, 18 times (3 times/axis)			
Packaged	Half sine 2 millisecond			
	Product Weight (pounds)	Free Fall (inches)	Velocity Change (inches/s²)	
	<20	36	167	
	21-40	30	152	
	41-80	24	136	
	81-100	18	118	
Vibration				
Unpackaged	5 Hz to 200 Hz: 2.62Grms, -6dB / octave from 200Hz to 500Hz			
	30 minutes per each axis (X, Y, Z)			
Packaged	5 Hz to 40 Hz: 0.015 g ² Hz (flat)			
	40 Hz to 500 Hz: 0.015 g ² Hz sloping down to 0.00015 g ² Hz			

Note: Before attempting to operate this product, the overall temperature of the product must be above the minimum operating temperature specified. It is recommended that the product temperature be at least room temperature before attempting to power on the product. The operating and non-operating environment must avoid condensing humidity.



A CAUTION

To reduce the possibility of heat -related injuries or of overheating the computer, do not place the computer directly on your lap or obstruct the computer air vents. Use the computer only on a hard, flat surface. Do not allow another hard surface, such as an adjoining optional printer, or a soft surface, such as pillows or rugs or clothing, to block airflow. Also, do not allow the AC adapter to come into contact with the skin or a soft surface, such as pillows or rugs or clothing, during operation. The computer and the AC adapter comply with the user -accessible surface temperature limits defined by the International Standard for Safety of Information Technology Equipment (IEC 62368-1).

3 Characterized Errata

This section of the document communicates product Errata for the Intel® NUC M15 Laptop Kits.

Errata are design defects or deviations from current published specifications for a given product. Published errata may or may not be corrected. Hardware and software designed to be used with any given processor stepping must assume that all errata documented for that process stepping are present on all devices.

There are no characterized errata currently.