



Motherboard Logo Program (MLP)

Intel® Desktop Board

DG31PR

MLP Report

10/6/2009

Purpose:

This report describes the DG31PR Motherboard Logo Program testing run conducted by Intel Corporation.

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel® Core™ i7 and Intel® are trademarks of Intel Corporation in the U.S. and other countries.

*Other names and brands may be claimed as the property of others

Copyright © 2009, Intel Corporation. All rights reserved.

Contents

Introduction	4
Terms and Definitions.....	4
Desktop Board Configuration	5
Desktop Board DG31PR Final Configuration Report: Completion of MLP	5
Board Information	5
Product Code.....	5
Processor	5
Motherboard	5
System Memory	5
Power Management	5
Operating System Tested	5
Onboard Integrated Devices and Driver for Vista 32-bit and 64-bit	6
Onboard Integrated Devices and Driver for Windows 7 32-bit and 64-bit	6
Windows Logo Kits Used (WLK)	6
Errata and Contingencies	7
Test Notes	9

Introduction

Terms and Definitions

Term	Definitions
WHQL	Windows* Hardware Qualification Lab
WLK	Windows Logo Kits
MLP	Motherboard Logo Program. For further information see: http://www.microsoft.com/whdc/hwtest/default.msp
AP Machine	Audio Precision Machine
Winqual	Windows Qualification
MSFT Tested Product List	Tested Products List. You can view the Windows Marketplace for tested products list at: http://winqual.microsoft.com/HCL/ProductList.aspx?m=v&cid=105&q=s

Desktop Board Configuration

Desktop Board DG31PR Final Configuration Report: Completion of MLP

Data in this section reflects system configuration at time of MLP submission.

Board Information

Product Code ¹	BIOS String/Model	Technologies NOT Logo'd (yet)
DG31PR	PRG3110H.86A.0066.2009.0518.1206	N/A - all technologies logo'd
Processor		
Speed	3.0GHz	
Family	Intel® Core™2 Quad	
Bus Speed	1333 MHz	
Motherboard		
Board AA #	D97573	
Board FAB #	306	
* This report applies to the production FAB revision; Please consult your Intel Corporation representative to clarify the motherboard revision you intend to perform logo testing if not the same.		
System Memory		
Speed	Dual Channel, DDR2, 800MHz	
Memory Type	DIMM	
Connector Type	DDR2, 240 Pin	
Power Management		
BIOS Default	S3	
Operating System Tested		
	Check Tested	Comments
Windows 7 and 64-bit	<input checked="" type="checkbox"/>	Windows 7 Ultimate
Windows Vista and 64-bit	<input checked="" type="checkbox"/>	Vista Ultimate
Windows Vista Basic and 64-bit	<input type="checkbox"/>	Vista Basic

¹ These are the product names to enter in the "Submission ID of previously logo'd qualified PC system or server" field during your "System Using a Previously Logo'd Motherboard" submission to Microsoft.

Onboard Integrated Devices and Driver for Vista 32-bit and 64-bit

Technology	OS	Version	Package version
Chipset Update Utility Intel® Chipset Software Utility	Windows Vista	6.0.6000.16386	Inbox Driver
	Windows Vista 64-bit	6.0.6000.16386	Inbox Driver
Graphics Intel® Graphics Media Accelerator	Windows Vista	7.14.10.1283	15.4.3.0.1283
	Windows Vista 64-bit	7.14.10.1283	15.4.3.64.1283
Audio Realtek	Windows Vista	6.0.1.5574	5574
	Windows Vista 64-bit	6.0.1.5574	5574
LAN Realtek	Windows Vista	6.203.214.2008	6.203
	Windows Vista 64-bit	6.203.214.2008	6.203

Onboard Integrated Devices and Driver for Windows 7 32-bit and 64-bit

Technology	OS	Version	Package version
Chipset Update Utility Intel® Chipset Software Utility	Windows 7	9.1.1.1015	9.1.1.1015
	Windows 7 64-bit	9.1.1.1015	9.1.1.1015
Graphics Intel® Graphics Media Accelerator	Windows 7	8.15.10.1825	15.12.75.1825
	Windows 7 64-bit	8.15.10.1825	15.12.75.64.1825
Audio Realtek	Windows 7	6.0.1.5892	5892
	Windows 7 64-bit	6.0.1.5892	5892
LAN Realtek	Windows 7	7.3.522.2009	7.003
	Windows 7 64-bit	7.3.522.2009	7.003

Windows Logo Kits Used (WLK)

Microsoft website: <http://www.microsoft.com/whdc/DevTools/WDK/DTM.msp>

Please check regularly for test kit updates from Microsoft. Please ensure latest filters updated prior to WHQL run.

Operating Systems	Notes	WHQL Testkit
Windows 7 Windows 7 64-bit	WLK1.4 for Windows 7	WLK1.4 for Windows 7
Windows Vista Windows Vista 64-bit	WLK1.4 for Windows Vista	WLK1.4 for Windows Vista

Errata and Contingencies

Operating System	Failing Test	Expiry Date	ID Number	Type	Error Description
Window 7 Window 7 64-bit	Class Driver AC3 Test - Win7 (System)	06/01/2010	1890	Erratum	<p>The HD Audio class driver hdaudio.sys exposes AC-3 data ranges on S/PDIF Kernel Streaming pins incorrectly.</p> <p>The compressed AC-3 transport is "stereo", "16-bit", and at the same sample rate as the uncompressed format. As such, AC-3 data ranges are expected to have MaximumChannels = 2, and MinimumBitDepth = MaximumBitDepth = 16.</p> <p>However, the HD Audio class driver sometimes incorrectly exposes a MaximumBitDepth of 24 or even 32.</p>
Window 7 Windows 7 64-bit	Fidelity Test - Win7 (System, Manual)	12/01/2009	1417	Erratum	<p>Fidelity Test includes a "System Activity Test" that verifies audio fidelity is not compromised during system activity.</p> <p>It uses an activity generator called rws.exe (Real World Stress) which has a bug that causes it to hit an access violation. When this happens it exits with return code 0xC00000005, or -1073741819.</p>
Windows 7 Windows 7 64-bit	1)Class Driver Fidelity Test - Win7 (System, Manual) 2)Fidelity Test - Win7 (System, Manual)	12/31/2009	1547	Erratum	<p>Fidelity Test now includes a "Render Power Transition" test. This preview filter covers all errors in this new test of SYSFUND-0050.</p>
Windows 7 Windows 7 64-bit	PCI Hardware Compliance Test For Systems	12/31/2009	1029	Erratum	<p>Assertion B576282C-5C66-4253-A275-257F5D49EFEF SSVID register of the Subsystem ID and Subsystem Vendor ID Capability table cannot have a value of 0h .</p> <p>Assertion 4BA8F23A-6BB1-48EE-88D8-ED1A3ECD34B9 SSVID register of the Subsystem ID and Subsystem Vendor ID Capability table must be read-only .</p> <p>Assertion 6B0F606E-DBB3-4B8C-8879-32B302412EB8 SSID register of the Subsystem ID and Subsystem Vendor ID Capability table must be read-only .</p> <p>Assertion 7A5587BC-5646-4DC4-9A5D-22F85AB2204E PCI Express ports and bridges must implement Subsystem ID and Subsystem Vendor ID Capability.</p>
Windows 7 Windows 7 64-bit	PCI Hardware Compliance Test For Systems	06/01/2010	1543	Erratum	<p>This happens because the PCI Compliance test assumes that if the Data Link Layer Link Active Reporting Capable bit in the Link Capabilities register for a given PCIe port is set then that indicates that the Data Link Layer Link Active bit will also be set. This is an incorrect assumption because the Data Link Link Layer Link Active bit can be reset when there is no device below the port. This assertion needs to be removed from the PCIHCT. The current architecture of the PCIHCT prevents it from knowing whether devices exist below a bridge/port.</p>

Windows 7 Windows 7 64-bit	UAA Test - Win7 (System)	12/01/2009	1394	Erratum	UAA Test requires the Traffic Priority bit to be read/write - however there are two specs that apply, and they conflict. One says the bit must be read/write, the other says it must be read-only. Contact has been made with the author of both specs (Intel) but until this point is clarified we cannot fail submissions containing this test failure.
Windows 7 Windows 7 64-bit	Windows Client System Check For WDDM 1.1 Display Driver Support	12/01/2009	1613	Erratum	The Windows Client System Check for WDDM 1.1 Display Driver Support test will be a preview test until December 9, 2009. At which time the requirement for Graphic drivers to be WDDM1.1 version will be enforced. The test is in both the Device program (Display Adapter and Chipset) and the System kit for Windows 7 logo programs.
Windows 7 Windows 7 64-bit	Windows Client System Check For WDDM 1.1 Display Driver Support	12/01/2009	1626	Erratum	The Windows Client System Check for WDDM 1.1 Display Driver Support test will be a preview test until December 9, 2009. At which time the requirement for Graphic drivers to be WDDM1.1 version will be enforced. The test is in both the Device program (Display Adapter and Chipset) and the System kit for Windows 7 logo programs.
Windows 7 Windows 7 64-bit	Windows Client System Check For WDDM 1.1 Display Driver Support	12/01/2009	1732	Erratum	The Windows Client System Check for WDDM 1.1 Display Driver Support test will be a preview test until December 9, 2009. At which time the requirement for Graphic drivers to be WDDM1.1 version will be enforced. The test is in both the Device program (Display Adapter and Chipset) and the System kit for Windows 7 logo programs.

Test Notes

Operating System	Test	Description
Windows 7 and Vista	BIOS download	Internal: http://bios.intel.com/downloads/ External: http://www.intel.com/ click on Support and Download
Windows 7 and Vista	BIOS setup	Please make sure the BIOS setting are as below, otherwise use default settings. System Date and Time: Current date and time Peripheral Configuration: Enable all onboard component (Except CIR) Drive Configuration: Set to IDE Chipset Configuration: Enable HPET ACPI Suspend State: Set to <S3 State> Boot Device Priority: set <Hard Disk Driver> to first Note: Enhanced Consumer IR (CIR) component is not supported under Windows7.
Windows 7 and Vista filter update	WLK WHQL test	http://winqual.microsoft.com/member/SubmissionWizard/LegalExemptions/filterupdates.cab
Special H/W that use to PASS the test	None	None