



Motherboard Logo Program (MLP)

# Intel® Desktop Board DQ57TML

---

## MLP Report

3/24/2011

**Purpose:**

This report describes the DQ57TML Motherboard Logo Program testing run conducted by Intel Corporation.

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel® Core™ i7 and Intel® are trademarks of Intel Corporation in the U.S. and other countries.

\*Other names and brands may be claimed as the property of others

Copyright © 2009, Intel Corporation. All rights reserved.

# Contents

---

<b>Introduction .....</b>	<b>4</b>
Terms and Definitions.....	4
<b>Desktop Board Configuration .....</b>	<b>5</b>
Desktop Board DQ57TML Final Configuration Report: Completion of MLP .....	5
Board Information.....	5
Product Code.....	5
Processor .....	5
Motherboard .....	5
System Memory.....	5
Power Management.....	5
Operating System Tested.....	5
Onboard Integrated Devices and Driver for Vista 32-bit and 64-bit .....	6
Onboard Integrated Devices and Driver for Windows 7 32-bit and 64-bit.....	6
Windows Logo Kits Used (WLK) .....	7
Errata and Contingencies .....	8
Test Notes.....	8

# Introduction

---

## Terms and Definitions

Term	Definitions
WHQL	Windows* Hardware Qualification Lab
WLK	Windows Logo Kits
MLP	Motherboard Logo Program. For further information see: <a href="http://www.microsoft.com/whdc/hwtest/default.msp">http://www.microsoft.com/whdc/hwtest/default.msp</a>
AP Machine	Audio Precision Machine
Winqual	Windows Qualification
MSFT Tested Product List	Tested Products List. You can view the Windows Marketplace for tested products list at: <a href="http://winqual.microsoft.com/HCL/ProductList.aspx?m=v&amp;cid=105&amp;q=s">http://winqual.microsoft.com/HCL/ProductList.aspx?m=v&amp;cid=105&amp;q=s</a>

# Desktop Board Configuration

---

## Desktop Board DQ57TML Final Configuration Report: Completion of MLP

Data in this section reflects system configuration at time of MLP submission.

### Board Information

Product Code <sup>1</sup>	BIOS String/Model	Technologies NOT Logo'd (yet)
DQ57TML	TMIBX10H.86A.0037.2010.0528.1504	N/A - all technologies logo'd
<b>Processor</b>		
Speed	3.47GHz	
Family	Intel® Core™ i5 CPU 670	
Bus Speed	1333Mhz	
<b>Motherboard</b>		
Board AA #	AAE94233-100	
Board FAB #	A	
* This report applies to the production FAB revision; Please consult your Intel Corporation representative to clarify the motherboard revision you intend to perform logo testing if not the same.		
<b>System Memory</b>		
Speed	Dual Channel, DDR3, 1333MHz	
Memory Type	DIMM	
Connector Type	DDR3, 240 Pin	
<b>Power Management</b>		
BIOS Default	S3	
<b>Operating System Tested</b>		
	<b>Check Tested</b>	<b>Comments</b>
Windows 7 and 64-bit	<input checked="" type="checkbox"/>	Windows 7 Ultimate
Windows Vista and 64-bit	<input checked="" type="checkbox"/>	Vista Ultimate with Service Pack 2
Windows Vista Basic and 64-bit	<input type="checkbox"/>	Vista Basic with Service Pack 2

---

<sup>1</sup> These are the product names to enter in the "Submission ID of previously logo'd qualified PC system or server" field during your "System Using a Previously Logo'd Motherboard" submission to Microsoft.

## Onboard Integrated Devices and Driver for Vista 32-bit and 64-bit

Technology	OS	Version	Package version
Chipset Update Utility Intel® Chipset Software Utility	Windows Vista	9.1.2.1007	infinst_autol_9_1_2_1007.zip
	Windows Vista 64-bit	9.1.2.1007	infinst_autol_9_1_2_1007.zip
Graphics Intel® HD Graphics	Windows Vista	8.15.10.2119	WinVista7_2119.zip
	Windows Vista 64-bit	8.15.10.2119	WinVista7_64_2119.zip
Audio Realtek High Definition Audio	Windows Vista	6.0.1.5977	5977_PG288_Win7_Vista_XP_UAAV10a-5013.zip
	Windows Vista 64-bit	6.0.1.5977	5977_PG288_Win7_Vista_XP_UAAV10a-5013.zip
LAN Intel® 82578DM Gigabit Network Connection	Windows Vista	11.5.10.0	Rel15[1].1.10EMGen_PV_210784.zip
	Windows Vista 64-bit	11.5.10.0	Rel15[1].1.10EMGen_PV_210784.zip
ME Intel® Management Engine Interface	Windows Vista	6.0.0.1179	PCH_8M_6[1].1.0.1042.zip
	Windows Vista 64-bit	6.0.0.1179	PCH_8M_6[1].1.0.1042.zip

## Onboard Integrated Devices and Driver for Windows 7 32-bit and 64-bit

Technology	OS	Version	Package version
Chipset Update Utility Intel® Chipset Software Utility	Windows 7	9.1.2.1007	infinst_autol_9_1_2_1007.zip
	Windows 7 64-bit	9.1.2.1007	infinst_autol_9_1_2_1007.zip
Graphics Intel® HD Graphics	Windows 7	8.15.10.2119	8.15.10.2119.zip
	Windows 7 64-bit	8.15.10.2119	8.15.10.2119.zip
Audio Realtek High Definition Audio	Windows 7	6.0.1.5977	5977_PG288_Win7_Vista_XP_UAAV10a-5013.zip
	Windows 7 64-bit	6.0.1.5977	5977_PG288_Win7_Vista_XP_UAAV10a-5013.zip
LAN Intel® 82578DM Gigabit Network Connection	Windows 7	11.5.10.0	Rel15[1].1.10EMGen_PV_210784.zip
	Windows 7 64-bit	11.5.10.0	Rel15[1].1.10EMGen_PV_210784.zip

<b>ME</b> Intel® Management Engine Interface	<b>Windows 7</b>	6.0.0.1179	<a href="#">6.0.0.1179.0.1042.zip</a>
	<b>Windows 7 64-bit</b>	6.0.0.1179	<a href="#">6.0.0.1179.0.1042.zip</a>

## Windows Logo Kits Used (WLK)

Microsoft website: <http://www.microsoft.com/whdc/DevTools/WDK/DTM.aspx>

Please check regularly for test kit updates from Microsoft. Please ensure latest filters updated prior to WHQL run.

Operating Systems	Notes	WHQL Testkit
Windows Vista Windows Vista 64-bit	<a href="#">WLK1.5 for Windows Vista SP2</a>	<a href="#">WLK1.5 for Windows Vista SP2</a>
Windows 7 Windows 7 64-bit	<a href="#">WLK1.5 for Windows 7</a>	<a href="#">WLK1.5 for Windows 7</a>

## Errata and Contingencies

Operating System	Failing Test	Expiry Date	ID Number	Type	Error Description
Windows 7 Windows 7 64-bit Vista Vista 64-bit	PCI Hardware Compliance Test For Systems	12/01/2010	401	Erratum	The following PCI Compliance test failure is acceptable: Bit 15 (Bridge Configuration Retry Enable) in the Device Control register (offset 8h) in the PCI Express Capability table must be read-only and always return 0 as it is reserved for devices other than PCI Express to PCI/PCI-X Bridges. Assertion 13A41D3E-2576-41DC-A67C-525DA3637CEA This failure is acceptable because this is a PCIe 1.1 feature and the WLP requires compliance with only PCIe 1.0a.
Windows 7 Windows 7 64-bit Vista Vista 64-bit	1) UAA Test - Win7 (System) 2) UAA Test - Vista or Server08 (System)	06/01/2015	513	Erratum	UAA Test requires the Traffic Priority bit to be read/write - however there are two specs that apply, and they conflict. One says the bit must be read/write, the other says it must be read-only. Contact has been made with the author of both specs (Intel) but until this point is clarified we cannot fail submissions containing this test failure.
Windows 7 Windows 7 64-bit Vista Vista 64-bit	1) Class Driver Fidelity Test - Win7 (System, Manual) 2) HDAudio Class Driver Fidelity Test - Vista (System, Manual)	07/31/2011	598	Erratum	The European Union requires the headphone output level to be $\leq 150$ mVrms for headphone jacks. There's a note in WLP requirement AUDIO-0006 that states, in the presence of regional regulations, the output level requirement for headphones is dropped from $\geq 1000$ mVrms to $\geq 120$ mVrms. This provides freedom for manufacturers to meet both the EU $\leq 150$ mVrms @ 32 Ohms and the WLP $\geq 120$ mVrms @ 32 Ohms requirements. The Fidelity Test tests headphones at 300 Ohm load, though. Without knowledge of the output impedance at the jack, the test cannot extrapolate what the output level at 32 Ohms would have been from the output level at 300 Ohms. The test assumes that the output level at 32 Ohms will be *less* than the output level at 300 Ohms, though. So any measurement $\geq 120$ mVrms at 300 Ohms "could be" a passing result, depending on the output impedance.



Operating System	Failing Test	Expiry Date	ID Number	Type	Error Description
Windows 7 Windows 7 64-bit Vista Vista 64-bit	PCI Hardware Compliance Test For Systems	12/01/2010	1241	Erratum	This happens because the PCI Compliance test assumes that if the Data Link Layer Link Active Reporting Capable bit in the Link Capabilities register for a given PCIe port is set then that indicates that the Data Link Layer Link Active bit will also be set. This is an incorrect assumption because the Data Link Layer Link Active bit can be reset when there is no device below the port. This assertion needs to be removed from the PCIHCT. The current architecture of the PCIHCT prevents it from knowing whether devices exist below a bridge/port.
Windows 7 Windows 7 64-bit Vista Vista 64-bit	1) Class Driver AC3 Test - Win7 (System) 2) HDAudio Class Driver Test - Vista or Server08 (System)	06/30/2025	1256	Erratum	Run AC3 test on a system with the Microsoft HD Audio class driver installed. Expected results: All AC3 kernel streaming data ranges should advertise MinimumBitsPerSample = 16 and MaximumBitsPerSample = 16. Actual results: HD Audio class driver sometimes advertises MaximumBitsPerSample = 24.
Vista 64-bit	System - Common Scenario Stress With IO	12/01/2010	1537	Erratum	The Common Scenario Stress with IO test enumerates devices that can be disabled early in the boot cycle. Some devices can be disabled during the boot process, but later cannot be disabled. Since the test does not check the device status each time, it may attempt to disable a device that cannot be disabled.
Windows 7 Windows 7 64-bit Vista Vista 64-bit	1) Class Driver Fidelity Test - Win7 (System, Manual) 2) HDAudio Class Driver Fidelity Test - Vista (System, Manual)	01/31/2011	1801	Erratum	There is a test bug which causes the measurement of system noise during Render Power Transition Test to be about 3 dB worse than it should be. This filter forgives errors up to 6 dB.
Vista 64-bit	Hal timer tests (HCT)	08/01/2010	1806	Erratum	The HAL Timer test can fail the KeStallExecutionProcessor Backoff Test case due to an issue with the processor implementation. This has been determined to be a problem with the test.
Vista	GlitchFree WMV HD 720p video playback quality test	12/01/2010	2018	Erratum	The GlitchFree WMV HD 720p video playback quality test enforces SYSFUND-0062. A problem has been found in Case 3 that may cause the test to improperly fail.

## Test Notes

Operating System	Test	Description
Windows 7 and Vista	BIOS download	Internal: <a href="http://bios.intel.com/downloads/">http://bios.intel.com/downloads/</a> External: <a href="http://www.intel.com/">http://www.intel.com/</a> click on Support and Download
Windows 7 and Vista	BIOS setup	Please make sure the BIOS setting are as below, otherwise use default settings.  System Date and Time: Current date and time Peripheral Configuration: Enable all onboard component Drive Configuration: Set to IDE Chipset Configuration: Enable HPET ACPI Suspend State: Set to <S3 State> Boot Device Priority: set <Hard Disk Driver> to first
Windows 7 and Vista filter update	WLK WHQL test	<a href="http://winqual.microsoft.com/member/SubmissionWizard/LegalExemptions/filterupdates.cab">http://winqual.microsoft.com/member/SubmissionWizard/LegalExemptions/filterupdates.cab</a>
Special H/W that use to PASS the test	None	None