



Motherboard Logo Program (MLP)

Intel® Desktop Board

D2500HN

MLP Report

1/5/2012

Purpose:

This report describes the Board D2500HN Motherboard Logo Program testing run conducted by Intel Corporation.

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel products. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel® Core™ i7 and Intel® are trademarks of Intel Corporation in the U.S. and other countries.

*Other names and brands may be claimed as the property of others

Copyright © 2009, Intel Corporation. All rights reserved.

Contents

Introduction	4
Terms and Definitions.....	4
Desktop Board Configuration	5
Desktop Board D2500HN Configuration Report: Completion of MLP	5
Board Information.....	5
Onboard Integrated/Add-in Devices and Driver for Windows 7 32-bit	5
Windows Logo Kits Used (WLK)	6
Errata and Contingencies	7
Test Notes	9

Introduction

Terms and Definitions

Term	Definitions
WHQL	Windows* Hardware Qualification Lab
WLK	Windows Logo Kits
MLP	Motherboard Logo Program. For further information see: http://www.microsoft.com/whdc/hwtest/default.msp
AP Machine	Audio Precision Machine
Winqual	Windows Qualification
MSFT Tested Product List	Tested Products List. You can view the Windows Marketplace for tested products list at: http://winqual.microsoft.com/HCL/ProductList.aspx?m=v&cid=105&q=s

Desktop Board Configuration

Desktop Board D2500HN Configuration Report: Completion of MLP

Data in this section reflects system configuration at time of MLP submission.

Board Information

Product Code ¹	BIOS String/Model	Technologies NOT Logo'd (yet)
D2500HN	MUCDT10N.86A.0067.2011.1227.1232	N/A - all technologies logo'd
Processor		
Speed	1.86GHz	
Family	Intel® Atom CPU D2500	
Bus Speed	1333 MHz	
Motherboard		
Board AA #	G34776	
Board FAB #	300	
* This report applies to the production FAB revision; Please consult your Intel Corporation representative to clarify the motherboard revision you intend to perform logo testing if not the same.		
System Memory		
Speed	Dual Channel, DDR3, 1333MHz	
Memory Type	DIMM	
Connector Type	DDR3, 240 Pin	
Power Management		
BIOS Default	S3	
Operating System Tested		
	Check Tested	Comments
Windows 7 32	<input checked="" type="checkbox"/>	Windows 7 Home Premium with Service Pack 1

Onboard Integrated/Add-in Devices and Driver for Windows 7 32-bit

Technology	OS	Version	Package version
Chipset Update Utility Intel® Chipset Software Utility	Windows 7	9.2.2.1034	9.2.2.1034
On-board Graphic Intel® GMA 3600 series	Windows 7	8.14.8.1064	8.14.8.1064

¹ These are the product names to enter in the "Submission ID of previously logo'd qualified PC system or server" field during your "System Using a Previously Logo'd Motherboard" submission to Microsoft.

On-board Audio Realtek High Definition Audio	Windows 7	6.0.1.6526	6526
LAN Intel 82574L Gigabit Network Connection	Windows 7	11.14.48.0	11.14.48.0
IRST	Windows 7	10.1.0.1008	10.1.0.1008

Windows Logo Kits Used (WLK)

Microsoft website: <http://www.microsoft.com/whdc/DevTools/WDK/DTM.mspx>

Please check regularly for test kit updates from Microsoft. Please ensure latest filters updated prior to WHQL run.

Operating Systems	Notes	WHQL Testkit
Windows 7	WLK1.6 for Windows 7 SP1	WLK1.6 for Windows 7 SP1

Errata and Contingencies

Operating System	Failing Test	Expiry Date	ID Number	Type	Error Description
windows 7	Win7: UAA Test - Win7 (System)	06/01/2015	513	Erratum	<p>Issue Description:</p> <p>UAA Test requires the Traffic Priority bit to be read/write - however there are two specs that apply, and they conflict. One says the bit must be read/write, the other says it must be read-only. Contact has been made with the author of both specs (Intel) but until this point is clarified we cannot fail submissions containing this test failure.</p>
windows 7	Win7:Class Driver AC3 Test - Win7 (System)	06/30/2025	1256	Erratum	<p>Issue Description:</p> <p>Run AC3 test on a system with the Microsoft HD Audio class driver installed. Expected results: All AC3 kernel streaming Data ranges should advertise MinimumBitsPerSample = 16 and MaximumBitsPerSample = 16. Actual results: HD Audio class driver sometimes advertises MaximumBitsPerSample = 24.</p>
windows 7	Win7: Class Drive Fidelity Test - Win7 (System, Manual)	7/31/2015	598	Erratum	<p>Issue Description:</p> <p>The European Union requires the headphone output level to be ≤ 150 mVrms for headphone jacks. There's a note in WLP requirement AUDIO-0006 that states, in the presence of regional regulations, the output level requirement for headphones is dropped from ≥ 1000 mVrms to ≥ 120 mVrms. This provides freedom for manufacturers to meet both the EU ≤ 150 mVrms @ 32 Ohms and the WLP ≥ 120 mVrms @ 32 Ohms requirements. The Fidelity Test tests headphones at 300 Ohm load, though. Without knowledge of the output impedance at the jack, the test cannot extrapolate what the output level at 32 Ohms would have been from the output level at 300 Ohms. The test assumes that the output level at 32 Ohms will be *less* than the output level at 300 Ohms, though. So any measurement ≥ 120 mVrms at 300 Ohms "could be" a passing result, depending on the output impedance.</p>
windows 7	Win7: Class Drive Fidelity	6/01/2015	1012	Erratum	<p>Issue Description:</p> <p>Fidelity uses too small of a buffer and wakes up too</p>

	Test - Win7 (System, Manual)				infrequently during the System Activity test. This causes errors like: Noise level during system activity on (left or right) channel 73.2016 dB: *** FAIL *** (requirement >= 80 dB) Resolution Description: The signature of this failure is a lot of good-looking noise measurements during System Activity Test (noise levels down around -90 dBV) with a few sporadic bad noise measurements (-80 dB, -70 dBV) sprinkled throughout (where the glitches happen.) This filter will forgive noise level during system activity of up to -65 dB.
--	------------------------------------	--	--	--	---

Test Notes

Operating System	Test	Description
Windows 7	BIOS download	Internal: http://bios.intel.com/downloads/ External: http://www.intel.com/ click on Support and Download
Windows 7	BIOS setup	Please make sure the BIOS setting are as below, otherwise use default settings. System Date and Time: Current date and time Others: BIOS default setting
Windows 7 filter update	WLK WHQL test	http://winqual.microsoft.com/member/SubmissionWizard/LegalExemptions/filterupdates.cab
Special H/W that use to PASS the test	None	None