



Server WHQL Testing Services

Enterprise Platforms and Services Division

Intel® Server Board S5500WB

Intel® Server Board S5500WB12V

Server Test Submission (STS) Report

For the Microsoft® Windows® Logo Program (WLP)

Rev 1.0

Jan. 8th, 2009

This report describes the Intel® Server Board S5500WB/S5500WB12V Windows* Logo Program test run conducted by Intel® Enterprise Platforms and Services Division (EPSD).

Purpose of this WLP Submission:

System First Time submission for the Microsoft* Designed for Windows* Logo submission for the Intel® Server Board S5500WB/S5500WB12V in None RAID configuration.

Windows Server 2008 R2 x64bit Submission Logo ID: 1383411 (S5500WB MB) / 1383399 (SS5500WB12V MB)

Submission Type:	Reason for test run	Check one
First Time Submission	Initial Microsoft Designed for Windows logo submission. New product submission.	<input checked="" type="checkbox"/>
System Update	Hardware update. (For example, update submission test run with new processor speeds.)	<input type="checkbox"/>

BIOS Update	BIOS and/or Firmware update. (For example, update submission test run with new BIOS to support additional processor speeds.)	<input type="checkbox"/>
OS Update	OS update. (For example, update submission test run to add Microsoft Designed for Windows Server 2008 logo to product.)	<input type="checkbox"/>

Revision History and Disclaimers

Revision History		
Revision	Date	Comments
1.0	1/8/2010	Internal draft of the STS Report for Windows Server 2008 R2 x64bit Submission for Intel® Server Board S5500WB/S5500WB12V configured in None RAID mode

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel, Pentium, Itanium and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

* Other names and brands may be claimed as the property of others.

Copyright © 2010, Intel Corporation. All rights reserved.

Contents

Revision History and Disclaimers	2
Introduction	4
Overview of Contents.....	4
Terms and Definitions	4
Server Board Submission Information.....	5
Intel Server Board Submission Report: Completion of WLP.....	5
Submission Information	5
Submission ID.....	5
Submission Type	5
Product Category	5
Product Detail	5
General Product Information.....	5
Characterization (optional).....	5
Server Board Configuration Information	6
Processor.....	6
System Memory	6
Power Management.....	6
BIOS	6
Bus Types	7
Integrated Components	7
Onboard Integrated Devices and Drivers.....	7
Product Data for HCL: Completion of WLP.....	7
Product Data	8
Hardware Compatibility Tests Used.....	9
Errata and Contingencies.....	10
Submission Readme File.....	10
Testing Exceptions for S5500WB Windows Server 2008 R2 x64Bit	11
Additional Information	12
Testing Exceptions for S5500WB12V Windows Server 2008 R2 x64Bit	13
Additional Information	14
Appendix A – Submission History.....	15

Introduction

This report provides an overview of the testing conducted on the Intel[®] Server Board S5500WB/S5500WB12V by Intel EPD and provides details about this testing run.

Overview of Contents

Section	Content
Introduction	Brief descriptions of the sections in the report. Table listing terms and definitions.
Server Product Submission Information	Submission information, ID # and final server board configuration upon completion of WLP including HW, Driver version, BIOS version, and Board AA number
DTM	All DTM tests used during testing
Errata and Contingencies	All Microsoft* errata or contingencies used during testing

Terms and Definitions

Term	Definitions
EPD	Enterprise Platforms and Services Division
HCL	Windows Hardware Compatibility List. Changed to Windows Server Catalogue. You can view the catalogue at: http://www.microsoft.com/windows/catalog/server/
DTM	Driver Test manager. For latest Server DTM tests visit: http://www.microsoft.com/whdc/hwtest/system/default.aspx
STS	Server Test Submission Report published by EPD
WHDC	Windows* Hardware and Driver Central. Provides technical information, development and testing kits, newsletters and support information. http://www.microsoft.com/whdc/default.aspx
WHOS	Windows Hardware Online Service – Secure online web site used to submit products for logo qualification and review submission history. https://winqual.microsoft.com/
WHQL	Windows* Hardware Qualification Lab. For more information visit the WHDC home page at: http://www.microsoft.com/whdc/whql/default.aspx
WLP	Windows Logo Program. For further information see: http://www.microsoft.com/whdc/winlogo/default.aspx
WTS	Workstation Test Submission Report published by EPD

Server Board Submission Information

Intel Server Board Submission Report: Completion of WLP

Data in this section reflects system submission information at the time of WLP Update submission.

Submission Information

Submission ID		
Submission ID / Master ID	1383411 (S5500WB MB)/ 1383399 (S5500WB12V MB)	
Submission Type		
	Check Submission Type	Comments
First-Time Hardware and Driver Test Submission	<input checked="" type="checkbox"/>	
System Update Test Submission	<input type="checkbox"/>	
Product Category		
Hardware Category	PC System or Server	
Operating System family	Windows Server 2008 R2 family	
Product Detail		
General Product Information		
Equipment Type	Server	
Primary Target Market	Business/Corporate	
Compliance	All applicable requirements	
Characterization (optional)		
	Check appropriate options	Comments
Web Server	<input checked="" type="checkbox"/>	
SQL Database Server	<input checked="" type="checkbox"/>	
File Server	<input checked="" type="checkbox"/>	

2BServer Board Submission Information

Server Board Configuration Information

Processor	
Quantity	2 (physical processors installed)
Front Side Bus Speed	6.40 GT/s (Giga transfers per sec)
Family/Model	Intel [®] Xeon Quad-core Processor 5500 series
Speed	1.86, 2.00, 2.13, 2.26, 2.40, 2.53, 2.66, 2.80, and 2.93 GHz
System Memory	
Amount Installed	64 GB
Memory Type	DDR3
Power Management	
ACPI Sleep States (S1, S2, S3, S4)	S1
Server Board Product	
System uses logo'd motherboard	NO (Server boards are <u>NOT</u> eligible for logo under the Microsoft* Motherboard logo program)
Board AA #/Fab	PBA: E48472-304 (S5500WB MB) /E40367-302 (S5500WB12V MB)
Board Manufacturer	Intel Corporation
Board Model	Intel [®] Server Board S5500WB/S5500WB12V
Northbridge* Chipset Manufacturer	Intel Corporation
Northbridge Chipset Model	Intel [®] 5500 IOH
Southbridge* Chipset Manufacturer	Intel Corporation
Southbridge Chipset Model	Intel [®] 82801Jx I/O Controller Hub (ICH10R)
BIOS	
BIOS Manufacturer	AMI*
BIOS Version	S5500.86B.01.00.0046
BIOS Date	12/17/2009
BIOS URL (For Updates)	http://www.intel.com/products/server/motherboards/S5500WB/S5500WB-overview.htm

Bus Types			
	Check all that Apply		Check all that Apply
PS/2	<input type="checkbox"/>	AGP*	<input type="checkbox"/>
1394	<input type="checkbox"/>	PCCard* (16-bit)	<input type="checkbox"/>
CF (Compact Flash)	<input type="checkbox"/>	CardBus* (32-bit)	<input type="checkbox"/>
PCI	<input type="checkbox"/>	USB	<input type="checkbox"/>
Mini-PCI	<input type="checkbox"/>	USB 2.0	<input checked="" type="checkbox"/>
AMR	<input type="checkbox"/>	InfiniBand*	<input type="checkbox"/>
ACR	<input type="checkbox"/>	Bluetooth*	<input type="checkbox"/>
COM (Serial)	<input checked="" type="checkbox"/>	PCI Express	<input checked="" type="checkbox"/>
Integrated Components			
	Check all that Apply		Check all that Apply
Audio	<input type="checkbox"/>	Display	<input checked="" type="checkbox"/>
IDE	<input type="checkbox"/>	Networking	<input checked="" type="checkbox"/>
SCSI	<input type="checkbox"/>	RAID	<input checked="" type="checkbox"/>
Modem	<input type="checkbox"/>	Bluetooth*	<input type="checkbox"/>

Onboard Integrated Devices and Drivers

Data in this section reflects system configuration at the time of WLP submission. The latest drivers for the Intel® Server Board S5500WB/S5500WB12V are available for download at:

<http://www.intel.com/products/server/motherboards/S5500WB/S5500WB-overview.htm>

Technology	OS	Version
Intel® S5500/S5520 Chipset and Intel® 82801Jx I/O Controller Hub (ICH10R) The chipset contains: I/O Hub (IOH). The chipset uses the Intel® 82801Jx I/O Controller Hub (ICH10R) for the I/O controller hub.	Windows Server 2008 R2	Embedded
LAN 2 Intel® 82576 Server Network Connection Supports 10/100/1000	Windows Server 2008 R2	Embedded
Display Server Engine iBMC video controller	Windows Server 2008 R2	Embedded

Product Data for HCL: Completion of WLP

Data in this section reflects product data for HCL at time of WLP submission.

2BServer Board Submission Information

Product Data		
Product Name	Intel® Server Board S5500WB/ Intel® Server Board S5500WB12V	
Additional Product Names	N/A	
	N/A	
Supported Platforms		
	Check Tested	Comments
Windows Server 2003 family	<input type="checkbox"/>	
Windows Server 2003 x64 family	<input type="checkbox"/>	
Windows Server 2008 family	<input type="checkbox"/>	
Windows Server 2008 R2 x64 family	<input checked="" type="checkbox"/>	

Hardware Compatibility Tests Used

Microsoft* Windows Hardware Driver Central Server Testing Home

Page: <http://www.microsoft.com/whdc/hwtest/system/default.mspx>.

Please check this website regularly for test kit updates.

Operating Systems	Notes	Hardware Compatibility Tests (HCT)
Windows Server 2008 R2 x64bit	DTM 1.4 Test Procedures for Systems, Servers and Cluster Servers	DTM 1.4 Test Kit
	Logo'd Components Index Full Install	Logo'd Components Index Full Install

Errata and Contingencies

Microsoft* System DTM Errata list is available at:

<https://winqual.microsoft.com/EC/>

Operating System	Identification Number	Title
Windows Server 2008 R2 x64bit		<i>See Testing Exceptions section below</i>

Submission Readme File

Effective May 1, 2002, the new Microsoft standardized Readme form will be required for all hardware submissions that include any of the following testing exceptions:

- Test failures
- Tests not run
- Missing test logs
- Inconclusive test results

All testing exceptions must be identified with a valid Errata ID, Incident ID, or Contingency ID provided by WHQL. The new Microsoft standardized Readme file is available for download at:

<http://www.microsoft.com/whdc/winlogo/WLK/default.mspx>

Testing Exceptions for S5500WB Windows Server 2008 R2 x64Bit

Data in this section reflects product data and test exceptions listed in section 2 of the S5500WB Readme file at time of WLP First-Time submission ID Number 1383411 (S5500WB MB).

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	1998
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion 9322F624-9817-4A1E-8C97-7C4A74052129 Network and storage controllers must be PCI Express devices.	
Additional information (for example, test system in a multiple system configuration)		

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	1713
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion 7229E848-31C2-482A-88F2-73ADA2C32B79 Bit range 9:4 (Negotiated Link Width)in the Link Status register (offset 12h) in the PCI Express Capability table is 1h. It cannot be in the set of values {0x1, 0x2} for PCI Express display controllers.	
Additional information (for example, test system in a multiple system configuration)		

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	1098
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion FAE18121-9177-4FB2-A081-0D04C285EFF2 Bit range 15:0 (Extended Capability ID)in the Enhanced Capability Header register (offset 0h) in the Unrecognized Enhanced Capability ID 13 table is Dh. It must be in the range [0x0 - 0xB] as all other Capability IDs are reserved.	
Additional information (for example, test system in a multiple system configuration)		

4BErrata and Contingencies

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	759
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion 5CAF4993-B8D1-4E4E-99EC-CC5895364E32 Bit range 11:10 (ASPM Support)in the Link Capabilities register (offset Ch) in the PCI Express Capability table is 0h. It cannot be in the set of values {0x0, 0x2}	
Additional information (for example, test system in a multiple system configuration)		

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	1543
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion 0E36472A-0EDB-4685-A67D-7AF1FFBFA81B Data Link Layer Link Active Reporting Capable bit is set but Data Link Layer Link Active is not.	
Additional information (for example, test system in a multiple system configuration)		

Additional Information

No additional information entered in section 3 of the S5500WB Submission Readme file at time of WLP submission ID 1383411 (S5500WB MB)

Testing Exceptions for S5500WB12V Windows Server 2008 R2 x64Bit

Data in this section reflects product data and test exceptions listed in section 2 of the S5500WB12V Readme file at time of WLP First-Time submission ID Number 1383399 (S5500WB12V MB).

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	1998
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion 9322F624-9817-4A1E-8C97-7C4A74052129 Network and storage controllers must be PCI Express devices.	
Additional information (for example, test system in a multiple system configuration)		

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	1713
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion 7229E848-31C2-482A-88F2-73ADA2C32B79 Bit range 9:4 (Negotiated Link Width)in the Link Status register (offset 12h) in the PCI Express Capability table is 1h. It cannot be in the set of values {0x1, 0x2} for PCI Express display controllers.	
Additional information (for example, test system in a multiple system configuration)		

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	1098
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion FAE18121-9177-4FB2-A081-0D04C285EFF2 Bit range 15:0 (Extended Capability ID)in the Enhanced Capability Header register (offset 0h) in the Unrecognized Enhanced Capability ID 13 table is Dh. It must be in the range [0x0 - 0xB] as all other Capability IDs are reserved.	
Additional information (for example, test system in a multiple system configuration)		

4BErrata and Contingencies

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	759
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion 5CAF4993-B8D1-4E4E-99EC-CC5895364E32 Bit range 11:10 (ASPM Support)in the Link Capabilities register (offset Ch) in the PCI Express Capability table is 0h. It cannot be in the set of values {0x0, 0x2}	
Additional information (for example, test system in a multiple system configuration)		

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	Errata	1543
Failing test name	PCI Hardware Compliance Test	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	Assertion 0E36472A-0EDB-4685-A67D-7AF1FFBFA81B Data Link Layer Link Active Reporting Capable bit is set but Data Link Layer Link Active is not.	
Additional information (for example, test system in a multiple system configuration)		

Additional Information

No additional information entered in section 3 of the S5500WB12V Submission Readme file at time of WLP submission ID 1383399 (S5500WB12V MB)

Appendix A – Submission History

Microsoft “Designed for Windows*” logo submission history for the Intel® Server Board
S5500WB/S5500WB12V

Submission ID	Type	Date	OS Qualified	Processor Speeds	Board Revision	BIOS Version
1383411 (S5500WB MB) 1383399 (S5500WB12V MB)	First-Time	1/8/2010	Windows Server 2008 R2 - 64 Bit	1.86, 2.00, 2.13, 2.26, 2.40, 2.53, 2.66, 2.80, and 2.93 GHz	304 (S5500WB MB) 302 (S5500WB12V MB)	S5500.86B.01.00.0046