



Transform Data Center Efficiency with Technology Innovation

Increase scalability, reliability, and affordability with Intel® Optane™ technology and Microsoft Azure Stack HCI

Solution Benefits

Microsoft Azure Stack HCI, powered by 2nd Gen Intel® Xeon® Scalable processors, uses Intel® Optane™ technology to help organizations reimagine memory and storage, and accelerate data-centric transformation. Organizations can expect to:

- **Process demanding workloads.** The solution's robust capabilities allow users to handle large datasets and the most demanding workloads.
- **Do more with less.** The solution's high-performance design helps increase IOPS while requiring fewer nodes for greater consolidation can help to decrease costs.
- **Help ensure reliability.** Microsoft Azure Stack HCI solutions use Microsoft-validated hardware for optimal performance and reliability.

Executive Summary

Businesses of all sizes and across industry verticals must optimize and modernize their data centers to remain competitive. Through hyperconverged infrastructure (HCI), Microsoft Azure Stack HCI solutions can enable organizations to simplify deployments, scale operations, increase reliability and manageability, and maximize resource utilization—all of which helps transform data center efficiency and help reduce total data center costs.

By combining highly virtualized compute, storage, and networking on industry-standard servers and components, Microsoft Azure Stack HCI makes it possible to run virtualized applications on premises as well as connect to Microsoft Azure for cloud services.

Microsoft Azure Stack HCI is optimized for 2nd Generation Intel® Xeon® Scalable processors, a workload-optimized platform designed to deliver agility with enhanced performance and advanced capabilities. Adding Intel® Optane™ technology to Microsoft Azure Stack HCI can help organizations increase data throughput, reduce latency, affordably increase memory capacity, and quickly extract value from large datasets for timely, actionable insights, all while potentially consolidating workloads on a smaller data center footprint.

Intel has created multiple reference architectures to accelerate infrastructure decisions and solve storage efficiency and memory capacity issues. Organizations can look to these modern solutions to help meet today's storage and memory requirements across a wide variety of use cases.



Author

Alessandro Goncalves

SSD Solutions Architect, Non-Volatile Solutions Group, Intel

Boost Data Center Efficiency with Validated and Optimized Hardware and Software

Increased Throughput, Larger Memory Capacity, Reduced Latency




Figure 1. Intel Optane DC technology helps businesses using Microsoft Azure Stack HCI optimize their data centers.

Business Challenge: Choose the Right Infrastructure for Data-Hungry Workloads

Constantly expanding datasets can be overwhelming, but they also offer tremendous opportunities to organizations that know how to squeeze the most value from their data. Companies of all types and across all industries now understand the importance of taking advantage of the growing volume of data to gain actionable insights that help inform their business decisions and keep them competitive.

Rapidly mining data requires an infrastructure tuned to a specific workload's memory and storage requirements. Today's organizations need a highly flexible, scalable solution that provides affordable handling of high-performance, high-density data. HCI—tightly integrated and virtualized compute, storage, and networking—combined with Intel® Optane™ technology can help organizations meet these challenges.

Performance-Optimizing Use Cases

Today's organizations are looking to create efficiencies, improve performance, and lower costs as much as possible. Here are some use cases that illustrate how Microsoft Azure Stack HCI can help businesses find operational efficiencies and boost performance.

- **Virtual desktop infrastructure (VDI).** Azure Stack HCI suits users that want to implement remote desktop virtualization on a large scale. VDI provides user desktops through a virtual desktop broker. The virtual desktops connect back to VMs and central storage on the Azure Stack HCI cluster. VDI delivers client desktops on a range of devices so users don't have to store data locally or upload data from local devices, helping to enhance security.
- **Trusted enterprise virtualization.** Azure Stack HCI works in general business scenarios in which customers want to serve any applications hosted on VMs with high security and high availability. Azure Stack HCI provides a security-enabled infrastructure for workloads through virtualization-based security (VBS), using the Hyper-V hypervisor to create and isolate the Virtual Secure Mode (VSM) from the normal operating system. Enabling VBS allows security-sensitive operations to occur in the isolated memory, independent of the host operating system.
- **High-performance SQL Server.** Running Microsoft SQL Server in an Azure Stack HCI cluster allows users to run SQL Server and associated applications with the resiliency virtualization provides. Azure Stack HCI also offers the benefit of a single vendor for its hypervisor, host operating system, and database server when used to host SQL Server. Adding Azure Backup provides comprehensive database backup management. While Azure Stack HCI deployments built to support database servers are typically performance-optimized, users can boost performance with high-bandwidth PCIe/NVMe-based Intel® SSDs. Users can further increase performance by using Intel Optane DC SSDs for caching and SATA-based SSDs or HDDs for capacity.

- **Branch office and edge.** Azure Stack HCI helps businesses like retail stores, branch offices, field sites, and other edge sites that want affordable, highly available, and resilient storage for business-critical applications and new edge workloads built on containers. Azure Stack HCI solutions designed for this use case offer cost-effective fault tolerance and resilience. Intel SSDs can be used in a single tier, or as a cache tier to support HDDs in the capacity tier.
- **Scale-out storage.** Businesses that require file serving with high scalability, performance, and availability can look to Azure Stack HCI to provide storage performance on validated hardware that can be optimized for density, speed, or performance-to-cost ratio. This requires an affordable file server and a small hardware commitment. This use case draws on the capabilities of Microsoft Storage Spaces Direct, which creates a pool of highly available and highly scalable storage from locally attached drives at a cost that can be lower than traditional SAN or NAS arrays. Intel SSDs support the cost-savings and performance goals of scale-out storage servers. Using high-bandwidth PCIe/NVMe-based Intel SSDs for all storage devices will help optimize performance. Using Intel Optane DC SSDs as cache drives and SATA-based SSDs or HDDs as capacity drives can deliver great performance at a low cost.



Organizations that use Microsoft Azure Stack HCI can optimize their data centers with Intel® Optane™ DC technology.

- **Intel Optane DC SSDs** help eliminate data center storage bottlenecks and allow affordable processing of larger datasets. The technology can accelerate applications, reduce workload latency, and lead to potential cost savings.
- **Intel® Optane™ DC persistent memory** is a non-volatile memory option that delivers a combination of large memory capacity and support for data persistence for easy data accessibility. The workload-optimized technology sits between the memory and storage layers and helps enable businesses to get fast, actionable insights from data-intensive applications reliably and affordably.

Solution Value: Get Speed *and* Scale

Microsoft Azure Stack HCI is a hyperconverged Microsoft Windows Server 2019 cluster that uses validated hardware to run virtualized workloads on-premises. Microsoft Azure Stack HCI solutions combine highly virtualized compute, storage, and networking on industry-standard x86 servers with local-attached drives to create highly available, highly scalable SDS. The components of the solution include Microsoft Storage Spaces Direct, which has built-in support for both PCIe/NVMe-based Intel SSDs and Intel® Optane™ DC persistent memory, as well as Microsoft Hyper-V, which serves as the hypervisor. Azure Stack HCI dramatically simplifies deployment, while caching, storage tiers, and erasure coding, together with the latest hardware, deliver exceptional efficiency and performance.

The solution is powered by 2nd Generation Intel Xeon Scalable processors, which provide compute capabilities to the VMs, as well as enabling I/O and storage efficiency technologies such as deduplication, compression, and erasure coding. Adding Intel Optane technology to Microsoft Azure Stack HCI can result in high performance and low latency at an affordable cost. With Intel Optane technology, organizations don't need to choose between speed and scale. Various aspects of Intel Optane technology work together to enable organizations to process, store, and move larger and more complex datasets. The technology bridges critical gaps in the storage and memory hierarchy to deliver a combination of persistent memory, large system memory pools, rapid caching, and fast storage, depending on which Intel Optane technology is in use. Overall, combining 2nd Gen Intel Xeon Scalable processors with Intel Optane DC persistent memory and Intel Optane DC SSDs can help organizations reduce bottlenecks, achieve more VMs per server, and meet the needs of latency-sensitive workloads, while delivering greater agility and value to challenging data center environments.

Improve Working Storage

Low-latency, high-performance, high-endurance, and reliable Intel Optane SSDs in the cache tier help to break through

storage bottlenecks and minimize I/O wait times. Reducing I/O wait helps to recover CPU cycles, which can help to increase workload density, and that ultimately can enable a reduction in node count. Fewer nodes not only mean a smaller hardware investment, but can also lead to lower software licensing costs. On a workload simulating a multi-VM environment on Microsoft Storage Spaces Direct, adding Intel Optane DC SSDs to a server cluster resulted in 26.6 percent faster response times, and improved IOPS by up to 52.9 percent using one fewer server, compared to a solution using only SATA SSDs (see Figure 2).¹

Affordably Improve Memory Capacity and Memory Caching

For memory-intensive workloads, Intel Optane DC persistent memory can provide benefits beyond using DRAM alone. The technology introduces a new flexible tier within the memory/storage hierarchy, which is immediately applicable to workloads across cloud, in-memory computing, and storage. This new technology improves system speed and efficiency, increases data availability, and delivers rapid data insights.

- Intel Optane DC persistent memory in **Memory Mode** allows users to affordably expand volatile system memory, increasing VM density and the amount of memory available to applications.
- Intel Optane DC persistent memory in **App Direct Mode** can serve as non-volatile (persistent) cache. Persistence not only protects data in the event of a power loss, but shortens application restart times and increases application performance, as memory no longer has to be continuously flushed to storage devices.
- In **App Direct-Dual Mode** (Memory Mode and App Direct Mode), this technology can serve both as non-volatile (persistent) cache, as well as fast, volatile system memory, with a percentage of the memory assigned to each mode.

By affordably expanding system memory with Intel Optane DC persistent memory in Memory Mode, the number of VMs per node can increase by up to 36 percent. This increases VM density in the Microsoft Azure Stack HCI cluster and can help to decrease costs (see Figure 3).²

Increased Data Center Efficiency Using Intel® Optane™ DC SSDs¹




Figure 2. Get more I/O performance on fewer servers with Intel Optane DC SSDs.

Increased Data Center Resources Using Intel® Optane™ DC Persistent Memory²




Figure 3. Adding Intel Optane DC persistent memory increases resource utilization and drives down costs.

Build a Balanced Architecture Design

It is a best practice to increase all subsystems by the same factor, thereby avoiding creating bottlenecks by lack of one or more subsystems. With the increase in options to design HCI solutions, it is imperative that all resources support one another in a balanced approach. The key is not to under-provision nor over-provision any subsystem. Overall, every subsystem needs to grow when one grows, otherwise bottlenecks are highly likely.

Achieve Low-Latency Ethernet

Traditionally, storage workloads have run over a dedicated fabric. However, HCI environments distribute data across nodes in the cluster using a standard Ethernet network, making network performance an important factor in the HCI solution. Microsoft Azure Stack HCI has built-in support for high-performance, low-latency Intel® Ethernet network adapters that support remote direct memory access (RDMA). RDMA improves the throughput for traffic between nodes, enabling a low-latency, high-throughput direct memory-to-memory data communication between applications over a network.

Organizations can use these Intel® technologies to solve their memory and storage issues and accelerate applications, resulting in excellent overall data center costs.

Solution Architecture: Workload-Driven HCI Designs


Intel simplifies infrastructure decision making by defining five reference designs, optimized for specific use cases for organizations that need faster caching, more memory—or both.

Figure 4 illustrates the reference architecture for workloads that can benefit from using Intel Optane technology. Each of the options uses Intel Optane SSDs; Options 2 and 3 add in Intel Optane DC persistent memory. Here are the details:


- **Option 1.** Use Intel Optane DC SSDs as cache, plus SATA-based Intel SSDs for the capacity tier, to speed caching and increase VM density—leading to server consolidation.
- **Option 2.** Workloads that need more memory can benefit from Intel Optane DC persistent memory in Memory Mode, in addition to the Intel Optane SSDs in the cache tier.
- **Option 3.** Workloads that not only need additional memory, but also need extremely low latency can combine Intel Optane DC persistent memory in App Direct-Dual Mode, where the cache layer uses a two-tier architecture that allows for much faster cache allocation and frees up drive bays for more capacity. The App Direct Mode persistent memory replaces Intel Optane DC SSDs in the cache tier. This configuration is ideal for high-performance SQL Server use cases.

Three Ways to Improve Microsoft Azure Stack HCI with Intel® Optane™ Technology

OPTION 1
Increase Caching Speed
 Upgrade the cache tier with **Intel Optane DC SSDs** to increase caching speed



OPTION 2
Increase Available Memory
 Replace some DDR4 with **Intel Optane DC persistent memory** and enable **Memory Mode** to increase memory



OPTION 3
Increase Memory and Cache Bandwidth
 Variably configure **Intel Optane DC persistent memory** with **Memory Mode** for increasing memory, and **App Direct-Dual Mode** for increasing cache




Figure 4. Adding Intel Optane technology can speed caching, increase VM density, and reduce latency for a variety of workloads.

Conclusion

Optimizing compute, memory, and storage is important for organizations that want to perform fast data analysis to inform business decisions that can improve time-to-market and lead to competitive advantage. Enterprises need an infrastructure that's tuned to a specific business scenario or that suits their requirements. Companies can use Microsoft Azure Stack HCI, with a foundation of 2nd Gen Intel Xeon Scalable processors and Intel Optane technology, to transform data center efficiency and save on hardware and licensing costs. The solution allows users to either get more functionality from fewer nodes by enabling more VMs per server, add more servers to do exponentially more work, or extend system memory and memory caching to lower latency and increase VM density at the same time.

Replacing standard SSDs with Intel Optane DC SSDs at the cache tier can help businesses get insights faster. And by including Intel Optane DC persistent memory, organizations can quickly extract meaningful insights from very large datasets, scale delivery of services, and support more customers at compelling cost savings. Together, these technologies can give organizations of every size and type the ability to modernize their infrastructure to get the most value from their data so they can grow and thrive.

To get started with Microsoft Azure Stack HCI, visit the [Azure Stack HCI product catalog](#), which offers solutions from 20 hardware suppliers. To simplify deployment even further, choose an [Intel® Select Solution for Azure Stack HCI](#). Intel Select Solutions are verified configurations

that can speed selection and deployment of data center and communications network infrastructure. The solutions are developed from deep Intel experience with industry solution providers, as well as extensive collaboration with the world's leading data center and service providers.

Find the solution that is right for your organization. Contact your Intel representative or visit [Intel Optane Technology for Data Centers](#).

Learn More

You may also find the following resources useful:

- [Intel® Optane™ Technology](#)
- [Intel® Optane™ DC SSD Series](#)
- [Intel® Optane™ DC Persistent Memory](#)
- [2nd Generation Intel® Xeon® Scalable Processors](#)
- [Microsoft Azure Stack HCI](#)
- [Intel® Select Solutions for Azure Stack HCI](#)

Solution Provided By:



¹ Testing by Principled Technologies as of August 7, 2019. For more information, visit principledtechnologies.com/Hpe/Intel-Optane-HPE-ProLiant-Storage-Spaces-Direct-0919.pdf and principledtechnologies.com/Hpe/Intel-Optane-HPE-ProLiant-Storage-Spaces-Direct-science-0919.pdf.

Common configuration: 2x Intel® Xeon® Gold 6154 processor @ 3.0 GHz (18 cores); 12 x 32 GB DDR4-2666 (total memory = 384 GB); OS drive = 1x Intel® SSD DC S3700 400 GB; Intel® Hyper-Threading Technology = ON; Intel® Turbo Boost Technology = ON; BIOS = U30 v1.46 (10/02/2018); BIOS setting = Performance; OS = Windows Server 2019 Build 1809 (patched 8/2/19); Power management policy = Static High Performance Mode; NIC = 2x Intel® Ethernet Adapter XXV710 (25 GbE). **All-SATA configuration:** four-node cluster; 4x Intel® SSD D3-S4510 3.84 TB. *Results: IOPS = 387,092; Latency = 6.0 ms.* **SATA plus Intel® Optane™ DC SSD configuration:** three-node cluster; 4x Intel® SSD D3-S4510 3.84 TB and 2x Intel Optane SSD DC P4800X 375 GB. *Results: IOPS = 592,173; Latency = 4.4 ms.* Workload: VMFleet/DISKSPD 2.0.21a.

² Performance results are based on testing by Intel as of January 15, 2019 and may not reflect all publicly available security updates. See the configuration disclosure for details. **Common configuration:** Intel® Xeon® Gold 6230 processor @ 2.10 GHz. **All-DRAM configuration:** 384 GB DDR4 DRAM memory. **DRAM + Intel® Optane™ DC persistent memory configuration:** 192 GB DDR4 DRAM memory + 512 GB Intel Optane DC persistent memory. Benchmark Setup: VMFleet Test: Each VM with 1 core, 8 GB; memory, 40 GB VHDX; Test Setup: threads = 2; buffer size = 4 KB; pattern: random, duration = 300 seconds; queue depth = 16, 30% write; OS: Windows Server 2019 Standard (desktop) with updated patch.

Software and workloads used in performance tests may have been optimized for performance only on Intel microprocessors.

Performance tests, such as SYSmark and MobileMark, are measured using specific computer systems, components, software, operations and functions. Any change to any of those factors may cause the results to vary. You should consult other information and performance tests to assist you in fully evaluating your contemplated purchases, including the performance of that product when combined with other products. For more complete information, visit intel.com/benchmarks.

Performance results are based on testing as of the date set forth in the configurations and may not reflect all publicly available security updates. See configuration disclosure for details. No product or component can be absolutely secure.

Cost reduction scenarios described are intended as examples of how a given Intel-based product, in the specified circumstances and configurations, may affect future costs and provide cost savings. Circumstances will vary. Intel does not guarantee any costs or cost reduction.

Intel does not control or audit third-party benchmark data. You should review this content, consult other sources, and confirm whether referenced data are accurate.

Intel's compilers may or may not optimize to the same degree for non-Intel microprocessors for optimizations that are not unique to Intel microprocessors. These optimizations include SSE2, SSE3, and SSSE3 instruction sets and other optimizations. Intel does not guarantee the availability, functionality, or effectiveness of any optimization on microprocessors not manufactured by Intel. Microprocessor-dependent optimizations in this product are intended for use with Intel microprocessors. Certain optimizations not specific to Intel microarchitecture are reserved for Intel microprocessors.

Intel technologies' features and benefits depend on system configuration and may require enabled hardware, software or service automation. Performance varies depending on system configuration. No product or component can be absolutely secure. Check with your system manufacturer or retailer or learn more at intel.com.

Intel, the Intel logo, Xeon, and Optane are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Other names and brands may be claimed as the property of others. © Intel Corporation 0120/JGAL/KC/PDF 341107-001US