



CHASSIS ECOSYSTEM CATALOG FOR INTEL® NUC BOARDS

Updated: October 5th, 2017



In-Win ULTRATOP®-K3 HASWELL*

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	ULTRATOP® K3-Haswell The K3-Haswell has one top USB 3.0 and one HD audio connections on the front panel to support a microphone input and a headphone output.
DIMENSIONS (MM) AND SIZE	140(D) x 190(W) x 35(H) = 0.93L
OPTIONS	<ul style="list-style-type: none"> • 2 internal USB expansion ports • Front bezel mounted USB camera and MIC • Contact or contactless SMART Card Reader • NFC Reader • Supports SATA-SSD/HDD
COOLING SYSTEM	Active
PSU	65W External 19V AC Adapter (100-240V, Efficiency Level V, ErP Lot 6 Compliant)



IN WIN CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe	Eric Chang	+31 181 650630	eric.chang@in-win.nl
UK	Enrico	+44 1582 566 880	enrico@in-win.co.uk
US	Paul Hao	+1 909 348 0588	paul.hao@in-win.com
LAR	Tai Liao	+1 909.348.0588 ext 713	tai.liao@in-win.com
South East Asia	William Lu	+8863 3229898 ext 1112	william.lu@in-win.com.tw
Japan	William Lu	+8863 3229898 ext 1112	william.lu@in-win.com.tw

Chassis Sku	NUC Sku
K3-Haswell	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

In-Win ULTRATOP® K3-Multi I/O*

IoT Focused

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	ULTRATOP® K3-Multi I/O
DIMENSIONS (MM) AND SIZE	165mm Deep by 43mm High by 190mm Wide
OPTIONS	<ul style="list-style-type: none"> • Modular IO Connectivity • - Quad RS232 Serial Port Module • - Dual Gigabit Ethernet LAN Module • - Six USB 2.0 Hub Module • - One Serial, One Parallel Port Module • Internal 2.5" SATA Device • Replaceable Rear I/O Shield • Versions for 1st Gen NUC, Haswell and Baytrail NUCs • VESA Mounting Bracket • Vertical Stand
COOLING SYSTEM	Active
PSU	65 Watt External 100-240V, 50/60Hz, AC


www.in-win.com

IN WIN CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe	Eric Chang	+31 181 650630	eric.chang@in-win.nl
UK	Enrico	+44 1582 566 880	enrico@in-win.co.uk
US	Paul Hao	+1 909 348 0588	paul.hao@in-win.com
LAR	Tai Liao	+1 909.348.0588 ext 713	tai.liao@in-win.com
South East Asia	William Lu	+8863 3229898 ext 1112	william.lu@in-win.com.tw
Japan	William Lu	+8863 3229898 ext 1112	william.lu@in-win.com.tw

Chassis Sku	NUC Sku
K3-Multi I/O	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

In-Win ULTRATOP® K3*-Boardwell*

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	ULTRATOP® K3-Boardwell Based on the Intel NUC board the K3-Boardwell brings the same level of functionality and performance of the In Win ULTRATOP® products to a new innovative and versatile size.
DIMENSIONS (MM) AND SIZE	140(D) x 190(W) x 35(H) = 0.93L
OPTIONS	<ul style="list-style-type: none"> • 2 internal USB expansion ports • Front bezel mounted USB camera and MIC • Contact or contactless SMART Card Reader • NFC Reader • Supports SATA-SSD/HDD
COOLING SYSTEM	Active
PSU	65W External 19V AC Adapter (100-240V, Efficiency Level V, ErP Lot 6 Compliant)



IN WIN CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe	Eric Chang	+31 181 650630	eric.chang@in-win.nl
UK	Enrico	+44 1582 566 880	enrico@in-win.co.uk
US	Paul Hao	+1 909 348 0588	paul.hao@in-win.com
LAR	Tai Liao	+1 909.348.0588 ext 713	tai.liao@in-win.com
South East Asia	William Lu	+8863 3229898 ext 1112	william.lu@in-win.com.tw
Japan	William Lu	+8863 3229898 ext 1112	william.lu@in-win.com.tw

Chassis Sku	NUC Sku
K3-Boardwell	NUC5i3RYB (i3) NUC5i5RYB (i5)

* Contact chassis vendors for up-to-date specifications, price, and availability.

Morex – 3815U*

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	3815U
USAGE MODEL	Digital Signage, Education, POS, Kiosk, Vending Machine, Surveillance
CASE TYPE	NUC
DIMENSIONS (MM) AND SIZE	40(H) x 135(D) x 205 (W)
OPTIONS	<ul style="list-style-type: none"> • VESA Bracket • Side I/O: USB x 4pcs • Rear I/O: 1xVGA, 2xCOM • Support SATA SSD/2.5"HDD
COOLING SYSTEM	Active FHS
PSU	Externall19V, 100-240V AC, 65W



MOREX CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe, South Africa, South America	Linda Lan	+886 2985 8063 #12	linda@morex.com.tw
Russia, Middle East, Asia	Amy Lai	+886 2985 8063 #17	amy@morex.com.tw
U.S.	T. C. Yap	+1 510 226 1188	Tc.yap@morexintl.com

Chassis Sku	NUC Sku
3815U	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC37-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC37-A1B / A-NUC37-M1B
DIMENSIONS (MM) AND SIZE	247 x 240 x 38.5mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC37-A1B A-NUC37-M1B	NUC7i5BNH NUC7i5BNK NUC7i3BNH NUC7i3BNK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC36-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC36-A1B / A-NUC36-M1B
DIMENSIONS (MM) AND SIZE	140 x 111 x 51mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, VGA port opening, 2.5" SSD/HDD support
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC37-A1B A-NUC37-M1B	NUC6CAYS NUC6CAYH

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC35-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC35-A1B / A-NUC35-M1B
DIMENSIONS (MM) AND SIZE	176.5 x 200 x 53.5mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC35-A1B A-NUC35-M1B	NUC7i5BNH NUC7i5BNK NUC7i3BNH NUC7i3BNK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC33-A1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC33-A1B
DIMENSIONS (MM) AND SIZE	383 x 213 x 93mm (WxDxH)
OPTIONS	kensington lock, 2.5" SSD/HDD support
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC33-A1B	NUC6i7KYK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC29-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC29-A1B / A-NUC29-M1B
DIMENSIONS (MM) AND SIZE	174.6 x 179 x 79.6mm (WxDxH)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support, serial port opening
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC29-A1B A-NUC29-M1B	NUC6i5SYH*
	NUC6i5SYK*
	NUC6i3SYH*
	NUC6i3SYK*
	NUC5i5MYBE
	NUC5i5MYHE
	NUC5i3MYBE
	NUC5i3MYHE
	NUC5i5RYH
	NUC5i5RYK
	NUC5i3RYH
	NUC5i3RYK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC27-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC27-A1B / A-NUC27-M1B
DIMENSIONS (MM) AND SIZE	247 x 240 x 38.5mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support, serial port opening
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



© akasa

<http://www.akasa.com.tw>

AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC27-A1B A-NUC27-M1B	NUC6i5SYH*
	NUC6i5SYK*
	NUC6i3SYH*
	NUC6i3SYK*
	NUC5i5MYBE
	NUAC5i5MYHE
	NUC5i3MYBE
	NUC5i3MYHE
	NUC5i5RYH
	NUC5i5RYK
	NUC5i3RYH
	NUC5i3RYK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC23-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC23-A1B / A-NUC23-M1B
DIMENSIONS (MM) AND SIZE	247 x 240 x 38.5mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support, serial port opening
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC23-A1B A-NUC23-M1B	NUC5i5MYBE
	NUC5i5MYHE
	NUC5i3MYBE
	NUC5i3MYHE
	NUC5i7RYH
	NUC5i5RYH
	NUC5i5RYK
	NUC5i3RYH
	NUC5i3RYK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC22-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC22-A1B / A-NUC22-M1B
DIMENSIONS (MM) AND SIZE	150 x 214 x 54mm (W x D x H)
OPTIONS	Waterproof
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC22-A1B A-NUC22-M1B	NUC5i3MYBE NUC5i3MYHE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC21-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC21-A1B / A-NUC21-M1B
DIMENSIONS (MM) AND SIZE	140 x 111 x 51mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, VGA port opening, 2.5" SSD/HDD support
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC21-A1B	NUC5PPYB
A-NUC21-M1B	NUC5PPYH
	NUC5CPYB
	NUC5CPYH

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC20-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC20-A1B / A-NUC20-M1B
DIMENSIONS (MM) AND SIZE	174.6 x 179 x 79.6mm (WxDxH)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support, serial port opening
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC20-A1B A-NUC20-M1B	NUC5i5MYBE
	NUC5i5MYHE
	NUC5i3MYBE
	NUC5i3MYHE
	NUC5i5RYH
	NUC5i5RYK
	NUC5i3RYH
	NUC5i3RYK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC18-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC18-A1B / A-NUC18-M1B
DIMENSIONS (MM) AND SIZE	174.6 x 179 x 79.6mm (WxDxH)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support, serial port opening, ODD bay
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC18-A1B	NUC5i5MYBE
A-NUC18-M1B	NUC5i5MYHE
	NUC5i3MYBE
	NUC5i3MYHE
	NUC5i5RYH
	NUC5i5RYK
	NUC5i3RYH
	NUC5i3RYK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC17-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC17-A1B / A-NUC17-M1B
DIMENSIONS (MM) AND SIZE	247 x 200 x 38.5mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support, serial port opening
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC17-A1B A-NUC17-M1B	NUC5i5MYBE NUC5i5MYHE NUC5i3MYBE NUC5i3MYHE NUC5i5RYH NUC5i5RYK NUC5i3RYH NUC5i3RYK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC16-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC16-A1B / A-NUC16-M1B
DIMENSIONS (MM) AND SIZE	247 x 200 x 38.5mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support, serial port opening
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC16-A1B A-NUC16-M1B	NUC5i5MYBE NUC5i5MYHE NUC5i3MYBE NUC5i3MYHE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC15-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC15-A1B / A-NUC15-M1B
DIMENSIONS (MM) AND SIZE	176.5 x 200 x 53.5mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC15-A1B A-NUC15-M1B	NUC5i5MYBE NUC5i5MYHE NUC5i3MYBE NUC5i3MYHE NUC5i5RYH NUC5i5RYK NUC5i3RYH NUC5i3RYK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC13-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC13-A1B / A-NUC13-M1B
DIMENSIONS (MM) AND SIZE	150 x 200 x 47mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, 2.5" SSD/HDD support
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC13-A1B A-NUC13-M1B	NUC5i3MYBE NUC5i3MYHE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Akasa-A-NUC11-M1B

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	A-NUC11-A1B / A-NUC11-M1B
DIMENSIONS (MM) AND SIZE	236 x 111 x 39mm (W x D x H)
OPTIONS	VESA mounting, kensington lock, VGA port opening, 2.5" SSD/HDD support, serial port opening
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC (optional)



AKASA CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK and Europe		+44 (0) 20 8578 0055	sales@akasa.co.uk
Brazil		+55 11 3277 4040	comercial@akasa.com.br
Asia Pacific & USA		+886 (0) 2 2999 6289	sales@akasa.com.tw
China		+86 769 8698 9899	sales@dachigroup.com

Chassis Sku	NUC Sku
A-NUC11-A1B A-NUC11-M1B	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

SilverStone – PT14x*

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	SST-PT14B-D2 (black+ mDPx2)
USAGE MODEL	Signage, Kiosk, POS, Vending, Surveillance, Thin Client, Home Media (HTPC)
DIMENSIONS (MM) AND SIZE	106(W) x 122(D) x 37(H) = 0.47L
OPTIONS	<ul style="list-style-type: none"> • RS-232 Serial port through USB header to DB9 COM port • 5 x USB 2.0 ports (2 ports header, 1 front, 2 at back panel)
COOLING SYSTEM	Active fan or passive (fanless) option
PSU	External 19V, 100-240V AC (sold separately)

Contact tony@silverstonetek.com for product information and feedback

SILVERSTONE CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe	Dana Linde	+49 40 675931 17	dl@silverstonetek.de
USA	Joel Gonzalez	+1 909 465 9596 x105	jg@silverstonetek.com
Australia/NZ	Jenny Wu	+886 2 82281238 x304	jennywu@silverstonetek.com
Asia	Enxn Chyi	+886 2 82281238 x311	enxn@silverstonetek.com
Others	Teresa Chang	+886 2 8228 1238 x301	teresa@silverstonetek.com

Chassis Sku	NUC Sku
SST-PT14B-D2	NUC5i3MYBE / NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

SilverStone – PT15x*

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	SST-PT15B-D2 (black+ mDPx2)
USAGE MODEL	Signage, Kiosk, POS, Vending, Surveillance, Thin Client, Home Media (HTPC)
DIMENSIONS (MM) AND SIZE	135(W) x 110(D) x 41(H) = 0.6L
OPTIONS	<ul style="list-style-type: none"> • RS-232 Serial port through USB header to DB9 COM port • 5 x USB 2.0 ports (2 ports header, 1 front, 2 at back panel)
COOLING SYSTEM	Original thermal solution on board
PSU	External 19V, 100-240V AC (sold separately)

Contact tony@silverstonetek.com for product information and feedback

SILVERSTONE CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe	Dana Linde	+49 40 675931 17	dl@silverstonetek.de
USA	Joel Gonzalez	+1 909 465 9596 x105	jg@silverstonetek.com
Australia/NZ	Jenny Wu	+886 2 82281238 x304	jennywu@silverstonetek.com
Asia	Enxn Chyi	+886 2 82281238 x311	enxn@silverstonetek.com
Others	Teresa Chang	+886 2 8228 1238 x301	teresa@silverstonetek.com

Chassis Sku	NUC Sku
SST-PT15B-D2	NUC5i3MYBE / NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

SilverStone – PT18x*

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	SST-PT18B-D2 (black+ mDPx2)
USAGE MODEL	Signage, Kiosk, POS, Vending, Surveillance, Thin Client, Home Media (HTPC)
DIMENSIONS (MM) AND SIZE	230mm (W) x 39mm (H) x 110mm (D), 1.0liters
OPTIONS	<ul style="list-style-type: none"> • RS-232 Serial port through USB header to DB9 COM port • 5 x USB 2.0 ports (2 ports header, 1 front, 2 at back panel)
COOLING SYSTEM	passive (fanless) option
PSU	External 19V, 100-240V AC (sold separately)

Contact tony@silverstonetek.com for product information and feedback

SILVERSTONE CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe	Dana Linde	+49 40 675931 17	dl@silverstonetek.de
USA	Joel Gonzalez	+1 909 465 9596 x105	jg@silverstonetek.com
Australia/NZ	Jenny Wu	+886 2 82281238 x304	jennywu@silverstonetek.com
Asia	Enxn Chyi	+886 2 82281238 x311	enxn@silverstonetek.com
Others	Teresa Chang	+886 2 8228 1238 x301	teresa@silverstonetek.com

Chassis Sku	NUC Sku
SST-PT18B-D2	NUC5i3MYBE / NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

SilverStone – PT14x*

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	SST-PT20S-D2 (black+ mDPx2)
USAGE MODEL	Signage, Kiosk, POS, Vending, Surveillance, Thin Client, Home Media (HTPC)
DIMENSIONS (MM) AND SIZE	131.5mm (W) x 50mm (H) x 110mm (D), 0.72 liters
OPTIONS	<ul style="list-style-type: none"> • RS-232 Serial port through USB header to DB9 COM port • 5 x USB 2.0 ports (2 ports header, 1 front, 2 at back panel)
COOLING SYSTEM	passive (fanless) option
PSU	External 19V, 100-240V AC (sold separately)

Contact tony@silverstonetek.com for product information and feedback

SILVERSTONE CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe	Dana Linde	+49 40 675931 17	dl@silverstonetek.de
USA	Joel Gonzalez	+1 909 465 9596 x105	jg@silverstonetek.com
Australia/NZ	Jenny Wu	+886 2 82281238 x304	jennywu@silverstonetek.com
Asia	Enxn Chyi	+886 2 82281238 x311	enxn@silverstonetek.com
Others	Teresa Chang	+886 2 8228 1238 x301	teresa@silverstonetek.com

Chassis Sku	NUC Sku
SST-PT20S-D2	NUC5i3MYBE / NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

SilverStone PT20-H1T1 (Baby Canyon)

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	SST-PT20S-D2 (Silver+ mDP x2) SST-PT20S-H1T1 (Silver+ HDMI x1 + Thunderbolt x1)
USAGE MODEL	Signage, Kiosk, POS, Vending, Surveillance, Thin Client, Home Media (HTPC)
DIMENSIONS (MM) AND SIZE	125mm (W) x 50mm (H) x 110mm (D), 0.68 liters
OPTIONS	<ul style="list-style-type: none"> • RS-232 Serial port through USB header to DB9 COM port • 5 x USB 2.0 ports (2 ports header, 1 front, 2 at back panel)
COOLING SYSTEM	• Original cooling system
PSU	External 19V, 100-240V AC (sold separately)



<http://www.silverstonetek.com>

Contact tony@silverstonetek.com for product information and feedback

SILVERSTONE CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe	Dana Linde	+49 40 675931 17	dl@silverstonetek.de
USA	Joel Gonzalez	+1 909 465 9596 x105	jg@silverstonetek.com
Australia/NZ	Jenny Wu	+886 2 82281238 x304	jennywu@silverstonetek.com
Asia	Enxn Chyi	+886 2 82281238 x311	enxn@silverstonetek.com
Others	Teresa Chang	+886 2 8228 1238 x301	teresa@silverstonetek.com

Chassis Sku	NUC Sku
SST-PT20S-D2	NUC5i3MYBE / NUC5i5MYBE
SST-PT20S-H1T1	NUC7i7BN / NUC7i5BN / NUC7i3BN

* Contact chassis vendors for up-to-date specifications, price, and availability.

SilverStone – PT21 series

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	SST-PT21B-H1
SUPPORT M/B	Intel NUC Board NUC5PPYH
DIMENSIONS (MM) AND SIZE	120mm x 109mm x 45mm 0.58L
GRAPHICS	<ul style="list-style-type: none"> • Intel HD graphics • 1x full-size HDMI 1.4a
PERIPHERAL CONNECTIVITY	<ul style="list-style-type: none"> • 2xUSB 3.0 ports on the back panel • 2xUSB3.0 ports on the front panel • 2x Internal USB2.0 via header
COOLING SYSTEM	Passive(Aluminum top cover TDP 6W)
INCLUDED	VESA mount bracket and mount hole support



www.silverstonetek.com.tw

Contact tony@silverstonetek.com for product information and feedback

SILVERSTONE CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe	Dana Linde	+49 40 675931 17	dl@silverstonetek.de
North America	Joel Gonzalez	+1 909 465 9596	jg@silverstonetek.com
Oceania ASEAN	Jenny Wu	+886 2 82281238 x304	jennywu@silverstonetek.com
Japan	Enxn Chyi	+81 045-392-9988	enxn@silverstonetek.com
Others	Teresa Chang	+886 2 8228 1238 x301	teresa@silverstonetek.com

Chassis Sku	NUC Sku
SST-PT21B-H1	NUC5PPYH

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5603

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5603
DIMENSIONS (MM) AND SIZE	109(D) x 135(W) x 48(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5603	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5701

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5701
DIMENSIONS (MM) AND SIZE	109(D) x 145(W) x 50(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5701	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5604

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5604
DIMENSIONS (MM) AND SIZE	109(D) x 135(W) x 48(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5604	NUC5i3MYBE NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5702

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5702
DIMENSIONS (MM) AND SIZE	109(D) x 145(W) x 50(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5702	NUC5i3MYBE NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5604

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5604
DIMENSIONS (MM) AND SIZE	109(D) x 135(W) x 48(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5604	NUC5i3RYH NUC5i5RYH

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5702

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5702
DIMENSIONS (MM) AND SIZE	109(D) x 145(W) x 50(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5702	NUC5i3RYH NUC5i5RYH

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5604

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5604
DIMENSIONS (MM) AND SIZE	109(D) x 135(W) x 48(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5604	NUC5CPY

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5702

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5702
DIMENSIONS (MM) AND SIZE	109(D) x 145(W) x 50(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor


<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5702	NUC5CPY

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GE5201

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GE5201
DIMENSIONS (MM) AND SIZE	115(D) x 111(W) x 39(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Passive
PSU	60W 12V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GE5201	NUC5CPY

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5604

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5604
DIMENSIONS (MM) AND SIZE	109(D) x 135(W) x 48(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5604	Arches Canyon

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5702

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5702
DIMENSIONS (MM) AND SIZE	109(D) x 145(W) x 50(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5702	Arches Canyon

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GE5201

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GE5201
DIMENSIONS (MM) AND SIZE	115(D) x 111(W) x 39(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Passive
PSU	60W 12V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GE5201	Arches Canyon

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5604

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5604
DIMENSIONS (MM) AND SIZE	109(D) x 135(W) x 48(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5604	NUC7i3BN NUC7i5BN

* Contact chassis vendors for up-to-date specifications, price, and availability.

G-ALANTIC GA5702

TAIWAN

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	GA5702
DIMENSIONS (MM) AND SIZE	109(D) x 145(W) x 50(H) mm
OPTIONS	VESA Mount , 2.5" HDD /SSD
COOLING SYSTEM	Active
PSU	80W 12V / 65W 19V AC Adaptor



<http://www.g-alantic.com.tw>

G-ALANTIC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Europe/U.S	Tag Chang	+886-2-8228-7780 #362	tag.chang@g-alantic.com.tw
Russia/CIS	Grace Wang	+886-2-8228-7780 #360	grace@g-alantic.com.tw
Asia/Others	Colin Chang	+886-2-8228-7780 #160	colin@g-alantic.com.tw

Chassis Sku	NUC Sku
GA5702	NUC7i3BN NUC7i5BN

* Contact chassis vendors for up-to-date specifications, price, and availability.

STREACOM NC2 (MY)

CHINA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	NC2 (MY)
USAGE MODEL	Silent Home Media (HTPC), Thin Client, Surveillance, Kiosk, Digital Signage, Home Automation, POS, Embedded Systems
DIMENSIONS (MM) AND SIZE	150(W) × 112(D) × 59(H) = 0.99L
OPTIONS	<ul style="list-style-type: none"> • Chassis Material: Extruded & Milled Aluminum, Acrylic Sides • Available Colors: Black and Silver – Sandblast Finish • Optional VESA Mount (ST-VM1)
COOLING SYSTEM	Passive (fanless)
PSU	External 19V DC, 100-240V AC (supplied with motherboard)
DESCRIPTION	<p>The Intel® NUC platform was designed to deliver full size computing power in a TINY package and the NC2 stays true to that vision. At only 59mm, the NC2 is only 11mm taller than the NC1 but provides the additional internal space to fit a 15mm high 2.5" drive. The NC2 also keeps all of the great features of the NC1, compact and stylish design, ultra efficient passive cooling, modular assembly, and acrylic sides which allow for internal WiFi / Bluetooth, making it the perfect case for an ultra small and silent PC. The case is also supplied with a short SATA Data + Power cable which is the perfect length for the internal SSD and gets you up and running right out of the box. If you need internal WiFi or vertical mounting, the NC2 is compatible with the existing VM1 VESA compatible mount and the InFi2 Antenna.</p>


www.streacom.com

Chassis Sku	NUC Sku
ST-NC2-MY ST-NC2-MY	NUC5i3MYBE NUC5i5MYBE

STREACOM CONTACT INFORMATION

COUNTRY	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	+31 (0) 10 752 3517	inquiry@streacom.com

* Contact chassis vendors for up-to-date specifications, price, and availability.

STREACOM NC2 (NB)

CHINA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	NC2 (BN)
DIMENSIONS (MM) AND SIZE	150(W) x 112(D) x 59(H) mm = 0.99L
OPTIONS	Chassis Material: Extruded & Milled AL6063, Acrylic Sides Available Colours: Black & Silver AL, Various Acrylic Colours Optional VESA Mount, IR Window, SD Card Extension (to side panel). Can be customized for use with other NUC boards unto 17W TDP.
COOLING SYSTEM	Passive (fanless) rated to 17W @ load with 25C open room temp
PSU	External 19V DC, 100-240v AC (not supplied with case)


www.streacom.com

STREACOM CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide (NL)	Ahmet	+31 (0) 10 752 3517	inquiry@streacom.com

Chassis Sku	NUC Sku
ST-NC2-NB	NUC7i3BNB NUC7i5BNB

* Contact chassis vendors for up-to-date specifications, price, and availability.

STREACOM NC2 (NBA)

CHINA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	NC2 (BN)
DIMENSIONS (MM) AND SIZE	150(W) x 112(D) x 59(H) mm = 0.99L
OPTIONS	Chassis Material: Extruded & Milled AL6063, Acrylic Sides Available Colours: Black & Silver AL, Various Acrylic Colours Optional VESA Mount, SD Card Extension (to side panel). Can be customized for use with other NUC boards unto 17W TDP.
COOLING SYSTEM	Passive (fanless) rated to 17W @ load with 25C open room temp
PSU	External 19V DC, 100-240v AC (not supplied with case)


www.streacom.com

STREACOM CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide (NL)	Ahmet	+31 (0) 10 752 3517	inquiry@streacom.com

Chassis Sku	NUC Sku
ST-NC2-NBA	NUC7i3BNB NUC7i5BNB

* Contact chassis vendors for up-to-date specifications, price, and availability.

Cadia Networks RoughNUC-IPC Platforms

(Core i3 & i5)

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	RoughNUC-IPC (Broadwell)
MODEL USAGE	Embedded Computers, Industrial Controls, Surveillance, Kiosk, Digital Signage, Network Appliance, Thin Client
OPTIONS	WiFi, 3G, GPS, Bluetooth, GigE, RS232/485, CAN Bus, DAQ w/GPIO, Video Capture, Ext.Temp & Customs
OPERATING SYSTEMS	Windows Compact 2013, Windows Automotive 7, WES7, WES8, Linux Ubuntu, Yocto & other upon special request
VIRTUALIZATION	Virtualization Ready Image with choice of up to 2 Operating Systems pre-installed
PSU	12-19VDC/100-240V AC External Power Brick
AUX PWR & RESET	12-19VDC Internal Power Terminals
DIMENSIONS (MM)	110 (D) x 164 (W) x 47(H)
MOUNTING	Tabletop, Wall Mount, DIN



CADIA NETWORKS CONTACT INFORMATION			
FUNCTION	NAME	PHONE NUMBER	E-MAIL ADDRESS
Inside Sales	Brent Jordan	+1-855-GO-CADIA	sales@cadianetworks.com
Business Development	Randall Sucamele	+1-949-945-5534	rsucamele@cadianetworks.com

Chassis Sku	NUC Sku
RNUCI-5MYBE RNUCI-3MYBE	NUC5i5MYBE NUC5i3MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Cadia Networks RoughNUC-Plus Platforms

(Atom, Celeron, i3 & i5)

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	RoughNUC-Plus (Broadwell & Skylake)
MODEL USAGE	Embedded Computers, Industrial Controls, Surveillance, Kiosk, Digital Signage, Network Appliance, Thin Client
OPTIONS	WiFi, 3G, GPS, Bluetooth, GigE, RS232/485, CAN Bus, DAQ w/GPIO, Video Capture, Ext.Temp & Customs
OPERATING SYSTEMS	Windows Compact 2013, Windows Automotive 7, WES7, WES8, Linux Ubuntu, Yocto & other upon special request
VIRTUALIZATION	Virtualization Ready Image with choice of up to 2 Operating Systems pre-installed
PSU	12-19VDC/100-240V AC External Power Brick
AUX PWR & RESET	12-19VDC Internal Power Terminals
DIMENSIONS (MM)	150-185 (D) x 150 (W) x 47(H)
MOUNTING	Tabletop, Wall Mount, DIN, Versa



CADIA CONTACT INFORMATION			
FUNCTION	NAME	PHONE NUMBER	E-MAIL ADDRESS
Inside Sales	Brent Jordan	+1-855-GO-CADIA	sales@cadianetworks.com

Chassis Sku	NUC Sku
RNUCP-5SKB	NUC6i5
RNUCP-3SKB	NUC6i3
RNUCP-5MYBE	NUC5i5MYBE
RNUCP-3MYBE	NUC5i3MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Cadia Networks RoughNUC-Max Platforms

(Atom, Celeron, i3 & i5)

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	RoughNUC-Max (Broadwell & Skylake)
MODEL USAGE	Embedded Computers, Industrial Controls, Surveillance, Kiosk, Digital Signage, Network Appliance, IoT Gateways, Transportation
OPTIONS	WiFi, 3G, GPS, Bluetooth, GigE, RS232/485, CAN Bus, DAQ w/GPIO, Video Capture, Removable SATA Drive, GigE Routerboard, Ext.Temp & Customs
OPERATING SYSTEMS	Windows Compact 2013, Windows Automotive 7, WES7, WES8, Linux Ubuntu, Yocto & other upon special request
VIRTUALIZATION	Virtualization Ready Image with choice of up to 2 Operating Systems pre-installed
PSU	12-19VDC/100-240VSC External Power Brick
AUX PWR & RESET	Programmable 6-34VDC input DCDC Converter – Option
DIMENSIONS (MM)	240 (D) x 150 (W) x 48(H)
MOUNTING	Tabletop, Wall Mount, DIN, Versa



www.cadianetworks.com/portfolio-items/roughnuc-ipc

CADIA CONTACT INFORMATION

FUNCTION	NAME	PHONE NUMBER	E-MAIL ADDRESS
Inside Sales	Brent Jordan	+1-855-GO-CADIA	sales@cadianetworks.com

Chassis Sku	NUC Sku
RNUCM-5SKB	NUC6i5
RNUCM-3SKB	NUC6i3
RNUCM-5MYBE	NUC5i5MYBE
RNUCM-3MYBE	NUC5i3MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Cadia Networks IP-6700 Platforms*

(Atom, Celeron, i3, i5 & i7)

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	IP-6700 (Broadwell & Skylake)
MODEL USAGE	Embedded Computers, Industrial Controls, Surveillance, Kiosk, Digital Signage
OPTIONS	WiFi, 3G, GPS, Bluetooth, GigE, RS232/485, CAN Bus, DAQ w/GPIO, Video Capture, Ext.Temp & Customs
OPERATING SYSTEMS	Windows Compact 2013, Windows Automotive 7, WES7, WES8, Linux Ubuntu, Yocto & other upon special request
VIRTUALIZATION	Virtualization Ready Image with choice of up to 2 Operating Systems pre-installed
PSU	12-19VDC via Power Cable
AUX PWR & RESET	12-19VDC via Power Cable
DIMENSIONS (MM)	185 (D) x 150 (W) x 54(H)
MOUNTING	Tabletop, Wall Mount



CADIA CONTACT INFORMATION

FUNCTION	NAME	PHONE NUMBER	E-MAIL ADDRESS
Inside Sales	Brent Jordan	+1-855-GO-CADIA	sales@cadianetworks.com

Chassis Sku	NUC Sku
IP6765	NUC6i5
IP6763	NUC6i3
IP6755	NUC5i5MYBE
IP6753	NUC5i3MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Cadia Networks RoughNUC-BTS Platforms

(Atom, Celeron)

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	RoughNUC-BTS (Bay Trail)
MODEL USAGE	Embedded Computers, Industrial Controls, Surveillance, Kiosk, Digital Signage, Network Appliance, Thin Client
OPTIONS	WiFi, 3G, GPS, Bluetooth, GigE, RS232/485, CAN Bus, DAQ w/GPIO, Video Capture, Ext.Temp & Customs
OPERATING SYSTEMS	Windows Compact 2013, Windows Automotive 7, WES7, WES8, Linux Ubuntu, Yocto & other upon special request
4GB eMMC	Bootable Linux Lite 2.2 for NUC
VIRTUALIZATION	Virtualization Ready Image with choice of up to 2 Operating Systems pre-installed
PSU	12-19VDC/100-240VSC External Power Brick
AUX PWR & RESET	12-19VDC Internal Power Terminals
DIMENSIONS (MM)	111 (D) x 236 (W) x 39(H)
MOUNTING	Tabletop, Wall Mount, DIN, Versa



CADIA CONTACT INFORMATION

FUNCTION	NAME	PHONE NUMBER	E-MAIL ADDRESS
Inside Sales	Brent Jordan	+1-855-GO-CADIA	sales@cadianetworks.com

Chassis Sku	NUC Sku
RNUCB-LP	DE3815TYBE
RNUCB-TP	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Logic Supply – ML310G-10

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	ML310G-10
DIMENSIONS (MM) AND SIZE	196 x 36.75 x 131.20mm = 0.95L
FEATURES	<ul style="list-style-type: none"> • "Cargo Bay" for proprietary cards • Customer Expansion Port for I/O (DB9 or DB15) • VGA header standard • 1 Audio Jack; line-out/in • 3 Antenna Ports (Wi-Fi / Bluetooth / ZigBee) • Built-in DIN and VESA Mounting • Interchangeable Back Plate with EMI Gasket • Fanless, vent-free chassis
OPTIONS	<ul style="list-style-type: none"> • 2.5" HDD Options • VESA Screws / Wall Mounting Brackets / DIN Kit • Vibration Isolating Mounting Kit • Chassis Customization • Branding Options (Available in Orange or Custom)
COOLING SYSTEM	Passive (Fanless + Ventless)
PSU	External 19V DC

LOGIC SUPPLY CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	James Floyd	+1 802 861 2300	sales@logicsupply.com
EMEA	Fred Buining	+31 85 2733760	info@logicsupply.eu



Chassis Sku	NUC Sku
ML310	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Logic Supply – IoT Gateway Solution

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	IoT-ML310G (Intel IoT Gateway Compatible)
DIMENSIONS (MM) AND SIZE	196 x 36.75 x 131.20mm = 0.95L
FEATURES	<ul style="list-style-type: none"> • IoT “Cargo Bay” – create unique IoT solutions • Customer Expansion Port for I/O (DB9 or DB15) • VGA header standard • 1 Audio Jack; line-out/in • 3 Antenna Ports (Wi-Fi / Bluetooth / ZigBee) • Built-in DIN and VESA Mounting • Interchangeable Back Plate with EMI Gasket
OPTIONS	<ul style="list-style-type: none"> • 2.5” HDD Options • VESA Screws / Wall Mounting Brackets / DIN Kit • Vibration Isolating Mounting Kit • Chassis Customization • Branding Options (Available in Orange or Custom)
IoT OPTIONS <i>Compatibility determined on project basis only – please call for development support</i>	<ul style="list-style-type: none"> • Relay contacts and I/O • Isolated RS-232 / RS-485 Ports • SDR (software defined radio) • Wireless: ZigBee, Bluetooth, Wi-Fi, 3G/4G/LTE, GSM, GPS • Real Time Clock Devices • Proprietary Expansion Cards
COOLING SYSTEM	Passive (Fanless + Ventless)
PSU	External 19V DC

LOGIC SUPPLY CONTACT INFORMATION			
AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	James Floyd	+1 802 861 2300	sales@logicsupply.com
EMEA	Fred Buining	+31 85 2733760	info@logicsupply.eu



Chassis Sku	NUC Sku
IoT-ML310G	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Logic Supply ML100G-30 Broadwell Fanless NUC U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	ML100G-30 (Broadwell i3-5010U or i5-5300U)
DIMENSIONS (MM) AND SIZE	142(W) x 62(H) x 111(D) mm = 0.97L
FEATURES	<ul style="list-style-type: none"> • Front Panel Power, USB, Audio, COM • 2 Antenna Ports • Interchangeable Front and Back Plates with EMI Gaskets • Dual "Cargo Bays" for proprietary circuit card mounting • Locking DC Barrel Jack
OPTIONS	<ul style="list-style-type: none"> • DIO / IoT adapter (isolated 0-24v inputs/outputs & wake) • Screw Lock DC power and switch inputs adapter • VESA Kit / Din Kit / Wall Mounting Bracket Kit • Vibration Isolation Mounting Kit • Chassis customization including branding and boxing • Custom colors
COOLING SYSTEM	Passive (Fanless + Ventless) 0-50C Advanced M.2 and Wi-Fi Cooling
PSU	External 12-19V DC



LOGIC SUPPLY CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	James Floyd	+1 802 861 2300	sales@logicsupply.com
EMEA	Fred Buining	+31 85 2733760	info@logicsupply.eu

Chassis Sku	NUC Sku
ML100	NUC5i5MYBE NUC5i3MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Logic Supply – Industrial Fanless NUC Computer

Chassis Suppliers

US / Europe / Global

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	ML310G-10
DIMENSIONS (MM) AND SIZE	196 x 36.75 x 131.20mm = 0.95L
FEATURES	Intel Bay Trail Atom Processing Up to 8GB Memory Expansion Bay For Proprietary Cards Customer Expansion Port For I/O (DB9 or DB15) VGA Header Standard 1 Audio Jack; Line-out/In 3 Antenna Ports (WiFi / Bluetooth / Zigbee) DIN, VESA and Wall Mounting Interchangeable Back Plate With EMI Gasket Fanless, Vent-free Chassis
OPTIONS	2.5" Storage Options VESA Screws / Wall Mounting Brackets / DIN Kit Vibration Isolating Mounting Kit Chassis Customization Branding Options (Different Color Chassis, Screen Printed Logos etc.)
COOLING SYSTEM	Passive (Fanless & Ventless)
PSU	External 19V DC
REGULATORY	CE standards applied (EN 55022/ EN 55024/ EN 55032/ EN 60950-1) FCC – Assembled Using FCC Certified Components RoHS



Chassis Sku	NUC Sku
ML310	DE3815TYBE

Contact us about our Extrovert 4G connectivity options.

* Contact chassis vendors for up-to-date specifications, price, and availability.

LOGIC SUPPLY CONTACT INFORMATION			
COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
US and Global	James Floyd	+1 802 861 2300	info@logicsupply.com
Europe	Sjoerd van Unen	+31 85 2733760	info.eu@logicsupply.com

Logic Supply – Industrial Fanless IoT Gateway

US / Europe / Global

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	IoT-ML310G
DIMENSIONS (MM) AND SIZE	196 x 36.75 x 131.20mm = 0.95L
FEATURES	Intel Bay Trail Atom Processing Up to 8GB Memory Expansion Bay For Proprietary Cards Customer Expansion Port For I/O (DB9 or DB15) VGA Header Standard 1 Audio Jack; Line-out/In 3 Antenna Ports (WiFi / Bluetooth / Zigbee) DIN, VESA and Wall Mounting Interchangeable Back Plate With EMI Gasket Fanless, Vent-free Chassis
OPTIONS	Relay Contacts and I/O Isolated RS-232 / RS-485 Ports SDR (Software Defined Radio) Wireless: Zigbee, Bluetooth, WiFi Real Time Clock Devices Proprietary Expansion Cards
COOLING SYSTEM	Passive (Fanless & Ventless)
PSU	External 19V DC
REGULATORY	CE standards applied (EN 55022/ EN 55024/ EN 55032/ EN 60950-1) FCC – Assembled Using FCC Certified Components RoHS

LOGIC SUPPLY CONTACT INFORMATION			
COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
US and Global	James Floyd	+1 802 861 2300	info@logicsupply.com
Europe	Sjoerd van Unen	+31 85 2733760	info.eu@logicsupply.com



Chassis Sku	NUC Sku
ML310	DE3815TYBE

Contact us about our Extrovert 4G connectivity options.

* Contact chassis vendors for up-to-date specifications, price, and availability.

Logic Supply – Industrial Fanless NUC

US / Europe / Global

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	ML100G-30
DIMENSIONS (MM) AND SIZE	142 x 62 x 107mm = 0.97L
FEATURES	Intel 5th Generation Core i3/i5 Processing Up To 16GB Memory Front Panel Power, USB, Audio, COM 2 Antenna Ports Interchangeable Front and Back Plates With EMI Gaskets Dual Expansion Bays For Proprietary Circuit Card Mounting Locking DC Barrel Jack
OPTIONS	DIO / IoT Adapter (Isolated 0-24V Inputs/Outputs & Wake) 4G Connectivity Screw-lock DC Power And Switch Inputs Adapter VESA Screws / Wall Mounting Brackets / DIN Kit Vibration Isolating Mounting Kit Branding Options (Different Color Chassis, Screen Printed Logos etc.)
COOLING SYSTEM	Passive (Fanless & Ventless) 0-50C Advanced M.2 and WiFi Cooling
PSU	External 12-19V DC
REGULATORY	CE Certified (EN 55022/ EN 55024/ EN 55032/ EN 60950-1) FCC (Class B) UL / CB (60950-1) Compliant Configuration Available RoHS



Chassis Sku	NUC Sku
ML100	NUC5i5MYBE NUC5i3MYBE

Contact us about our Extrovert 4G connectivity options.

* Contact chassis vendors for up-to-date specifications, price, and availability.

LOGIC SUPPLY CONTACT INFORMATION			
COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
US and Global	James Floyd	+1 802 861 2300	info@logicsupply.com
Europe	Sjoerd van Unen	+31 85 2733760	info.eu@logicsupply.com

NOWMICRO – DMP-5010N*

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	DMP-5010N
USAGE MODEL	POS, Kiosk, Digital Signage, Media box
DIMENSIONS (MM) AND SIZE	109(W) x 109(D) x 33(H) = 0.39L
OPTIONS	• N/A
COOLING SYSTEM	Active FHS
PSU	External 19V, 100-240V AC



NOWMICRO CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Kelly Smith	+1 651 393 2102	kellyd@nowmicro.com

Chassis Sku	NUC Sku
DMP-5010N	NUC5i3MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

NOWMICRO – DMP-5300N*

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	DMP-5300N
USAGE MODEL	POS, Kiosk, Digital Signage, Media box
DIMENSIONS (MM) AND SIZE	109(W) x 109(D) x 33(H) = 0.39L
OPTIONS	• N/A
COOLING SYSTEM	Active FHS
PSU	External 19V, 100-240V AC



NOWMICRO CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Kelly Smith	+1 651 393 2102	kellyd@nowmicro.com

Chassis Sku	NUC Sku
DMP-5300N	NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

OEM Production – Nano E3815A*

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	Nano-E3815A-Case
USAGE MODEL	POS, Kiosk, Digital Signage, Surveillance, Home Automation, Media Box
DIMENSIONS (MM) AND SIZE	126(W) x 110(D) x 30(H)
OPTIONS	<ul style="list-style-type: none"> • RS-232 Serial port to DB9 COM port • VESA mounting kit, wifi Antenna Kit
COOLING SYSTEM	Passive
PSU	External DC12V 5A, 100-240V AC



OEM PRODUCTIONS CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Jenny Lin	+1 650 871 3930	sam@oemproductions.com

Chassis Sku	NUC Sku
Nano-E3815A-Case	DE3815TYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Seneca – HD^N*

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	HD ^N
USAGE MODEL	Interactive Kiosk, Digital Signage, POS, Menu Boards
DIMENSIONS (MM) AND SIZE	165(W) x 108(D) x 41(H) = 0.73L
OPTIONS	<ul style="list-style-type: none"> • Internal Power Supply • 4 external USB • Serial Port • Dual External Wi-Fi • 55C Operating Temperature – Intel® Certified • Supports Intel® NUC Board featuring 3rd, 4th, and 5th gen Intel® Core™ i5 Processor, 3rd, 4th, and 5th gen Intel® Core™ i3 Processor, or Intel® Celeron® Processor
COOLING SYSTEM	Active FHS with added blower
PSU	Internal, 100-240V AC



SENECA CONTACT INFORMATION			
AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide		+1 800 227 3432	sales@senecadata.com

Chassis Sku	NUC Sku
HD ^N	NUC5i3MYBE NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Seneca – FANLESS HD^N*

U.S.

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	Fanless HD ^N
USAGE MODEL	Interactive Kiosk, Digital Signage, POS, Menu Boards
DIMENSIONS (MM) AND SIZE	215(W) x 109(D) x 44(H) = 1.03L
OPTIONS	<ul style="list-style-type: none"> • Internal Power Supply • 4 external USB 3.0 • Dual Serial Port • Dual External Wi-Fi • Locking Mini DisplayPort Connections • M.2 and 2.5" SSD Support • Quick-Release VESA Mounting • Supports Intel® NUC Board featuring 5th gen Intel® Core™ i5 Processor, • 5th gen Intel® Core™ i3 Processor
COOLING SYSTEM	Aluminum Chassis Heatsink (Passive)
PSU	Internal, 100-240V AC

SENECA CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide		+1 800 227 3432	sales@senecadata.com


www.senecadata.com

Chassis Sku	NUC Sku
Fanless HD ^N	NUC5i5MYBE NUC5i3MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Tranquil PC – Abel M2*

UK

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	Abel M2
USAGE MODEL	
DIMENSIONS (MM) AND SIZE	165 (w) x 113 (d) x 44 (h) mm
OPTIONS	• Internal 2.5" bay (9.5mm) / 2x SMA WiFi
COOLING SYSTEM	Passive (fanless)
PSU	External



TRANQUIL PC CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Phillip J. Thompson	+44 (0) 845 555 7788	phillip@tranquilpc.co.uk

Chassis Sku	NUC Sku
Abel M2	NUC5i3MYBE NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Tranquil PC – Abel M2R*

UK

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	Abel M2R
USAGE MODEL	
DIMENSIONS (MM) AND SIZE	165 (w) x 113 (d) x 44 (h) mm
OPTIONS	• Internal 2.5" bay (9.5mm) / 2x SMA WiFi / RS232
COOLING SYSTEM	Passive (fanless)
PSU	External



TRANQUIL PC CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Phillip J. Thompson	+44 (0) 845 555 7788	phillip@tranquilpc.co.uk

Chassis Sku	NUC Sku
Abel M2R	NUC5i3MYBE NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Tranquil PC – Abel B2*

UK

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	Abel B2
USAGE MODEL	
DIMENSIONS (MM) AND SIZE	165 (w) x 113 (d) x 44 (h) mm
OPTIONS	• Internal 2.5" bay (9.5mm) / 2x SMA WiFi
COOLING SYSTEM	Passive (fanless)
PSU	External



TRANQUIL PC CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Phillip J. Thompson	+44 (0) 845 555 7788	phillip@tranquilpc.co.uk

Chassis Sku	NUC Sku
Abel B2	NUC5i5RYH NUC5i5RYK NUC5i3RYH NUC5i3RYK

* Contact chassis vendors for up-to-date specifications, price, and availability.

Tranquil PC – Abel B27*

UK

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	Abel B27
USAGE MODEL	
DIMENSIONS (MM) AND SIZE	195 (w) x 113 (d) x 44 (h) mm
OPTIONS	• Internal 2.5" bay (9.5mm) / 2x SMA WiFi
COOLING SYSTEM	Passive (fanless)
PSU	External



<http://www.tranquilpcshop.co.uk/>

TRANQUIL PC CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Phillip J. Thompson	+44 (0) 845 555 7788	phillip@tranquilpc.co.uk

Chassis Sku	NUC Sku
Abel B27	NUC5i7RYH

* Contact chassis vendors for up-to-date specifications, price, and availability.

TranquilPC – V4n Cluster

UK

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	V4n Portable Cluster
DIMENSIONS (MM) AND SIZE	452mm(W) x186mm(H) x 274mm (D)
OPTIONS	Number of nodes, RAM/Storage amount
COOLING SYSTEM	Active
PSU	750W



www.tranquilpc.co

STREACOM CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
UK	Sales	+44 (0) 161 402 3036	sales@tranquilpc.co.uk

Chassis Sku	NUC Sku
V4n	NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Impactics – D1NU*

GERMANY

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	D4NUx, D5NUx (over 10 skus)
USAGE MODEL	POS, Kiosk, Digital Signage, Home Media, Industrial and Medical Applications
DIMENSIONS (MM) AND SIZE	170(W) x 67(H) x 114(D) = 1.3L
OPTIONS	<ul style="list-style-type: none"> • Optional VESA mounting • Serial Port *2 • Additional USB 2.0 Port *2 • 2.5" SSD/HDD • Customising possible
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC



www.impactics.com
www.impactics.de

IMPACTICS CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Robert Michel	+49 (0) 4101 3707439	info@impactics.de

Chassis Sku	NUC Sku
D4NUx	NUC5i3MYBE NUC5i5MYBE
D5NUx	NUC5i3RYK NUC5i3RYH NUC3i5RYK NUC3i5RYH

* Contact chassis vendors for up-to-date specifications, price, and availability.

Impactics - D6NU1, D7NU1

GERMANY

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	D6NUx, D7NU1
DIMENSIONS (MM) AND SIZE	170(W) x 67(H) x 114(D) = 1.3L
OPTIONS	<ul style="list-style-type: none"> • Optional VESA mounting • 2.5" SSD/HDD • Customising possible
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC



www.impactics.com
www.impactics.de

IMPACTICS CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Robert Michel	+49 (0) 4101 3707439	info@impactics-de

Chassis Sku	NUC Sku
D6NU1	NUC6I3SYK/H NUC6I5SYK/H
D7NU1	NUC7I3BNH/K NUC7I5BNH/K

* Contact chassis vendors for up-to-date specifications, price, and availability.

Impactics - PTT

GERMANY

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	PTT
DIMENSIONS (MM) AND SIZE	215(W) x 47(H) x 150(D)
OPTIONS	<ul style="list-style-type: none"> • VESA sandwich mouting • 2x USB • 1x RS232
COOLING SYSTEM	Passive (fanless)
PSU	External 19V, 100-240V AC



www.impactics.com
www.impactics.de

IMPACTICS CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Robert Michel	+49 (0) 4101 3707439	info@imapctics-de

Chassis Sku	NUC Sku
PTT	NUC5i3MYBE NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

NUCBOX NUC5 PC

South KOREA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	NUCBOX NUC5-i5 PC (Broadwell i5-5300U) NUCBOX NUC5-i3 PC (Broadwell i3-5010U)
DIMENSIONS (MM) AND SIZE	110(W) x 70(H) x 115(D) mm
FEATURES	<ul style="list-style-type: none"> • Front Panel USB 3.0 & Audio/Microphone Hole • 2 Antenna Ports • Qi(R)+PMA Dual type Wireless Charger Module • (Built in Top Cover, DC 5V/1.5A) • Kensington Lock Compatibility Hole (Side)
OPTIONS	Chassis Custom Colors (Aluminum Body Anodizing)
COOLING SYSTEM	FAN type (Original NUC Cooling System)
PSU	External 12-19V DC


<http://www.nucbox.co.kr>

SHADOW SYSTEMS PC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
South KOREA	Brian Lee	+82 32 623 0145	wdlee@shadowsystems.co.kr
Worldwide			sales@shadowsystems.co.kr

Chassis Sku	NUC Sku
NUCBOX NUC5-i5 PC	NUC5i5MYBE
NUCBOX NUC5-i3 PC	NUC5i3MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

NUCBOX NUC5 KVM

South KOREA

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	NUCBOX NUC5 KVM (Broadwell i5-5300U) NUCBOX NUC5-KVM (Broadwell i3-5010U)
DIMENSIONS (MM) AND SIZE	Single KVM Type : 110(W) x 110(H) x 115(D) mm Dual KVM Type : 110(W) x 130(H) x 115(D) mm
FEATURES	<ul style="list-style-type: none"> • Front Panel USB 3.0 & Audio/Microphone Hole • Qi(R)+PMA Dual type Wireless Charger Module • (Built in Top Cover, DC 5V/1.5A) • Kensington Lock Compatibility Hole (Side)
Built in KVM Switch	<p>The KVM Switch by switching Single or Dual Monitor with Keyboard, Mouse, controls two of the PC.</p> <p>Therefore, with the advantages that can be used to separate two of the PC according to the work area or network area.</p> <ol style="list-style-type: none"> a. Single PC and Single monitor KVM switch b. Dual PC and Single monitor KVM switch c. Single PC and Dual monitor KVM switch d. Dual PC and Dual monitor KVM switch
OPTIONS	Chassis Custom Colors (Aluminum Body Anodizing)
COOLING SYSTEM	FAN type (Original NUC Cooling System)
PSU	External 12-19V DC



Chassis Sku	NUC Sku
NUCBOX NUC5 SKVM NUCBOX NUC5 DKVM	NUC5i5MYBE NUC5i3MYBE

SHADOW SYSTEMS PC CONTACT INFORMATION			
COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
South KOREA	Brian Lee	+82 32 623 0145	wlee@shadowsystems.co.kr
Worldwide			sales@shadowsystems.co.kr

* Contact chassis vendors for up-to-date specifications, price, and availability.

NUCBOX Triple HDMI

South KOREA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	NUCBOX Triple HDMI (Broadwell i5-5300U / i3-5010U)
DIMENSIONS (MM) AND SIZE	110(W) x 63.5(H) x 115(D) mm
FEATURES	<ul style="list-style-type: none"> • Front Panel USB 3.0 & Audio/Microphone Hole • Triple Display Support : 4K UHD • Kensington Lock Compatibility Hole (Side)
OPTIONS	Chassis Custom Colors (Aluminum Body Anodizing)
COOLING SYSTEM	FAN Cooling Type
PSU	External 12-19V DC


<http://www.nucbox.co.kr>

SHADOW SYSTEMS PC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
South KOREA	Brian Lee	+82 32 623 0145	wdlee@shadowsystems.co.kr
Worldwide			sales@shadowsystems.co.kr

Chassis Sku

NUCBOX T- hdmi

NUC Sku

 NUC5i5MYBE
 NUC5i3MYBE


* Contact chassis vendors for up-to-date specifications, price, and availability.

NUCBOX Audio PC

South KOREA

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	NUCBOX AUDIO DAC (Broadwell i5-5300U)
DIMENSIONS (MM) AND SIZE	110(W) x 70(H) x 115(D) mm
FEATURES (PC Section)	<ul style="list-style-type: none"> • Front Panel USB 3.0 & Audio/Microphone Hole • 2 Antenna Ports • Kensington Lock Compatibility Hole (Side)
FEATURES (DAC Section)	<p>a. Supported Formats PCM 16/24Bit, 44.1, 48, 88.2, 96, 176.4, 192 kHz DSD 1Bit, 2.8/5.6 MHz</p> <p>b. DAC-IC D/A Converter Cirrus Logic CS4398</p> <p>c. AMP Buffer AMP Matched Pair Transistors</p> <p>d. Clock Ultra-Low Jitter Oscillator</p>
OPTIONS	Chassis Custom Colors (Aluminum Body Anodizing)
COOLING SYSTEM	FANLESS
PSU	External 12-19V DC


<http://www.nucbox.co.kr>

Chassis Sku	NUC Sku
NUCBOX-X24	NUC5i5MYBE NUC5i3MYBE

SHADOW SYSTEMS PC CONTACT INFORMATION			
COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
South KOREA	Brian Lee	+82 32 623 0145	wdlee@shadowsystems.co.kr
Worldwide			sales@shadowsystems.co.kr

* Contact chassis vendors for up-to-date specifications, price, and availability.

NUCBOX PSC-10N

South KOREA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	NUCBOX PSC-10N (Broadwell i7-5775U) Personal Supercomputer
DIMENSIONS (MM) AND SIZE	360(W) x 490(H) x 325(D) mm
FEATURES	<ul style="list-style-type: none"> • Front control LCD Module • Built in KVM switch board • Powered by Intel® 5th generation CPU/GPU it is fanless type with eco friendly high-end server (HPC). • 10Bay type is on sale and customized designing is available upon a request of customers. • Fanless Eco Friendly Product with low power, about 350W consumed.
OPTIONS	Chassis Custom Colors (Aluminum Body Anodizing)
COOLING SYSTEM	FANLESS
PSU	External 110-220V AC / 350W

SHADOW SYSTEMS PC CONTACT INFORMATION

COUNTRY	NAME	PHONE NUMBER	E-MAIL ADDRESS
South KOREA	Brian Lee	+82 32 623 0145	wdlee@shadowsystems.co.kr
Worldwide			sales@shadowsystems.co.kr


<http://www.nucbox.co.kr>

Chassis Sku	NUC Sku
PSC-10N	NUC5i7RYB

* Contact chassis vendors for up-to-date specifications, price, and availability.

e Mini MR.nuc-V6

CHINA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	MR.nuc-V6
USAGE MODEL	Home Media (HTPC), Lifestyle Product, Compact Home PC, Office PC, Thin Client, Surveillance, Kiosk, Digital Signage, Home Automation, POS
DIMENSIONS (MM) AND SIZE	118(W)*118(D)*51.5(H)
OPTIONS	<ul style="list-style-type: none"> • Color: customization • Branding Options • Touch power-on button • Breathing power led • mSATA & 2.5'SSD/HDD • VESA mounting • Kensington lock
COOLING SYSTEM	Active
PSU	External 12~19V, 100-240V AC

MINICASE CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Ellie Hou	+86(0755)-26996161-823	sales@szrealan.com



Chassis Sku	NUC Sku
MR.nuc-V6	NUC MBs (customization)

* Contact chassis vendors for up-to-date specifications, price, and availability.

e Mini MR.nuc-V3

CHINA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	MR.nuc-V3
USAGE MODEL	Home Media (HTPC), Lifestyle Product, Compact Home PC, Office PC, Thin Client, Surveillance, Kiosk, Digital Signage, Home Automation, POS
DIMENSIONS (MM) AND SIZE	115(W)*113(D)*57.5(H)
OPTIONS	<ul style="list-style-type: none"> • Color: customization • Branding Options • Square led on the top • mSATA & 2.5'SSD/HDD • VESA mounting • Kensington lock
COOLING SYSTEM	Active
PSU	External 12~19V, 100-240V AC

MINICASE CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Ellie Hou	+86(0755)-26996161-823	sales@szrealan.com


www.minicase.net

Chassis Sku	NUC Sku
MR.nuc-V3	NUC MBs (customization)

* Contact chassis vendors for up-to-date specifications, price, and availability.

CHINA

COUNTRY OF ORIGIN

PRODUCT INFORMATION	
MODEL	MR.nuc-M10
DIMENSIONS (MM) AND SIZE	150(W)*115(D)*66(H)
OPTIONS	<ul style="list-style-type: none"> • Color: customization • Branding Options • Power led • mSATA & 2.5'SSD/HDD • VESA mounting • Kensington lock
COOLING SYSTEM	Active
PSU	External 12~19V, 100~240V AC



www.minicase.net

MINICASE CONTACT INFORMATION			
AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide	Ellie Hou	+86(0755)-26996161-823	sales@szrealan.com

Chassis Sku	NUC Sku
MR.nuc-M10	3i3BNH 5i5BNH other NUC MB (customization)

* Contact chassis vendors for up-to-date specifications, price, and availability.

SySTIUM® Express Enclosure™ Solutions

USA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	EE-NUC
USAGE MODEL	Industrial and Embedded Applications
DIMENSIONS (MM) AND SIZE	Customer / Form Factor Specific
OPTIONS	<ul style="list-style-type: none"> • Custom Colors • Custom Branding • Custom Form Factor (Half Rack, 4x4) • Internal Peripherals... • System Certification....
COOLING SYSTEM	NUC fan + application dependent fan
PSU	External AC to DC, Internal AC to DC, Customer Specific Harness



SYSTIUM® CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
Worldwide		+1 763-537-3600	sales@systemium.com

Chassis Sku	NUC Sku
Express Enclosure™ Sku tbd (per customer)	Any/ All

* Contact chassis vendors for up-to-date specifications, price, and availability.

VDO360-Clearwater System

USA

COUNTRY OF ORIGIN

PRODUCT INFORMATION

MODEL	Clearwater System
DIMENSIONS (MM) AND SIZE	115 x 111 x 140
OPTIONS	Fully configured Visual Collaboration device. NUC5i5MYBE, 8 GB RAM, Intel 120GB M.2 SSD, 7265 Radio, Windows 10 Pro. Harman/ Kardon Speakerphone and all accessories. Full Unite capability
COOLING SYSTEM	Active
PSU	12VDC 95W



VDO360 CONTACT INFORMATION

AREA	NAME	PHONE NUMBER	E-MAIL ADDRESS
USA/ ALL	Chip Manning	+1 855-443-2492	chip@vdo360.com

Chassis Sku

VCW-02

NUC Sku

NUC5i5MYBE

* Contact chassis vendors for up-to-date specifications, price, and availability.

Look for the Intel® NUC with Intel Inside® at www.intel.com/NUC

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL® PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER, AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. UNLESS OTHERWISE AGREED IN WRITING BY INTEL, THE INTEL PRODUCTS ARE NOT DESIGNED NOR INTENDED FOR ANY APPLICATION IN WHICH THE FAILURE OF THE INTEL PRODUCT COULD CREATE A SITUATION WHERE PERSONAL INJURY OR DEATH MAY OCCUR.

Intel may make changes to specifications and product descriptions at any time, without notice. Designers must not rely on the absence or characteristics of any features or instructions marked "reserved" or "undefined." Intel reserves these for future definition and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to them. The information here is subject to change without notice. Do not finalize a design with this information.

The products described in this document may contain design defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request. Contact your local Intel sales office or your distributor to obtain the latest specifications and before placing your product order. Copies of documents which have an order number and are referenced in this document, or other Intel literature, may be obtained by calling 1-800-548-4725, or by visiting Intel's Web site at www.intel.com.

Copyright © 2017 Intel Corporation. All rights reserved.

Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel. Experience What's Inside are trademarks of Intel Corporation in the U.S. and/or other countries.

*Other names and brands may be claimed as the property of others. 0613/FH/HBD 328936-001US