




Head in the Cloud, Feet on the Ground – Virtualization of the Broadband Home Gateway

Intel® Connected Home Division, Intel® Network Platform Group
January 2016




Virtualization of the Broadband Home Gateway is an architecture evolution that will dramatically improve operating efficiency and customer satisfaction for service providers. Virtualization brings the promise of open networking, improved day-to-day network maintenance and simplified deployment of advanced services to millions of residential subscribers, even when these subscribers use home-gateway systems from different makers.

Residential broadband services have advanced significantly in the last two decades. We have progressed from a single-user broadband modem, through Voice over IP (VoIP) services and multi-user home routers and on to support for wireless services and today's emerging requirements for Community Wi-Fi and Smart Home applications. Despite all these changes, the


access network architecture remains the same: processing and controlling home traffic is entirely implemented on residential systems. Adding such advanced services as Secured Networking, Mobility over Community Wi-Fi, and Home Automation – will further accelerate the growing complexity of the “Connected Home Logic” and the challenges associated with legacy network architecture.

At the same time, broadband technology has improved 10,000%, from 60-70Mbps DOCSIS2.0⁽¹⁾ in 2005 to 6-7Gbps DOCSIS3.1 in 2016⁽²⁾. This makes it possible to configure network architectures to split processing between the residence and Central Office. And as the network operator's Central Office evolves into a Data Center operation (Place of Percent) – it now is conceivable to virtualize the network

Intel® PUMA™ Software Development Kit
Incremental Gateway features added Year-over-Year



Over the last five years several hundreds of new Gateway features were implemented by Intel® on the Puma™ Software Development Kit




functions of the Home Gateway based on principles of Software Defined Networking (SDN) and Network Function Virtualization (NFV). We have a convincing evolutionary path to the Virtual Home Gateway.

In 2016 we can expect Virtual CPEs (vCPE) deployed in Enterprise networks and the Virtual Home Gateway will be seriously considered by Service Providers. In some cases, virtualization principals have been trialed with equipment manufactures. It's not difficult to imagine the value: ease of SW maintenance, ease of service-chaining with very little dependency on capabilities of the residential resources, and improved mobility as part of Community WIFI infrastructure.

Successful implementation of vCPE in the challenging residential environment

calls for proper attention to "Doing it properly." Open networking while preserving subscriber privacy, intelligent "hair-pinning" of application resources over wide-areas using constrained uplink resources, preserving performance under elastic service chaining, and service resiliency: these are some of the implementation challenges in the path of making Virtual Home Gateways ready for mass deployment.

Recognizing both the advantages and the implementation challenges of Virtual Home Gateways, Intel's Connected Home Division and Network Platform Group are developing an End-to-End reference implementation of an open network solution for residential deployments including a Virtual CPE (vCPE) component in the Cloud and a Physical CPE component (pCPE) in the residence.



Cloud Hair-pinning of in-home traffic: per-session granularity is used for efficient utilization of uplink resources. Virtualization of the home gateway brings the promise of open networking to improve deployment of services independently from capabilities of the residential resources.

Notes:

- (1) <http://www.cablelabs.com/wp-content/uploads/specdocs/CM-SP-RFiv2.0-C02-090422.pdf>
- (2) <http://www.cablelabs.com/wp-content/uploads/specdocs/CM-SP-PHYv3.1-I08-151210.pdf>



INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL® PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER, AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT, OR OTHER INTELLECTUAL PROPERTY RIGHT.

The products described may contain design defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request. Intel products are not intended for use in medical, life-saving, or life-sustaining applications. Intel may make changes to specifications and product descriptions at any time, without notice. All products, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Availability in different channels may vary. Results have been estimated or simulated using internal Intel analysis or architecture simulation or modeling, and provided to you for informational purposes. Any differences in your system hardware, software or configuration may affect your actual performance. Intel technologies' features and benefits depend on system configuration and may require enabled hardware, software or service activation. Performance varies depending on system configuration. No computer system can be absolutely secure. Check with your system manufacturer or retailer.

For more complete information about performance and benchmark results, visit www.intel.com/benchmarks

For use only by product developers, software developers, and system integrators. For evaluation only; not FCC approved for resale. This device has not been authorized as required by the rules of the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased, until authorization is obtained.

Intel's compilers may or may not optimize to the same degree for non-Intel microprocessors for optimizations that are not unique to Intel microprocessors. These optimizations include SSE2, SSE3, and SSSE3 instruction sets and other optimizations. Intel does not guarantee the availability, functionality, or effectiveness of any optimization on microprocessors not manufactured by Intel. Microprocessor-dependent optimizations in this product are intended for use with Intel microprocessors. Certain optimizations not specific to Intel microarchitecture are reserved for Intel microprocessors. Please refer to the applicable product User and Reference Guides for more information regarding the specific instruction sets covered by this notice.

Intel, the Intel logo, Atom, Puma, Look Inside, and the Look Inside. logo are trademarks of Intel Corporation in the U.S. and other countries.

*Other names and brands may be claimed as the property of others

Intel Confidential